



29TH CONGRESS
EADVIRTUAL
29th – 31st October 2020

NEW FRONTIERS
IN DERMATOLOGY AND VENEREOLOGY

E-POSTER LIST

The complete list of abstracts accepted as e-posters for the 29th
EADV Congress, 29th – 31st October, 2020

Acne and Related Disorders, Hidradenitis Suppurativa

- P0001** **Lupus Milliaris Disseminatus Faciei : A rare case treated with Isotretinoin**
Jesmin A. (DHAKA, Bangladesh)
- P0002** **A comparative study of microneedling alone versus along with platelet rich plasma in acne scars**
Debbarman K., Gupta M. (Delhi, India)
- P0003** **Serum levels of 25-hydroxyvitamin D and IL17 and their association with acne severity in patients with severe and very severe acne vulgaris**
Elkamshoushi A., Elnaily D., Ismail S., Mahmoud H. (Alexandria, Egypt)
- P0006** **The psychosocial impact of Hidradenitis suppurativa**
Vasileva S., Vasilev S., Vasilev B., Brishkoska Boshkovski V., Vasileva M. (Shtip, Macedonia)
- P0008** **Myths, Perceptions and Practices in Acne: A Study on Adolescents and Young Adults**
Yorulmaz A., Yalçın B. (Ankara, Turkey)
- P0009** **Adalimumab in severe hidradenitis suppurativa - A case report of a novel experience**
Balendran T., Gunasekera C. (Batticaloa, Sri Lanka)
- P0010** **Relationship between acne vulgaris and insulin resistance markers and effect of isotretinoin on insulin resistance markers in patients with acne vulgaris: A systematic review and meta-analysis**
Raizada A. (Bhubaneswar , India)
- P0011** **Systemic steroids in moderate-to-severe hidradenitis suppurativa**
Duarte B., Cunha N., Lencastre A., Cabete J. (Lisbon, Portugal)
- P0012** **Ixekizumab restores clinical response in patients with secondary loss of efficacy from Adalimumab: results of a case series of 10 patients with Hidradenitis suppurativa**
Hilbring C., Augustin M., Girbig G., Kirsten N. (Hamburg, Germany)
- P0013** **Microbiological assessment of macrolides and lincosamides effectiveness in the treatment of folliculitis and acne in Ukraine**
Voloshynovych M., Kutsyk R., Chmut V., Yurchyshyn O., Pavliuk N., Rusko H. (Ivano-Frankivsk, Ukraine)
- P0014** **A rare case of widespread eccrine hydrocystomas**
Shuber E., Fox N., Rao A. (London, United Kingdom)
- P0015** **Use of internet by hidradenitis suppurativa's patients: an observational study, Resoverneuil.net**
Fougerousse A., Reguiat Z., Gabison G., Beneton Benhard N., Delaunay J., Perrot J., Ezanno A., Bastien M., Pallure V., Maccari F., Guillem P., Resoverneuil G. (Saint Mandé, France)

P0016 Treatment protocol of moderate to severe acne in adult patients refractory to conventional treatment.

Znajewska A., Orylska M., Owczarczyk-Saczonek A., Placek W. (Olsztyn, Poland)

P0017 Refractory acne conglobata responding to adalimumab treatment, one more entity in the hidradenitis suppurativa spectrum?

Tampouratzi E., Katsantonis J. (Pireas, Greece)

P0019 Hidradenitis suppurativa and relationship with psychiatric comorbidities, suicides and substance abuse

Phan K., Huo Y., Smith S. (Kogarah, Australia)

P0020 Association between hidradenitis suppurativa and down syndrome

Phan K., Smith S. (Kogarah, Australia)

P0021 Incorporating a pre-consultation online isotretinoin video adds value to acne patient management

Downs A., Coulson I. (Exeter, United Kingdom)

P0022 Pain in hidradenitis suppurativa

Kokolakis G., Wolk K., Schneider-Burrus S., Kalus S., Barbus S., Gomis-Kleindienst S., Sabat R. (Germany)

P0023 The use of combination of potassium azeloyl diglycinate, shikimic acid and niacynamide in topical application on comedonal acne skin.

Tyszczyk B., Kuranc A., Debowska R., Rogiewicz K., Eris I. (Piaseczno, Poland)

P0024 Impact of regular exercises on the plasma concentration of progesterone in young women (18-23 years old) with comedogenic and mild/moderate papulopustular acne

Tkachyshyna K., Kolyadenko K. (Kyiv, Ukraine)

P0025 In vivo study of novel topical solution for patients with seborrheic dermatitis.

Mcfarland K., Tyszczyk B., Kołaczek A., Debowska R., Rogiewicz K., Eris I. (Piaseczno, Poland)

P0026 Antibiotic prescribing practice for acne within a UK hospital dermatology department

Campbell V., Machnikowski N., Clements S. (Belfast, United Kingdom)

P0027 Acne: it's time to recovery skin

Romashkina A. (Moscow, Russian Federation)

P0028 Treatment combinations in patients with mild to moderate hidradenitis suppurativa in a Spanish reference center

Cuenca-Barrales C., Valenzuela-Amigo A., Martinez Lopez A., Arias-Santiago S., Molina-Leyva A. (Granada, Spain)

P0029 Hidradenitis suppurativa and sexuality: a systematic review

Cuenca-Barrales C., Montero-Vilchez T., Szepietowski J., Matusiak L., Molina-Leyva A. (Granada, Spain)

P0031 CLINICAL EVALUATION OF THE ANTI-ACNE PROPERTIES AND CUTANEOUS TOLERANCE OF A COSMETIC PRODUCT IN SPRAY DESIGNED FOR THE BODY.

Barbareschi M. (Milan, Italy)

P0032 Black ginseng water extract enhances the expression of inflammatory biomarkers via the pathway of TLR2 and c-jun in the lipopolysaccharide-treated sebocytes and outer root sheath cells

Lee E., Kwak M., Song C., Lee W. (Daegu, Korea, Rep. of South)

P0034 Efficacy and Tolerability of a modified glutathione (GSH-C4) with beta glycyrrhetic and azelaic acids cream in mild-to-moderate rosacea: An assessor-blinded, VISIA and Antera 3D analysis, two-center trial

Milani M., Dall'oglio F., Puviani M., Micali G. (Caronno Pertusella, Italy)

P0035 Efficacy of a dermo-cosmetic care product in adults and adolescents with acne vulgaris: a 12-week comparative study

Thouvenin M., Siala K., Coubetergues H., Calvet B. (Toulouse, France)

P0036 Hidradenitis suppurativa in Tunisia: A prospective study of 40 patients.

Daldoul M., Gammoudi R., Ben Kahla M., Mokni S., Aounallah A., Boussofara L., Ghariani N., Belajouza C., Denguezli M. (Sousse, Tunisia)

P0037 Clinical inclusion criteria for clinical trials in hidradenitis suppurativa: an observational study

Montero-Vilchez T., Salvador_rodrguez L., Sanchez-Diaz M., Arias-Santiago S., Molina-Leyva A. (Granada, Spain)

P0038 Severe hidradenitis suppurativa and SAPHO syndrome associated with systemic amyloidosis

Cerejeira A., Preto Gomes N., Garcia S., Azevedo F., Lisboa C. (Porto, Portugal)

P0039 Hidradenitis suppurativa phenotypes and cardiovascular risk

Cuenca-Barrales C., Montero-Vilchez T., Martinez Lopez A., Arias-Santiago S., Molina-Leyva A. (Granada, Spain)

P0040 Characterization of acne patients carrying clindamycin-resistant Cutibacterium acnes

Nakase K., Aoki S., Sei S., Hayashi N., Noguchi N. (Hachioji, Tokyo, Japan)

P0041 The Identification of Propionibacterium Acnes and Staphylococcus Epidermidis in Acne Vulgaris Lesions: Analysis Using Polymerase Chain Reaction

Mokoagow K., Djawad K., Anwar A., Nadjar M., Iryani N. (Makassar, Indonesia)

P0042 Immunohistochemical profile of different subtypes of rosacea

Lee J., Cho S. (Seoul, Korea, Rep. of South)

P0043 The role of the microbiome and biofilms in hidradenitis suppurativa

Wark K., Der Sarkissian S., Tatian A., Woods J., Lee S., Shackel N., Radzieta M., Jensen S., Malone M., Cains G. (Liverpool, Australia)

P0044 A randomized, comparative study to assess the efficacy of a dermo-cosmetic product containing Myrtus Communis extract and azelaic acid in the maintenance of adult female acne

Bagatin E., Thouvenin M., Bacquey A., Barradat S., Lauze C., Mengeaud V., Calvet B., Soares J., Andrade L., Miot H., Rocha M.

P0045 Efficacy of a dermocosmetic regimen containing Licochalcone A, Salicylic Acid, Decanediol and sebum-regulating technology with L-Carnitine and 10% Hydroxy Complex in subjects with acne lesions

Keyhanian S., Ihász J., Buczkó M., Benedičič A., Šmuc Berger K., Lamer V., Veljovic B., Vukovic Rsovac O., Tosi V., Anahi G., Vera C., Bravo D., Kizlansky V., Pérez Damonte S., Gomez A. (Hamburg, Germany)

P0046 Licochalcone A inhibits C. acnes Biofilm associated Lipase activity and penetrates the sebaceous gland

Bussmann T., Laudien M., Siefken W., Baericke L., Willenberg M., Seidel J., Reuter J., Oberst S., Burkhardt T., Rippke F., Gallinger J. (Hamburg, Germany)

P0047 A COMPARATIVE STUDY OF EFFICACY OF FRACTIONAL CO2 LASER VERSUS MICRONEEDLING BY DERMAROLLER IN THE TREATMENT OF ATROPHIC FACIAL ACNE SCARS

Chaudhary K., Mathur D., Paliwal V. (JAIPUR, India)

P0049 Personalising Acne: Consensus of Experts (PACE). Exposing truncal acne – what are the clinical management gaps?

Tan J., Alexis A., Baldwin H., Beissert S., Bettoli V., Del Rosso J., Dréno B., Stein Gold L., Harper J., Lynde C., Thiboutot D., Layton A.

P0050 Toker cells hyperplasia in Zuska disease: a Paget disease simulator.

Torre-Castro J., Haya L., Moya Martínez C., Núñez Hipólito L., Cullen D., Jo M., Requena L. (Madrid, Spain)

P0051 Impact of atrophic acne scars on quality of life

Tan J., Chavda R., Le Calve P., Young R., Gaultier L., Dréno B. (Ontario, Canada)

P0052 The burden of acne scars: a qualitative study on patient experience

Tan J., Chavda R., Leclerc M., York J., Dréno B. (Ontario, Canada)

P0053 Patient perspective on burden of truncal acne and impact on quality of life

Tan J., Chavda R., Le Calve P., Guillaume X., Tsankova A., Dréno B. (Ontario, Canada)

P0054 The burden of combined facial and truncal acne: a qualitative study on patient experience

Tan J., Chavda R., Leclerc M., York J., Dréno B. (Ontario, Canada)

P0056 Vitamin D and its correlation with BMI and MEDAS score in patients with Hidradenitis Suppurativa results from an unicentric cross-sectional study

Kirsten N., Augustin M., Hilbring C., Girbig G., Neumann F., Sensen J., Zander N., Zyriax B. (Hamburg, Germany)

P0057 Clinical and experimental assessment of a dermocosmetic cleansing gel in mild to moderate truncal acne

Towersey L., Euzébio Jr J., Correia P., Sant'anna B., Le Floc'h C., Delvigne V. (Brazil)

- P0058 An unusual case of axillary acne agminata treated with skin needling**
Scandrett S., Fox N., Natkunarajah J. (Kingston-upon-Thames, United Kingdom)
- P0059 New biophotonic treatment-a new beginning...**
Ciurduc M., Sercanean V., Serban E., Bucur S., Olteanu R., Constantin M. (București, Romania)
- P0060 Real-time confocal imaging for hidradenitis suppurativa: description of morphological aspects and focus on the role of follicular units**
Giovanardi G., Cappilli S., DI Stefani A., Longo C., Perino F., Chiricozzi A., Peris K. (Roma, Italy)
- P0061 A rare triad**
Tazi Saoud Z., Fatim Zahra E., Hayat D., Fouzia H., Soumia C. (Morocco)
- P0063 Hidradenitis suppurativa patients follow-up in reference centre during COVID-19 pandemic**
Jariene V., Mazeika E., Adomaitis M., Valiukeviciene S. (Kaunas, Lithuania)
- P0065 Patient-Reported Outcomes Among Patients With Moderate to Severe Hidradenitis Suppurativa Treated With the Janus Kinase 1 Inhibitor INCB054707**
Alavi A., Hamzavi I., Brown K., Santos L., Zhu Z., Kirby J. (Rochester, United States)
- P0066 Psychological and clinical correlation in Acne vulgaris: Results of a cross-sectional study in schoolchildren in Tirana, Albania**
Savo I., Jorgaqi E., Doci X., Mishtaku S., Demaj D. (Tirane, Albania)
- P0067 Is there a link between acne and sleep disorders? an international survey.**
Chelli C., Halioua B., Kerob D., Taieb C., Dréno B. (Reims, France)
- P0068 Epidemiology of adolescence acne in Albania: results of a cross-sectional study**
Savo I., Jorgaqi E., Vasili E., Fida M., Kuci M., Doci X., Jafferany M. (Tirane, Albania)
- P0069 Comparison of Facial Sebum Level in Subjects With and Without Acne Vulgaris Using Dermoscan**
Nurhaerani A., Vitayani S. (Makassar, Indonesia)
- P0070 A six months follow up international study on the efficacy and tolerance of the field-cosmetic Sylibum Marianum fruit extract in acne.**
Reygangne P., Therese N., Josse G., Le Digabel J., DE Douhet D'auzers G., Sohm B., Calvet B., Saurat J. (Paris, France)
- P0071 Hidradenitis suppurativa: an epidemiological and clinical profile over 16 years**
Chaabouni R., Bahloul E., Frikha F., Boudaya S., Amouri M., Turki H. (Sfax, Tunisia)
- P0073 Features of the clinical course of acne with and without a background of biochemical hyperandrogenemia**
Manvelova K., Tkachyshyna K., Kolyadenko K. (Kyiv, Ukraine)

Adverse Drug Reactions, TEN

- P0075 Evaluation of cutaneous adverse drug reactions in the department of dermatology at a quaternary care hospital in south India**
Kakkanatt Babu A. (Kochi, India)
- P0076 Neutrophilic panniculitis with vasculitis caused by gemfibrozil simulating eccrine palmar hydradenitis: a diagnostic challenge**
Ramirez-Lluch M., Aldea Manrique B., Martínez Pallás I., García-Gil M., Lapeña Casado A., Viso Soriano M., Prieto Torres L., Ara Martín M. (Zaragoza, Spain)
- P0078 Etanercept-induced interstitial lung disease in a patient with plaque psoriasis**
Rodrigues Lopes J., Campaignha S., Teixeira D., Baptista A., Moreira A. (Vila Nova de Gaia, Portugal)
- P0079 Generalized Erythema Annulare maybe induced by Metformin**
Yaneva M., Demerdjieva Z., Darlenski R. (Sofia, Bulgaria)
- P0080 Toxic epidermal necrolysis and DRESS induced by vemurafenib. Presentation of two cases.**
Torres I., Unamuno B., Roca-Ginés J., Sánchez-Arráez J., Botella-Estrada R. (Valencia, Spain)
- P0081 Lichenoid drug reaction to angiotensin-converting-enzyme inhibitors confirmed by patch test**
Mendes R., Garrido P., Soares-de-Almeida L., Correia T., Filipe P. (Lisbon, Portugal)
- P0083 Palmoplantar pustulosis-like eruption induced by baricitnib for treatment of rheumatoid arthritis.**
Koumaki D., Koumaki V., Boumpoucheropoulos S., Lagoudaki E., Bertias G. (Heraklion, Greece)
- P0084 Drug reaction eosinophilia and systemic symptoms syndrome associated with allopurinol leading to acute myocarditis**
Rouai M., Rabhi F., Wafa J., Thabouti Hamdi M., Youssef S., Kahena J., Dhaoui M.
- P0085 Spironolactone and Allopurinol:an uncommon guilty association**
El Mansouri M., Elfatoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)
- P0086 Acute maculopapular eruption induced by sequential treatment with PD-1 inhibitor and mTOR inhibitor: a case report**
Shatokhina E., Kruglova L., Kovalenko I. (Moscow, Russian Federation)
- P0087 Carbamazepine-induced Severe Cutaneous Adverse reactions and HLA-B*15:11 genotyping in HLA-B*15:02-negative Chinese in Hong Kong ,a retrospective population-based study**
Wong S., Chan H., Kwok J. (HKG, Hong Kong)
- P0088 Anticonvulsivant drug-induced pigmentation of the oral and tongue mucosa**
Papagheorghe L., Popa A. (Bucharest, Romania)
- P0090 Carbamazepine-induced severe cutaneous reactions and HLA-B*15:11. genotyping in HLA-B*15:02-negative Chinese. in Hong Kong, a retrospective population-based study**
Wong S., Chan H., Kwok J. (HKG, Hong Kong)

- P0091 Epidemiological and clinical features of drug eruptions in inpatients: A study of 55 cases**
Fakhfekh W., Rabhi F., Ben Samir A., Damak I., Jaber K., Dhaoui M. (Tunis, Tunisia)
- P0092 Using of modern information technologies in the prevention of polypharmacy and drug adverse effects**
Soloszenko E., Chikina N., Povorozniuk A., Vysots'ka O. (Kharkiv, Ukraine)
- P0093 Photosensitive dermatitis due to vitamin B-complex supplement**
Vicic M., Kastelan M., Brajac I., Prpic Massari L. (Rijeka, Croatia)
- P0094 A case of Stevens-Johnson syndrome/toxic epidermal necrolysis overlap**
Praschberger S., Linser E., Sidoroff A., Zelger B., Schmuth M. (Innsbruck, Austria)
- P0095 Mycoplasma-induced rash and mucositis with toxic epidermal necrolysis-like progression**
Cerejeira A., Amoedo P., Carneiro-Leão L., Canelhas A., Egipto P., Azevedo F., Lisboa C. (Porto, Portugal)
- P0096 Acute generalized exanthematous pustular dermatitis: a drug eruption not to be disregarded**
Daadaa N., Souissi A., Ben Tanfous A., Chelly I., Mokni M. (Hammam Lif, Tunisia)
- P0097 Psoriasis induced by pembrolizumab: A case report**
Montero-Vilchez T., Martinez Lopez A., López Delgado D., Molina-Leyva A., Arias-Santiago S. (Granada, Spain)
- P0098 Erythema gyratum repens: paraneoplastic disease or drug reaction?**
Rytenband F., Schinzari Palo J., Santos Valandro L., De Jesus Torres Lima V., Kosa Lino Duarte B., Fantelli Stelini R., Macedo de Souza E., Valbon Beleli M. (Campinas, Brazil)
- P0099 Contrast Media-Associated Hypersensitivity Reactions in Korea**
Kang H., Choi I., Chang H., Park H., Lee K., Park C. (Bucheon, Korea, Rep. of South)
- P0100 Drug Induced Interstitial Granulomatous Dermatitis: A Rare Presentation**
Keskin N., Adisen E., Erdem O., Ogut B. (Ankara, Turkey)
- P0101 A case of cefditoren-induced acute generalized exanthematous pustulosis during COVID-19 pandemics.**
Sánchez-Arráez J., Torres I., Roca-Ginés J., Abril-Perez C., Botella-Estrada R. (Spain)
- P0102 Prevalence and management of cutaneous reactions to EGFR inhibitors in patients with non-small cell lung cancer: a single center experience**
Geat D., Gisondi P., Alessandra M., Santo A., Girolomoni G.
- P0103 Bleomycin-induced flagellate dermatitis: a case report**
Tonin B., Geat D., Girolomoni G.
- P0104 Polymedicated old man with Fixed Drug Eruption due to Allopurinol**
Lapeña Casado A., Monte Serrano J., García-Gil M., Martínez Pallás I., Aldea Manrique B., Ramirez Lluch M., Prieto Torres L. (Zaragoza, Spain)

- P0105 Factors Associated with the Etiological Indefiniteness of Drug Eruptions: a cross-sectional study in southern Brazil**
Bazanella de Oliveira F., Rangel Bonamigo R., Chiamenti P., De Freitas Horn R., Perinazzo Pauvels L. (Porto Alegre, Brazil)
- P0106 A case report of focal palmoplantar keratoderma secondary to sorafenib**
De Manueles F., Balsalobre Góngora S. (Cáceres, Spain)
- P0107 AGEP in DLE: a case report**
Bareikytė A., Lapinskaitė G., Lauraitis J., Grigaitienė J. (Vilnius, Lithuania)
- P0108 SJS following introduction of targeted combination therapy for advanced stage melanoma**
Hlaca N., Zagar T., Skender K., Prpic Massari L., Brajac I., Dujmovic Hasanbegovic K., Batinac T. (Rijeka, Croatia)
- P0109 scalp blackheads : Minoxidil side effect**
Mezni L., Elhadadi F., Meziane M., Benzekri L., Senouci K. (Rabat, Morocco)
- P0110 Drug-induced linear IgA bullous dermatosis: A case report**
Tabka M., Gammoudi R., Lobna B., Mokni S., Aounallah A., Ghariani N., Sriha B., Bellajouza C., Denguezli M. (sousse, Tunisia)
- P0111 Aminoacids in the course of toxic-allergic dermatitis**
Ivanyushko-Nasarko N., Rudnyk T., Turkevich S., Babak I. (Ukraine)
- P0112 Drug-induced Erythema Multiforme: clinical aspects and therapeutic management (case report).**
Jugănaru D., Solovastru L. (Iasi, Romania)
- P0113 Acute Generalized Exantematous Pustulosis Induced by Hyaluronic Acid Injection for knee**
Ntavari N., Savvopoulou E., Gidarokosta P., Zafeiriou E., Gravani A., Roussaki A. (Larissa, Greece)
- P0114 DRESS syndrome sparing lichen planus: an example of reverse isotopic response**
Velasco-Tamariz V., Pinilla-Martin B., Falkenhain Lopez D., Penalba Torres M., Postigo-Llorente C., Ortiz-Romero P., Palencia-Pérez S. (Madrid, Spain)
- P0115 Two cases of Trimethoprim induced DRESS**
Connolly A., Williamson E., Philippidou M., Creamer D. (London, United Kingdom)
- P0116 Hydroxychloroquine-induced Acute Generalized Exanthematous Pustulosis: an adverse reaction to keep in mind during COVID-19 pandemic**
Sanchez-Velazquez A., Arroyo-Andres J., Falkenhain Lopez D., Rivera-Díaz R., Calleja-Algarra A. (Madrid, Spain)
- P0117 The awareness of using hydroxychloroquine wisely for the prevention of Covid-19**
Bucur S., Olteanu R., Constantin M. (Bucharest, Romania)
- P0118 Generalized Bullous Fixed Drug Eruption Due to Paracetamol Mimicking Stevens Johnsons Syndrome**
Frez M., Dy F., Encarnacion L. (Quezon Clty, Philippines)

P0119 Multiple and Simultaneous Drug Reactions in the Same Patient

Neff G., Alabarce Carrascosa Jr J., Petri V. (São Paulo, Brazil)

P0120 Serological immune signature changes in SJS/TEN patients during IVIG treatment

Schmidt V., Contassot E., LI N., Hasler S., Schmid-Grendelmeier P., Nägeli M., French L., Brügggen M. (Switzerland)

P0121 Low-dose methotrexate-induced skin toxicity:a case report

Mkhinini H., Soua Y., Ben Rejeb M., Lahouel I., Korbi M., Hba H., Youssef M., Zili J. (monastir, Tunisia)

P0122 Etiofoxine induced DRESS syndrome : a case report

Mkhinini H., Soua Y., Ben Rejeb M., Korbi M., Lahouel I., Hba H., Youssef M., Zili J. (monastir, Tunisia)

P0123 Acute generalized exanthematous pustulosis: a series of 14 cases

Arfaoui S., Souissi I., Alaoui F., Wafa J., Sassi W., Ines C., Mokni M. (Behi Ladghem, Tunisia)

P0124 Serum sickness following equine rabies immunoglobulins administration : case report

Trimeche K., Soua Y., Lahouel I., Korbi M., Belhadjali H., Youssef M., Zili J. (Monastir, Tunisia)

P0125 Allopurinol Drug induced Dress syndrome: raising awareness!

Belanouane S., Fouzia H., Soumia C. (casablanca, Morocco)

P0126 Epidermolysis bullosa acquisita-like eruption induced by D-penicillamine in Wilson disease

Peric J., Lekic B., Bosic M., Svetel M., Kresojevic N., Skiljevic D. (Belgrade, Serbia)

Allergology and Immunology

P0127 Hereditary Angioedema in Children

Kinaciyan T., Gorris A., Weninger W. (Vienna, Austria)

P0128 Allergic contact dermatitis from triethanolamine in an ultrasound gel

Almeida F., Caldas R., Pereira T. (Braga, Portugal)

P0129 Type I and type IV systematised Contact Dermatitis to balsam of Peru with a particular reaction to cinnamyl alcohol

Tewari A., Khan I., Ostlere L. (London, United Kingdom)

P0130 Itchy tears due to cycloplegic eyedrops

El Hadadi F., Mezni L., Meziane M., Senouci K. (Rabat, Morocco)

P0131 A major allergen of cetuximab-induced anaphylaxis in Japan is galactose-alpha-1,3-galactose

Chinuki Y., Ito K., Morita E. (Izumo, Japan)

P0132 IgE against red meat allergen, galactose-alpha-1,3-galactose, cross-react to novel flounder roe allergen

Morita E., Chinuki Y., Takahashi H. (Izumo, Japan)

P0133 C57BL/6J and C57BL/6N mice harbor distinct intestinal microbiome but display equivalent T helper cell profiles and anaphylaxis in a murine food allergy model

Storz T., Amar Y., Singh V., Wölbing F., Skabytska Y., Biedermann T., Volz T. (Germany)

P0134 Stevens Johnson Syndrome Induced by Piroxicam

Sasmito E., Sigit Prakoeswa C., Umborowati M., Anggraeni S., Damayanti D. (Surabaya, Indonesia)

P0135 pustular mercury-induced Baboun syndrome in a pregnant women: an unusual presentation

Idoudi S., Soua Y., Korbi M., Lahouel I., Belhajali H., Zili J. (Monastir, Tunisia)

P0136 Recurrent Sweet Syndrome presenting in a figurate pattern in a patient with Fanconi Anemia

Cerejeira A., Amoedo P., Pedrosa A., Nogueira A., Azevedo F. (Porto, Portugal)

P0137 Eosinophilic annular erythema following influenza virus infection

Skender K., Zagar T., Hlaca N., Peternel S., Kastelan M., Brajac I., Prpic Massari L.

P0138 Allergic rhinitis and masks (Personal Protective Equipment) : a difficult coexistence.

Iandoli R., Puca R., Iandoli D. (Avellino, Italy)

P0139 Photoallergic contact cheilitis caused by methylchloroisothiazolinone/methylisothiazolinone

Navarro Triviño F., Ruiz-Villaverde R. (Granada, Spain)

P0140 Systemic allergic contact dermatitis caused by surgical mesh Paritene

Navarro Triviño F., Ruiz-Villaverde R. (Granada, Spain)

P0141 Efficacy of Aloe-Based Cream in the management of Hand Disease in Health Workers During the Covid-19 Emergency

Iandoli R., Puca R., Iandoli D. (Avellino, Italy)

P0142 Prevalence of allergies in France and impact of skin - Epidemiological study on a representative sample of French adults

Seite S., Taieb C., Pham-Thi N. (Levallois-Perret, France)

P0143 Coping strategies as predictors of stress and anxiety in family members and caregivers of patients with severe drug allergy

Grivcheva-Panovska V., Miceva-Velichkoska E. (Skopje, Macedonia)

Angiology, Haemangiomas, Vascular Malformations, Vasculitis

- P0144 Milroy Disease: Report of an exuberant case and nine affected family members**
Valente M., Vendruscolo O., Campos Pierobao T., Andrade Carmello R., Pegas J., Yoshino Bonifaci A. (Guarulhos, Brazil)
- P0145 Cutaneous necrotizing eosinophilic vasculitis in a 16-year-old girl**
Gorris A., Weiss D., Havranek A., Valencak J., Petzelbauer P., Weninger W., Kinaciyan T. (Vienna, Austria)
- P0146 Microcystic lymphatic malformation on the genitalia secondary to lymphedema - a case report**
Teixeira D., Wen X., Rodrigues Lopes J., Costa M., Ferreira E., Baptista A., César A. (Vila Nova De Gaia, Portugal)
- P0147 Oral and genital lesions and pustules in a HLA B51+**
Pinilla-Martin B., Tous-Romero F., Aragón-Miguel R., Calleja-Algarra A., Postigo-Llorente M. (Madrid, Spain)
- P0148 Pseudo- Kaposi in fifty years old female**
Majstorović J., Minic S., Vukotic M. (Belgrade, Serbia)
- P0149 Coagulation abnormalities in Korean livedoid vasculopathy patients**
Lee J., Cho S. (Seoul, Korea, Rep. of South)
- P0150 Juvenile gangrenous vasculitis**
Choi I., Chang H., Park H., Kang H., Lee K., Park C. (Bucheon, Korea, Rep. of South)
- P0151 Subcutaneous pyogenic granuloma**
Choi I., Chang H., Park H., Kang H., Lee K., Park C. (Bucheon, Korea, Rep. of South)
- P0152 Livedo reticularis: one clue, several diagnoses**
Didona D., Juratli H., Göbel M., Hertl M., Eming R. (Marburg, Germany)
- P0153 The importance of a multidisciplinary approach in a patient with a long term multisystemic manifestations of unrecognized Hereditary Hemorrhagic Teleangiectasia (HHT)**
Sredoja Tisma V., Gulin P., Vlašić A., Boščić D. (Zagreb, Croatia)
- P0154 Sclerotherapy in a rare case of Blue Rubber Bleb Nevus (BRBN) Syndrome with severe skin manifestation**
Schiffmann M., Braun S., Gorge T. (Münster, Germany)
- P0155 Klippel -Trenaunay syndrome with upper limb involvement**
Mironova N., Dourmishev L., Botev I., Kazandzhieva J., Miteva L. (Bulgaria)
- P0156 Satellite lesions in tufted angioma : a rare and atypical presentation**
Khouna A., Dikhaye S., Zizi N. (Morocco)
- P0157 A man with subcutaneous nodules revealing Maffucci syndrome**

Bennouna N., Zakaria E., Elfatoïki F., Hali F., Dahbi Skali H., Chiheb S. (Morocco)

P0158 digital ischemia revealing Takayasu arteritis

Bennouna N., Elfatoïki F., Hali F., Dahbi Skali H., Chiheb S. (Morocco)

P0159 A teenage female patient with frog spawn like lesions on the trunk: a case report

Delaš M., Bulat V., Dediol I. (Zagreb, Croatia)

P0160 Prospects for the using of autologous mesenchymal stem cells in the treatment of ulcerative-necrotic angiitis.

Svist P., Orlova E., Smirnova L., Kayumova L. (Moscow, Russian Federation)

P0162 Lymphangioma circumscriptum: unusual clue to a rare syndrome

Martínez-Domenech Á., García-Legaz Martínez M., Valenzuela C., Magdaleno J., Partarrieu Mejías F., Lorca J., Casanova-Esquembre A., Pérez-Pastor G., Sanchez Carazo J., Pérez Ferriols A. (VALENCIA, Spain)

P0163 Aggressive Gorham-Stout disease with cutaneous involvement and spontaneous chylothorax

Suzuki N., Thomé França F., Amstalden E., Cintra M., Steiner C., Franca A., Marina Gagheggi Maciel M. (Campinas, Brazil)

P0164 Micro-and macrovascular involvement in systemic sclerosis -ischemic digital ulcers appearance

Alexandru C., Flavia Corina B., Laura G., Emeric T., Sorina C., Mederle A., Dagos C., Claudia B. (Timisoara, Romania)

P0165 Caviar tongue: a case report of a lingual physiological variation

Rouai M., Souissi I., Alaoui F., Frioui R., Mokni M.

P0166 Ideopathic Erythema elevatum diutinum

Tusheva I., Damevska K., Dimova M. (Strumica, Macedonia)

Atopic Dermatitis/Eczema

- P0167 Evaluation of Botulinum Toxin Type A injection in treatment of localized chronic pruritus**
Gharib K., Youssef A. (Zagazig, Egypt)
- P0168 Relationship between seborrheic dermatitis and climate change**
Kutlu Ö. (Uşak, Turkey)
- P0169 Dyshidrotic eczema after contact with cherries**
Boudghene Stambouli O., Haddam M., Bouchnak Kheladi K., Dahmani B. (Tlemcen, Algeria)
- P0170 Raster scanning optocoustic mesoscopy (RSOM) imaging as an objective disease severity measurement tool in atopic dermatitis**
Thng S., Yew Y., Olivo M., U S D., Aguirre J., Ntziachristos V. (Singapore, Singapore)
- P0172 One-year real-world clinical effectiveness, safety and laboratory safety of dupilumab in Japanese adult patients with atopic dermatitis: A single-center retrospective study**
Uchida H., Kamata M., Ito M., Kato A., Mizukawa I., Watanabe A., Egawa S., Agematsu A., Nagata M., Fukaya S., Hayashi K., Fukuyasu A., Tanaka T., Ishikawa T., Ohnishi T., Tada Y. (Tokyo, Japan)
- P0173 Effectiveness of tacrolimus ointment on facial lesions refractory to topical corticosteroid in patients with atopic dermatitis receiving dupilumab: A case series.**
Uchida H., Kamata M., Ito M., Egawa S., Nagata M., Fukaya S., Hayashi K., Fukuyasu A., Tanaka T., Ishikawa T., Ohnishi T., Tada Y., Shimizu T. (Tokyo, Japan)
- P0174 Induction of self-injection increases adherence to dupilumab in adult patients with atopic dermatitis: A single-center retrospective study**
Ito M., Kamata M., Uchida H., Nagata M., Fukaya S., Hayashi K., Fukuyasu A., Tanaka T., Ishikawa T., Ohnishi T., Tada Y. (Tokyo, Itabashi city, Japan)
- P0176 The Microbiome of the Human Skin and its Variability in Psoriasis and Atopic Dermatitis.**
Mazur M., Tomczak H., Lodyga M., Adamski Z. (Poznan, Poland)
- P0177 Local microbiological monitoring and antibiotic therapy of staphylococcal infections in patients with atopic dermatitis**
Shcherbakova I., Kutasevych Y., Dzhoraeva S. (Kharkiv, Ukraine)
- P0178 Atopic dermatitis with severe verrucous hyperkeratotic plaques**
Gorris A., Weiss D., Födinger D., Handisurya A., Weninger W., Kinaciyan T. (Vienna, Austria)
- P0179 Significantly reduced diversity and altered composition of the skin microbiome in Peeling skin Syndrome**
Perazzolli G., Valentin F., Baumann C., Wiegmann H., Dobrindt U., Traupe H., Steinbrink K., Oji V., Loser K. (Brescia, Italy)
- P0180 Dupilumab and the risk of conjunctivitis and serious infection in patients with atopic dermatitis: a propensity-score matched cohort study**
Schneeweiss M., Kim S., Schneeweiss S., Merola J. (Boston, United States)

- P0181 Vaccine antibody responses in tralokinumab-treated adult patients with moderate-to-severe atopic dermatitis: results from the 30-week Phase 2 ECZTRA 5 trial**
Merola J., Bagel J., Almgren P., Røepke M., Grewal P. (Boston, United States)
- P0182 Medical device for topical application in eczema patients - biocompatibility, safety assessment and St. aureus biofilm formation in vitro.**
Debowska R., Smigielska K., Ostrowska B., Toporkiewicz M., Chodaczek G., Junka A., Rogiewicz K., Eris I. (Piaseczno, Poland)
- P0183 Efficacy and Safety of Baricitinib in Combination with Topical Corticosteroids in Patients with Moderate-to-Severe Atopic Dermatitis Who Failed, are Intolerant to, or Have Contraindication to Cyclosporine: Results from a Randomized, Placebo-Controlled, Phase 3 Clinical Trial (BREEZE-AD4)**
Bieber T., Reich K., Paul C., Tsunemi Y., Augustin M., Lacour J., Ghislain P., Dutronc Y., Liao R., Gamalo M., Brinker D., Delozier A., Meskimen E., Eyerich K. (Bonn, Germany)
- P0184 Higher baseline LDH level is associated with poor effectiveness of dupilumab in the long term in patients with atopic dermatitis**
Kato A., Kamata M., Uchida H., Nagata M., Fukaya S., Hayashi K., Fukuyasu A., Tanaka T., Ishikawa T., Ohnishi T., Tada Y. (Tokyo, Japan)
- P0185 Assessment of the relationship between sleep disturbance and disease severity, symptoms and other impacts in atopic dermatitis**
Rodriguez D., Dias-Barbosa C., Fofana F., Vernon M., Gabriel S., Puelles J. (United States)
- P0186 A literature review of patient-reported outcome measures used in assessment of sleep disturbance in atopic dermatitis**
Fofana F., Dias-Barbosa C., Rodriguez D., Chanis R., Filipenko D., Puelles J.
- P0187 Healthcare Resource Utilisation of Atopic Dermatitis Patients in England: A Population Based Linked Cohort Study using Clinical Practice Research Datalink (CPRD) and Hospital Episode Statistics (HES)**
Ameen M., Rabe A., Blanthorn-Hazell S., Unal G., Alamgir G., Millward R. (United Kingdom)
- P0188 Efficacy of Abrocitinib Monotherapy by Body Location in Patients With Moderate-to-Severe Atopic Dermatitis: Pooled Results From Phase 2b/3 Studies**
Silverberg J., Saeki H., Nosbaum A., Chu C., Bhatia N., Biswas P., Farooqui S., Cameron M., Yin N. (Washington, DC, United States)
- P0189 Tolerance and efficacy of a barrier cream in adult and paediatric population with hand dermatitis**
Béziat C., Thouvenin M., Coubetergues H., Calvet B., Mengeaud V. (Toulouse, France)
- P0190 A case of secondary prurigo nodularis; accompanied by an exacerbation of atopic dermatitis following the blaschko line**
Kim H., Kang H., Han J., Bang C., Kim T.
- P0191 Long-term results of dupilumab in the treatment of moderate to severe atopic dermatitis. The experience of 5 reference dermatology units in Spain.**

Alcantara S., Armario Hita J., Dominguez Cruz J., Martínez L., Ruiz-Villaverde R., Pereyra Rodriguez J. (HUELVA, Spain)

P0194 Identifying Patient Preferences for Systematic Atopic Dermatitis Treatments Using a Discrete Choice Experiment

Boeri M., Sutphin J., Hauber B., Cappelleri J., Romero W., Dibonaventura M. (Belfast, United Kingdom)

P0195 Treatment Patterns for Moderate-to-Severe Atopic Dermatitis Among Patients in Europe

Dibonaventura M., Anderson P., Piercy J., Massey L., Cappelleri J., Llamado L., Feeney C. (New York, NY, United States)

P0196 The Relationship Between Pruritus, Sleep Disruption, and Quality of Life (QoL) Among Patients With Moderate-to-Severe Atopic Dermatitis (AD) in Europe

Dibonaventura M., Anderson P., Piercy J., Massey L., Cappelleri J., Llamado L., Feeney C. (New York, NY, United States)

P0197 Prevalence and Impact of Psychosocial Comorbidities on Health Status Among Patients With Moderate-to-Severe Atopic Dermatitis in Europe

Luger T., Girolomoni G., Nosbaum A., Gruben D., Romero W., Llamado L., Dibonaventura M. (Münster, Germany)

P0198 Absolute Eczema Area and Severity Index and SCORing of Atopic Dermatitis outcomes with baricitinib monotherapy and in combination with topical corticosteroids in moderate-to-severe atopic dermatitis

Wollenberg A., Deleuran M., Girolomoni G., Riedl E., Petto H., Grond S., Paul C. (Munich, Germany)

P0199 Risk of venous thromboembolism among patients with atopic dermatitis: A cohort study in a US administrative claims database

Meyers K., Goodloe R., Pierce E., Rueda M., Silverberg J., Deberdt W., Brinker D. (Indianapolis, United States)

P0200 Impact of baricitinib on anxiety and depressive symptoms in patients with moderate-to-severe atopic dermatitis - Pooled analysis of BREEZE-AD1 and BREEZE-AD2 trials

Thyssen J., Lio P., Ball S., Pierce E., Sun L., Chen Y., Tan J. (Denmark)

P0201 Xerosis cutis and stigmatization: Exploring patient's view of skin affections and impact of skin care

Von Stülpnagel C., Da Silva N., Nippel G., Augustin M., Sommer R. (Hamburg, Germany)

P0202 Tolerance and efficacy of a barrier cream in paediatric and adult population with atopic dermatitis

Dalmon S., Thouvenin M., Mengeaud V., Coubetergues H., Calvet B. (Toulouse, France)

P0203 Patients With Atopic Dermatitis (AD) Treated With Abrocitinib Who Were IGA Nonresponders Demonstrate Substantial Improvements in AD Signs, Symptoms, and Quality of Life

Blauvelt A., Boguniewicz M., Brunner P., Luna P., Biswas P., Dibonaventura M., Farooqui S., Rojo R., Cameron M. (Portland, United States)

P0204 INFLUENCE OF ASSOCIATED DISEASES ON SKIN DISEASE OUTCOMES IN PATIENTS WITH CHRONIC URTICARIA AND NUMMULAR ECZEMA

P0205 Incident asthma in pediatric patients with atopic dermatitis

Ali Z., Suppli Ulrik C., Egeberg A., Pontoppidan Thyssen J., Thomsen S. (Copenhagen, Denmark)

P0206 High levels of psychological distress, sleep disturbance and alcohol use disorder in adults with atopic dermatitis: A cross-sectional study

Gilhooley E., O'grady C., Roche D., Mac Mahon J., Moriarty B., Salim A., Connolly M., Kirby B., Tobin A., Ryan C. (Dublin, Ireland)

P0207 A Phase 3 Study to Investigate the Efficacy and Safety of Abrocitinib and Dupilumab in Comparison With Placebo in Adults With Moderate-to-Severe Atopic Dermatitis

Thaçi D., Bieber T., Simpson E., Silverberg J., Paul C., Sinclair R., Pink A., Kataoka Y., Chu C., Dibonaventura M., Rojo R., Antinew J., Ionita I., Forman S., Zdybski J., Biswas P., Malhotra B., Zhang F., Valdez H. (Lübeck, Germany)

P0208 Patterns of topical corticosteroid use in a study of baricitinib in patients with moderate-to-severe atopic dermatitis

Thyssen J., Silverberg J., Pink A., Nosbaum A., Nunes F., Grond S., Riedl E., Chen Y., Bieber T., Hide M., Yang F., Reich K. (Denmark)

P0209 EARLYemollient: a randomised controlled pilot trial of daily emollient use in children with high risk for atopic eczema.

Stölzl D., Boraczynski N., Inken H., Schwalm C., Erkens A., Rodriguez E., Küster D., Kabisch M., Schmitt J., Weidinger S. (Kiel, Germany)

P0211 Biomarkers in serum and epidermis overlap across anatomical locations in patients with atopic dermatitis

Holm J., Clausen M., Agner T., Jakasa I., Kezic S., Thomsen S. (Copenhagen NV, Denmark)

P0212 Interleukin-1 receptor-associated kinase 4 (IRAK4) inhibition as a treatment opportunity for chronic hand eczema, allergic contact dermatitis and atopic dermatitis

Rausch A., Mottier M., Bothe U., Beddies G., Gottwald U. (Berlin, Germany)

P0213 Real-world treatment patterns and satisfaction with treatment among patients with atopic dermatitis: results from the Atopic Dermatitis Patient Satisfaction and Unmet Need Survey

Griffiths C., Reich K., De Bruin-Weller M., Pink A., Seneschal J., Gentile M., Riedl E., Mert C., Guerreiro M., Tietz N., Augustin M. (Manchester, United Kingdom)

P0214 Tralokinumab provides progressive improvements beyond week 16 in patients with atopic dermatitis with an initial partial response

Simpson E., Thyssen J., Flohr C., Katoh N., Papp K., Abildgaard Steffensen L., Bang B., Kuznetsova A., Blauvelt A. (Portland, United States)

P0215 A review of patient reported outcome measures and disease perception in adult atopic dermatitis

Russo C., Doolan B., Su J. (Sydney, Australia)

P0216 Conjunctivitis in tralokinumab-treated adult patients with moderate-to-severe atopic dermatitis: pooled results from five clinical trials

Wollenberg A., Beck L., De Bruin Weller M., Zachariae R., Kurre Olsen C., Thyssen J. (Munich, Germany)

P0217 Evaluation of Standard Treatments for Managing Japanese Adult Patients With Moderate-to-Severe Atopic Dermatitis: 2-Year Data from the ADDRESS-J Disease Registry

Katoh N., Saeki H., Kataoka Y., Etoh T., Teramukai S., Takagi H., Fujita H., Lu Y., Rizova E., Arima K. (Kyoto, Japan)

P0218 Safety of specifically targeting interleukin-13 with tralokinumab in adult patients with moderate-to-severe atopic dermatitis: pooled analysis of five randomised, double-blind, placebo-controlled Phase 3 and Phase 2 trials

Simpson E., Merola J., Silverberg J., Zachariae R., Kurre Olsen C., Wollenberg A. (Portland, United States)

P0219 Evaluation of the protective effect of a novel barrier cream in adults suffering from chronic hand eczema

Jennifer T., Biojout C., Guillot A., Sohm B., Calvet B., Mengeaud V. (Toulouse, France)

P0220 Early improvements in work productivity in patients with moderate-to-severe atopic dermatitis with baricitinib therapy in combination with topical corticosteroids

De Bruin-Weller M., Costanzo A., Figueras Nart I., Ball S., Pierce E., Liao R., Gamalo M., Kaneko S., Grond S., Augustin M.

P0222 Living with Atopic Dermatitis: a psychosocial perspective - preliminar results from the Portuguese Adult Population

Lourinho I., Camilo J. (Porto, Portugal)

P0223 The association between urinary polycyclic aromatic hydrocarbon metabolites and atopic triad by age and body weight in the US population

Kim S., Chien A. (Seoul, Korea, Rep. of South)

P0224 New insight into Dupilumab-induced worsening of ocular surface disease (DIOSD): a retrospective cohort study.

Bortoluzzi P., Pizzati A., Galimberti D., Mapelli C., Garavelli F., Pozzo Giuffrida F., Marzano A., Ferrucci S. (Milano, Italy)

P0225 Cutaneous Comorbidities Associated With Atopic Dermatitis in Israel: A Retrospective Real-World Data Analysis

Leshem Y., Sugerman P., Weil C., Chodick G., Huifang L., Wang H., Calimlim B., Dorfman A., Shalev V., Ben Amitai D. (Boston, United States)

P0226 Extracutaneous Comorbidities Associated With Atopic Dermatitis in Israel: A Retrospective Real-World Data Analysis

Leshem Y., Sugerman P., Weil C., Chodick G., Huifang L., Wang H., Calimlim B., Dorfman A., Shalev V., Ben Amitai D. (Boston, United States)

P0227 Efficacy and safety of Dupilumab in real clinical practice: a multicentre retrospective study

Magdaleno J., Sabater J., Santos Alarcon S., Velasco Pastor A., Valenzuela C., Zaragoza Ninet V., Hernandez Bel P., Sanchez Carazo J., Alegre de Miquel V., Garcia-Rabasco A., Miquel Miquel F., Pérez Ferriols A. (Valencia, Spain)

P0228 A randomized, comparative study to assess the efficacy of a medical device repairing emollient cream (MDREC) in clinical eczema model under exposure to cumulative skin irritation by means of sodium lauryl sulphate

Elsner P., Biojout C., Marine B., Lauze C., Valerie M., Schliemann S. (LAVAUUR, France)

P0229 Laboratory Safety of Dupilumab in Adolescent Patients With Atopic Dermatitis: 52-Week Laboratory Safety Findings From an Open-Label Study (LIBERTY AD PED-OLE)

Cork M., Lockshin B., Blauvelt A., Chen Z., Prescilla R., Mina-Osorio P., Bansal A. (Sheffield, United Kingdom)

P0230 Nemolizumab is Associated with Quick and Marked Improvement of Signs and Symptoms of Atopic Dermatitis: Phase 2b Study Sub-Study

Jonathan S., Andreas P., Afsaneh A., Charles L., Jean-David B., Wollenberg A., Dedee M., Sady A., Vivian L., Matthias B., Faiz A., John A., Christophe P. (La tour de Peilz, Switzerland)

P0231 Rapid Reduction of Symptoms Reported in Daily Diaries with Atopic Dermatitis Treated with Baricitinib plus Topical Corticosteroids: Results from Two Phase 3 Trials

Buhl T., Rosmarin D., Serra-Baldrich E., Fernandez Peñas P., Igarashi A., Polina Konstantinou M., Chen S., Lu N., Pierce E., Casillas M. (Gottingen, Germany)

P0232 Efficacy of Skin care Regimen Approach in Atopic Dermatitis to save or replace prescription drugs in mild to moderate Flare-ups.

Worthmann A., De Kleijn S., Borghi M., Schmidt L., Bergmann S., Radenkovic S., Chomiciene D., Grigaitiene J., Jurėnas A. (Hamburg, Germany)

P0234 Laboratory Safety of Dupilumab in pediatric patients aged ≥ 6 to <12 years with severe atopic dermatitis: Results from a Phase III Trial (LIBERTY AD PEDS)

Wollenberg A., Siegfried E., Thaçi D., Arkwright P., Gooderham M., Sun X., O'malley J., Khokhar F., Bansal A., Shumel B. (Munich, Germany)

P0235 Smartphone data offers novel insights into disease activity and triggers in atopic dermatitis - results from a fully virtual longitudinal polit study

Eiken A., Laugesen C., Isberg A., Chiriach A., Dutei A., Deaconescu I., Manole I., Valk T., Andersen A., Zibert J. (Copenhagen, Denmark)

P0236 Impact of atopic dermatitis in adolescents and their parents : A French study

Ezzedine K., Sourick J., Merhand S., Sampogna F., Taieb C. (Paris, France)

P0237 Dupilumab in children aged ≥ 6 to <12 years significantly improves signs and symptoms of atopic dermatitis assessed by SCORAD: LIBERTY AD PEDS study

Barbarot S., Marcoux D., Boralevi F., Gooderham M., Siegfried E., Paller A., Shumel B., Chen Z., Rossi A. (Nantes, France)

P0238 Restoration of skin barrier function in people with dry, eczema-prone skin, following treatment with a novel multi-vesicular emulsion containing physiologic skin lipids

Danby S., Andrew P., Kay L., Pinnock A., Chittock J., Brown K., Cork M. (Sheffield, United Kingdom)

P0239 Use of systemic medications in adult atopic dermatitis in France, results of a practice survey

Fougerousse A., Jacobzone C., Mery Bossard L., Reguiat Z., Droicourt C., Maccari F., Resoeczema G. (Saint Mandé, France)

- P0240 Clinical phenotypes of atopic dermatitis: a one year experience on 221 patients treated with dupilumab from one Italian center**
Tavecchio S., Angileri L., Germiniasi F., Marzano A., Ferrucci S. (Milano, Italy)
- P0241 Acute care formulation containing Menthoxyproanediol, Decanediol and Licochalcone A improves SCORAD and itch in mild to moderate Flare-ups of atopic dermatitis**
Worthmann A., Radenkovic S., Krajan S., Gáspár K., Kóté I. (Hamburg, Germany)
- P0242 Relationship between further cosmetic disorders and atopic dermatitis**
Taieb C., Seite S., Salah S., Delvigne V., Misery L. (Fontenay-sous-Bois, France)
- P0244 Trigger factors for clinical picture's stability within children with atopic dermatitis**
Zaychenko Y., Ivanyushko-Nasarko N., Syzon O., Dashko M. (Lviv, Ukraine)
- P0245 Cost Effectiveness in UK of emollients in the prevention of relapses in atopic dermatitis:**
Cabou E., Eymere S., Launois R., Seite S., Taieb C. (Paris, France)
- P0246 Evaluating US Healthcare Professional (HCP) interpretation of disease control in treated Atopic Dermatitis (AD) patients**
Lu Y., Brown H., Robinson P., Collins P. (New York, United States)
- P0247 Residual facial dermatitis on dupilumab is associated with sensitization to Malassezia furfur**
Kim S., Park C. (Seoul, Korea, Rep. of South)
- P0248 High adherence and low drop-out in a virtual clinical study of atopic dermatitis through weekly reward-based personalized genetic lifestyle reports**
Anderson K., Ali Z., Chiriac A., Andersen A., Isberg A., Zibert J., Thomsen S. (Denmark)
- P0249 Atopic dermatitis severity can be reliably assessed using smartphone-photographs taken by the patient at home - a validation study**
Ali Z., Chiriac A., Bjerre-Christensen T., Isberg A., Dahiya P., Manole I., Dutei A., Deaconescu I., Serban A., Suru A., Agner T., Kamstrup M., Togsverd-Bo K., Andersen A., Thomsen S., Zibert J. (Copenhagen, Denmark)
- P0250 High Incidence of Treatment Satisfaction With Long-Term Dupilumab Treatment in Adult Patients With Moderate-to-Severe Atopic Dermatitis (LIBERTY AD OLE)**
Thaçi D., Blauvelt A., Hussain I., Sun X., Mahajan P., Chao J., Rossi A., Shumel B. (Lübeck, Germany)
- P0251 Psoriasis severity may be reliably assessed using smartphone-photographs taken by the patient at home - a feasibility study**
Ali Z., Chiriac A., Bjerre-Christensen T., Holm J., Jørgensen A., Johansen C., Manole I., Dutei A., Deaconescu I., Suru A., Serban A., Isberg A., Andersen A., Thomsen S., Zibert J. (Copenhagen, Denmark)
- P0252 Impact of baricitinib in combination with topical corticosteroids on patient-reported outcomes in adult patients with moderate-to-severe atopic dermatitis: measures of atopic dermatitis symptoms and quality of life from BREEZE-AD4 and BREEZE-AD7 Phase 3 trials**
Wollenberg A., Nakahara T., Maari C., Peris K., Lio P., Augustin M., Rueda Cadena M., Delozier A., Pierce E., Gamalo M., Yang F., Tauber M., Paul C. (Munich, Germany)

P0253 Interest of a dermo-cosmetic product in accompaniment of a topical corticosteroid treatment in the management of atopic eyelid dermatitis

Virassamynaik S., Chavagnac M., Ardiet N., Sayag M. (Lyon, France)

P0255 Using smartphone-obtained voice data to investigate if voice biomarkers reflect disease severity and stress in atopic dermatitis: results from a fully virtual longitudinal pilot study

Valk T., Isberg A., Szpirt M., Dutei A., Eiken A., Allerup J., Bjerre-Christensen T., Derchansky M., Andersen A., Zibert J. (Copenhagen, Denmark)

P0256 Duration of Use of Systemic Therapies in Adults With Atopic Dermatitis: 12-Month Results From the European Prospective Observational Study in Patients Eligible for Systemic Immunosuppressive Therapy for Atopic Dermatitis (EUROSTAD)

De Bruin-Weller M., Pink A., Ferrucci S., Patrizi A., Svensson Å., Schuttelaar M., Paul C., Korotzer A., Jayawardena S., Ozturk Z. (Utrecht, Netherlands)

P0257 Dermatology life quality index improvement and clinical disease severity in patients receiving baricitinib: a post hoc analysis from three phase III trials in moderate-to-severe atopic dermatitis

Cork M., Bieber T., Kleyn C., Nosbaum A., Grond S., Petto H., Riedl E., Thyssen J. (Sheffield, United Kingdom)

P0259 Evaluation of disease burden in patients with mild-to-moderate atopic dermatitis in the United Kingdom

Neary M., Smith T., Gruben D., Romero Gallardo W., Cha A., Toron F., Patel K., Vasileva S. (Princeton, United States)

P0260 The Prevalence and Treatment of Atopic Dermatitis among Children in a Tertiary Hospital

Selvarajah L., Tee F., Sam C., Lee Krystal Y. (JOHOR BAHRU, Malaysia)

P0261 Successful Treatment of Atopic Dermatitis with Intravenous Immunoglobulin and Effective Transition to Subcutaneous Dupilumab

Adams L., Jones J., Rustin M., Ameen M. (London, United Kingdom)

P0262 Laboratory Safety of Long-Term Dupilumab Treatment for up to 3 Years in Adults With Moderate-to-Severe Atopic Dermatitis (LIBERTY AD OLE)

Wollenberg A., Bieber T., Weidinger S., Chen Z., Rossi A., Khokhar F. (Munich, Germany)

P0263 Dupilumab Facial Redness (DFR): what is behind?

Angileri L., Tavecchio S., Monestier A., Germiniasi F., Berti E., Ferrucci S. (milan, Italy)

P0264 Efficacy of Healing Ointment Containing Petrolatum and Pathenol vs 0.1% Triamcinolone Acetonide in 10% Urea Cream for the Treatment of Chronic Hand Eczema: A Split-hand, Randomized Controlled Trial

Lueangarun S., Techalert N., Tempark T. (Pathumthani, Thailand)

P0265 Case-Control Study of Conjunctival Microbiome in Atopic Keratoconjunctivitis

Lee J., Cho Y., Kim S., Hong J., Kim J., Hong J., Cheon H., Lee Y., Choe Y., Ahn K. (Seoul, Korea, Rep. of South)

P0266 Dupilumab improves signs and symptoms assessed by SCORAD in adolescents with moderate-to-severe atopic dermatitis

Blume-Peytavi U., Boralevi F., Gooderham M., Chen Z., Bansal A., Rossi A.

P0267 An investigation of the performance and safety of an emollient cream in adult and paediatric patients with eczema, psoriasis and other dry skin conditions

August S., Granier S., Tighe M., Tbaily L., Chowdhury S., Ahlbom H. (Poole, Dorset, United Kingdom)

P0268 The importance of serum levels of interleukin 10 in patients with atopic dermatitis.

Plahova X., Khasanova A. (Moscow, Russian Federation)

P0269 A Randomized, Double-Blind, Placebo-Controlled, Multiple Ascending Dose Study of The Safety, Pharmacokinetics and Preliminary Efficacy of CBP-201 In Adult Patients with Moderate to severe Atopic Dermatitis

Wang J., White J., Sansone K., Spelman L., Yang X., Pan W., Wei Z. (Tai cang, Suzhou, China)

P0270 Methotrexate efficacy and tolerability for moderate-to-severe atopic dermatitis in a single centre UK adult cohort

Chow C., Aswani R., Liu Z., Jones J., Ameen M. (London, United Kingdom)

P0271 Cost-of-illness of atopic dermatitis in Germany: Data from dermatology routine care

Zander N., Naatz M., Sheikh L., Langenbruch A., Augustin M. (Germany)

P0272 Real World Evidence of Ophthalmology Health Care Resource Use in Patients with Atopic Dermatitis in England

Oluwa F., Kragh N., Vilsbøll A. (Hurley, United Kingdom)

P0273 Characterization of topology of atopic dermatitis by high-resolution measurement: extent and relevance for patients in Germany

Langenbruch A., Frank A., Zander N., Augustin M. (Germany)

P0274 The status of the skin barrier during the therapy with dupilumab in patients with severe atopic dermatitis

Germiniasi F., Ferrucci S., Tavecchio S., Angileri L., Romagnuolo M., Berti E. (milano, Italy)

P0275 An audit of Dupilumab for atopic dermatitis

Hamilton J., George S. (Brighton, United Kingdom)

Autoimmune Bullous Diseases

- P0276 Pemphigus vulgaris associated with application of tissue expander in a patient with Crohn's disease and primary sclerosing cholangitis**
Badavanis G., Pasmazi E., Kapranos N., Monastirli A., Constantinou P., Psaras G., Protopapa P., Tsambaos D. (Patras, Greece)
- P0277 Autoimmune blistering disease in a 29-year-old female**
Zanot A., Tschen J., Silapunt S. (Houston, United States)
- P0278 Linear IgA Bullous Dermatosis of Childhood**
Kinaciyan T., Weiss D., Gorris A., Weminger W. (Vienna, Austria)
- P0279 pemphigus vegetans: an unusual presentation**
Benahmed J., Meriem M., Nadia I., Leila B., Karima S. (Rabat, Morocco)
- P0280 Rare Case of Linear IgA Bullous Dermatosis Showing IgA, IgG and IgM Reactivity**
Cai S., Lim G., Lee J., Chen Q. (Singapore, Singapore)
- P0282 A case of fetal death on gestational pemphigoid**
El Amraoui M., Frikh R., Naoufal H., Mohammed B. (Rabat, France)
- P0283 Pemphigus Vulgaris localized to the vertex with response to topical steroids**
Vega-Diez D., Rodríguez-Villa Lario A., Gómez Zubiaur A., Hernández Surmann I., González Cañete M., Medina S., Polo Rodríguez I. (Alcalá de Henares, Spain)
- P0284 "Crown of jewels-like lesions" in an adult with a bullous pemphigoid: a new description**
El Hadadi F., Mezni L., Meziane M., Ismaili N., Benzekri L., Senouci K. (Rabat, Morocco)
- P0285 Bullous Systemic Lupus Erythematus as a first presentation of SLE : A case report**
Pantelidi K., Gerochristou M., Douvali T., Polydorou D., Polychronaki E., Chasapi V. (Athens, Greece)
- P0286 Radiation Induced Bullous Pemphigoid: A case report**
Ben Rejeb M., Moujahed R., Naimi Z., Hamdoun A., Kochbati L. (Tunisia)
- P0287 Dyshidrosiform bullous pemphigoid: 7 patients from 5 Spanish hospitals.**
Etenaga A., Riera Monroig J., Iranzo P., Mascaró Jr. J., Pereyra Rodriguez J., Curto L., Suarez-Fernandez R., Salido Vallejo R., España A. (Pamplona, Spain)
- P0288 Rituximab Experience Among Treatment-Refractory Pemphigus Vulgaris Patients from Hospital Sultanah Aminah Johor Bahru**
Lim Y., Tey K. (Johor Bahru, Malaysia)
- P0289 Herlitz type of junctional epidermolysis bullosa**
Kim J., Ro Y., Ko J., Kim N., Kim K., Shin D., Ko Y. (Seoul, Korea, Rep. of South)
- P0291 Lichen Planus Pemphigoides After Body Tattooing**
Lim A., Tang P., Oh C. (Singapore, Singapore)

- P0292 Pemphigus and Comorbidities: a single centre case-control study**
DI Altobrando A., Loi C., Bardazzi F. (Bologna, Italy)
- P0293 Evaluation of Long-Term Efficacy and Safety of Rituximab In The Treatment of Patients With Resistant Pemphigus Vulgaris and Pemphigus Foliaceus**
Bozca B., Enli S., Bilgic A., Dönmez L., Uzun S. (Antalya, Turkey)
- P0294 Epidermolysis bullosa pruriginosa : a case report**
Khammouma F., Jones M., Nouredine L., Bacha T., Faten Z. (Bizerta, Tunisia)
- P0295 When Paget's disease "winks": Ocular mucous membrane pemphigoid as a paraneoplastic manifestation by concomitant Paget's disease of the breast and B-cell lymphoma**
Nikolakis G., Glasenhardt K., Gonschorek E., Vaiopoulos A., Altenburg A., Kemény L., Krause L., Glavynskiy I., Zouboulis C. (Dessau, Germany)
- P0296 Bullous pemphigoid in a patient with non-small-cell lung carcinoma treated with pembrolizumab**
Didona D., Cosimati A., Rossi L., Forcella C., Didona B. (Marburg, Germany)
- P0297 Pulmonary embolism in pemphigus patients: report of two cases and the review of the literature**
Kılıç Sayar S., Bölük K., Gül F., Kucukoglu R. (Kırklareli, Turkey)
- P0298 Bullous pemphigoid in infants: 2 new cases**
Chaker H., Litaïem N., Daadaa N., Ben Redjeb L., Bacha T., Jones M., Zeglaoui F. (Tunis, Tunisia)
- P0299 IgA pemphigus associated with squamous cell carcinoma of the nasopharynx**
Mitic T., Peric J., Stojkovic-Filipovic J., Skiljevic D. (Belgrade, Serbia)
- P0300 A Blistering Eruption in a Patient with Mantle Cell Lymphoma**
Golpanian R., Rosenberg M., Fourzali K., Yosipovitch G. (Miami, United States)
- P0301 Erythromycin-induced pemphigus foliaceus successfully treated with etanercept**
Didona D., Fania L., DI Zenzo G., Didona B. (Marburg, Germany)
- P0302 A Phase II Clinical Trial of Safety and Efficacy of Nomacopan (rVA576) in Adult Mild-to-moderate Bullous Pemphigoid Patients**
Horvath B., Rashid H., Hammers C., Thaci D., Zillikens D., Weidinger A., Beissert S., Schauer F., Fettiplace J., Nunn M., Ngai Y., Sadik C. (Groningen, Netherlands)
- P0303 COMPARATIVE STUDY TO ASSESS THE EFFICACY AND COST-EFFICIENCY OF IMMUNOLOGICALLY-GUIDED NOVEL RITUXIMAB PROTOCOL WITH THE CONVENTIONAL RHEUMATOID ARTHRITIS PROTOCOL IN SEVERE PEMPHIGUS**
Singh N., Handa S., De D., Sachdeva N., Mahajan R. (CHANDIGARH, India)
- P0304 A case of concurrent pyostomatitis vegetans- like intercellular IgA dermatosis and uveitic macular edema reacting exclusively with desmocollins**
Iranzo P., Bosch X., Mascaró Jr. J., Ishii N., Hashimoto T. (Barcelona, Spain)
- P0305 Dermatitis Herpetiformis Clinically and Histopathologically Masquerading as an Eczema**
Dy F., Jamora M., Blas R. (Quezon City, Philippines)

P0306 Relapse of pemphigus vulgaris after stopping smoking and taking menthol nicotine

Rekik M., Fekih N., Donia C., Sellami K., Hammemi F., Masmoudi A., Mseddi M., Turki H. (Sfax, Tunisia)

P0307 Relapse of pemphigus vulgaris after stopping smoking and taking menthol nicotine

Rekik M., Fekih N., Donia C., Sellami K., Hammemi F., Masmoudi A., Mseddi M., Turki H. (Sfax, Tunisia)

P0308 Epidemio-clinical description of vegetant pemphigus in Tunisia

Rekik M., Sellami K., Bahloul E., Amouri M., Boudaya S., Masmoudi A., Mseddi M., Turki H. (Sfax, Tunisia)

P0310 A history of asthma predicts the development of bullous pemphigoid- A population-based case-control study

Kridin K., Tzur Bitan D., Cohen A. (Germany)

P0311 The bidirectional relationship between bullous pemphigoid and psoriasis- A population-based cohort study

Kridin K., Cohen A. (Germany)

P0312 Limitations and challenges of systemic corticosteroid therapy in the treatment of pemphigus vulgaris in the context of the COVID-19 pandemic

Asavei A., Patrascu A., Aniculaesa D., Dragoi A., Porumb-Andrese E., Vata D., Halip A., Gheuca Solovastru L. (-, Romania)

P0313 Diclofenac induced linear IgA bullous dermatosis with positive ANA and Anti-dsDNA Autoantibodies in an adult patient - a Case Report

Milovanovic M., Mijuskovic Z., Petrov N., Kandolf-Sekulovic L. (Belgrade, Serbia)

P0314 Pembrolizumab-induced bullous pemphigoid

Drenovska K., Vassileva S., Shalamanova G., Shahid M., Kirova A., Miteva L. (Sofia, Bulgaria)

P0315 Dipeptidyl-peptidase IV inhibitor (DPP4i)-associated bullous pemphigoid is associated with a more severe erosive phenotype and despite lower levels of pathogenic autoantibodies

Ständer S., Schmidt E., Zillikens D., Ludwig R., Kridin K. (Germany)

P0316 Seronegativity of anti-BP230 autoantibodies and normal eosinophil counts predict mucocutaneous bullous pemphigoid

Ständer S., Schmidt E., Zillikens D., Ludwig R., Kridin K. (Germany)

P0317 Efficacy of Rituximab in the treatment of severe pemphigus in adults : experience of the dermatology department of Casablanca in 2019

Khedim N., El Fetoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P0318 Case Report: Extragenital Bullous Lichen Sclerosus

Chiriac A., Burca V., Comendant M., Batir I., Emet I., Vasile S., Betiu M. (Iasi, Romania)

P0319 infant bullous pemphigoid

Ben Slimane M., Alaoui F., Souissi I., Sassi W., Boubaker S., Mokni M. (Tunis, Tunisia)

P0320 Recurrence Pemphigus Vulgaris Treated With Mycophenolate Mofetil

Nurhaerani A., Djawad K. (Makassar, Indonesia)

P0321 Erythrodermic pemphigus foliaceus : a rare refractory variant responding to Rituximab

Belanouane S., Fouzia H., Soumia C. (casablanca, Morocco)

P0322 Pemphigus herpetiformis as diagnostic challenge-a case report

Reljic V., Kapetanovic I., Vukovic J., Zivanovic D. (Belgrade, Serbia)

Autoimmune Connective Tissue Disorders

- P0323 Pediatric Mixed Localized Scleroderma: A frequently Underdiagnosed Entity**
Plachouri K., Kollyrou P., Gkentzi D., Ravazoula P., Melachrinou M., Georgiou S. (Patras, Greece)
- P0324 Immunological characteristics of the blood parameters in children suffering morphea**
Mun A. (Tashkent region, Uzbekistan)
- P0325 Practical aspects in the differentiation and therapy of amyopathic dermatomyositis (ADM) and subacute cutaneous lupus erythematosus (SCLE) - two case reports**
Niebel D., Ziob J., Brägelmann C., Wenzel J., Bieber T. (Bonn, Germany)
- P0326 A case illustrating the diagnostic difficulties between rosacea and lupus**
El Amraoui M., Frikh R., Naoufal H., Mohammed B. (Rabat, France)
- P0327 Papulonodular mucinosis as a presenting feature of systemic lupus erythematosus**
Esteves M., Nogueira A., Costa C., Azevedo F. (Porto, Portugal)
- P0328 Amyopathic Dermatomyositis: specific therapeutic recommendations**
Rodriguez Tejero A., López Delgado D., Salvador_rodíguez L., Arias-Santiago S. (Granada, Spain)
- P0329 Simultaneous presentation of lupus erythematosus in a mother and a sibling pair.**
Koumaki D., Bertsias G., Rogdakis A., Haniotis V., Evangelou G., Stefanidou M., Krueger-Krasagakis S., Krasagakis K. (Heraklion, Greece)
- P0330 Concomitant development of morphea and lipoatrophy after local corticosteroid injection**
Lo Y., Jee S., Liao Y. (Taipei, Taiwan)
- P0331 Koebner phenomenon on tattoos and ear piercings during cutaneous lupus**
Kluger N., Andraud M., Lartigau-Roussin C., Sultan-Bichat N. (Helsinki, Finland)
- P0332 Scleroderma: what's new in the treatment**
Romashkina A. (Moscow, Russian Federation)
- P0333 Clinical characteristics and histopathological changes of morphea: A single center, retrospective study of 137 patients**
Kim J., Chung K., Lee Y., Kim J., Lee J. (Seoul, Korea, Rep. of South)
- P0334 AN UNUSUAL CASE OF WONG'S TYPE DERMATOMYOSITIS WITH ANTI-TIF1-GAMMA AUTOANTIBODIES RELATED TO MALIGNANCY.**
Bazyluk A., Krahel J., Baran A., Flisiak I. (Białystok, Poland)
- P0335 Calcinosis Cutis associated with hemophagocytic lymphohistiocytosis, a case report.**
Sanchez-Diaz M., López Delgado D., Salvador_rodíguez L., Molina-Leyva A., Arias-Santiago S. (Granada, Spain)
- P0336 Eosinophilic granulomatosis with polyangiitis mimicking COVID-19: a case report.**
Hashizume H., Sano T., Imokawa S. (Iwata, Japan)

- P0337 The challenges in managing the cutaneous manifestations of systemic lupus erythematosus**
Patel M., Tosounidou S. (Birmingham, United Kingdom)
- P0338 Publish and be damned! A case of Neuro-Behcet's Disease**
Patel M., Chandatre P., Sreekantam S., Sivaguru A., Higham J., Mitton D., Situnayake D. (Birmingham, United Kingdom)
- P0339 Kikuchi-Fujimoto disease in a patient with Sjogren's syndrome that mimics annular erythema of Sjogren's syndrome and lupus erythematosus**
Lee T., Chang I. (Taipei, Taiwan)
- P0340 Dermatomyositis and vitiligo overlap syndrome : a report of two cases**
Slimani Y., El Fatoiki F., Dahbi Skali H., Hali F., Chiheb S. (Casablanca, Morocco)
- P0341 Clinically amyopathic juvenile dermatomyositis**
Silvestre-Torner N., Tabbara Carrascosa S., Martínez García M., Román Sainz J., Díaz-Delgado Peñas R., Collado Ramos P., Fernández Cogolludo E., Imbernón Moya A., Dorado Fernández M., Vargas Laguna E., Martínez Pérez M., Gallego Valdés M., Aguilar Martínez A. (Madrid, Spain)
- P0342 Connecting for Improvement: Experiences of a Combined Rheumatology/Dermatology Connective Tissue Disease Clinic Initiative.**
Mcdonald L., O'kane D., Mccarron M., Riddell C., Ball E., Mccourt C. (Belfast, United Kingdom)
- P0343 A Retrospective Review of Clinical Features and the Association with Malignancy in Patients with Dermatomyositis**
Selvarajah L., Chua K. (JOHOR BAHRU, Malaysia)
- P0344 Non-healing ulcers**
Kořínková H. (České Budějovice, Czech Republic)
- P0345 Muco-cutaneous hyperpigmentation caused by mepacrine in a patient with systemic lupus erythematosus(SLE)**
Navarro Triviño F., Ramos Pleguezuelos F., Ortego Centeno N., Ruiz-Villaverde R. (Granada, Spain)
- P0346 Cutaneous sclerosis: what is your diagnosis?**
Machado Á., Sanches M., Foreid S., Selores M. (Porto, Portugal)
- P0347 Juvenile dermatomyositis with positive anti-melanoma differentiation-associated gene 5 (MDA5) antibody and severe interstitial lung disease: case report**
Medina Migueláñez M., Segurado Toston N., Viñolas Cuadros A., Moyano Bueno D., Puebla Tornero L., González Pérez A., García Castro R., Cardeñoso Álvarez E., Conde Ferreirós A., Santos-Briz Terrón Á., Román Curto C. (Salamanca, Spain)
- P0348 Post traumatic morphea**
Saad S., Korbi M., Zakhama A., Belhadjali H., Zili J. (Monastir, Tunisia)
- P0349 Guselkumab for Psoriatic Arthritis: Results from a Network Meta-Analysis**
Gottlieb A., Merola J., Peterson S., Parackal A., Hassan F., Eaton K., Fakharzadeh S., Schubert A., Van Sanden S., Helliwell P. (United States)

- P0350** sclerosis and blisters, an uncommon association revealing a new case of bulls Morphea.
Aouali S., Sefraoui S., Dikhaye S., Zizi N. (Oujda, Morocco)
- P0351** Sclerosis and blisters, an uncommon association revealing a new case of bullous Morphea.
Aouali S., Sefraoui S., Dikhaye S., Zizi N. (Oujda, Morocco)
- P0352** Rowell syndrome: diagnostic requirements and association with rare neoplasia
Dragoi A., Patrascu A., Asavei A., Aniculaesa D., Abdullah Cheikh N., Solovastru L. (Tulcea, Romania)
- P0353** Reticulated atrophic skin lesions in an adult patient with dermatomyositis and anti-NXP-2 autoantibodies
Pozharashka J., Botev I., Miteva L., Dourmishev L. (Sofia, Bulgaria)
- P0354** Inflammatory myopathies with cutaneous involvement: a multidisciplinary approach
Pimenta R., Marques R., Cordeiro I., Filipe P., Fonseca J. (Lisbon, Portugal)
- P0355** Recalcitrant Scalp disease in Dermatomyositis
Connolly A., Philippidou M., Gordon P., Creamer D. (London, United Kingdom)
- P0356** Dystrophic calcinosis cutis as a sign of autoimmune connective tissue disease
Vilkaite A., Kucinskiene V., Valiukeviciene S., Makstiene J., Petraitis M. (Kaunas, Lithuania)
- P0357** Bilateral skin-coloured papules on the neck
Frioui R., Souissi I., Fatma J., Rouai M., Ines C., Mokni M. (tunis, Tunisia)
- P0358** Keloid morphea ,an uncommon form : case report
Mezni L., Farah E., Sofia A., Mariam M., Nadia I., Laila B., Karima S. (Rabat, Morocco)
- P0359** Bacterial metabolites as a new element in the pathophysiology of systemic sclerosis.
Sikora M., Chrabąszcz M., Rudnicka L. (Warsaw, Poland)

Biologics, Immunotherapy, Molecularly Targeted Therapy

- P0360 TOFACITINIB CITRATE-A RAY OF HOPE IN REFRACTORY DERMATOLOGICAL DISORDERS**
Chitralkhya R., Anchala P. (Hyderabad, India)
- P0361 Durability of Certolizumab Pegol in Patients with Psoriasis or Rheumatoid Arthritis Over Three Years: An Analysis of Pooled Clinical Trial Data**
Blauvelt A., Gottlieb A., Reich K., Tanaka Y., Winthrop K., Popova C., Tilt N., Bykerk V. (Portland, United States)
- P0362 Analysis of drug resistance phenom under adalimumab treatment on the transcriptone level.**
Grabarek B., Schweizer M., Adwent I., Michalski P., Krzaczyński J., Wcislo-Dziadecka D., Boroń D., Kruszniewska-Rajs C., Gola J. (Sosnowiec, Poland)
- P0363 Long-term efficacy of tildrakizumab in European patients with moderate-to-severe plaque psoriasis: 5-year results from reSURFACE 2 phase 3 trial**
Thaçi D., Piaserico S., Schoenenberger A., Ryzhkova A. (Lübeck, Germany)
- P0365 High levels of efficacy are well maintained throughout 5 years of treatment with tildrakizumab in patients who achieved PASI<3 response at week 28: pooled analysis from reSURFACE 1 and reSURFACE 2 phase 3 trials**
Augustin M., Girolomoni G., Schoenenberger A., Ryzhkova A. (Hamburg, Germany)
- P0366 Long-term safety of tildrakizumab in patients over 65 years of age with moderate-to-severe plaque psoriasis: pooled analysis through 5 years (256 weeks) from reSURFACE 1 and reSURFACE 2 phase 3 trials**
Van de Kerkhof P., Daudén E., Schoenenberger A., Ryzhkova A. (Nijmegen, Netherlands)
- P0367 Long-term safety profile of tildrakizumab: Incidence of confirmed extended major adverse cardiovascular events over 5 years of treatment in patients with moderate-to-severe psoriasis from reSURFACE 1 and reSURFACE 2 phase 3 trials**
Reich K., Ghislain P., Schoenenberger A., Ryzhkova A. (Hamburg, Germany)
- P0368 Systemic scleroderma induced by Nivolumab**
Dominguez Mahamud C., Vila Payeras A., Solà Truyols A., Terrasa F., Parera Amer M. (Spain)
- P0369 Cutaneous toxicities in melanoma patients receiving immunotherapy: The experience of a single large specialist institution.**
Edwards C., Comito F., Agraso Busto S., Turajilic S., Larkin J., Heelan K., Fearfield L. (London, United Kingdom)
- P0370 Real-world Evidence on SB4 (Etanercept Biosimilar) Use for Psoriasis from the British Association of Dermatologists Biologic and Immunomodulators Register (BADBIR)**
Egeberg A., Girolomoni G., Feldman S., Carrascosa J., Lee J., Shin D., Seo H. (Hellerup, Denmark)
- P0371 Secukinumab Demonstrates Efficacy in Managing Axial Manifestations of Psoriatic Arthritis:Results from the Randomised Controlled Trial, MAXIMISE**
Baraliakos X., Coates L., Pournara E., Rissler M., Whyms D., Perella C., Reich K., Gladman D., Aassi M., Gottlieb A. (New York, United States)

P0372 Long Term Safety of Ixekizumab in Patients with Moderate-to-Severe Plaque Psoriasis up to 5 years: Pooled Data from 16 Clinical Trials

Griffiths C., Reich K., Gooderham M., Gallo G., Himanshu P., Xu W., Wang Y., Elmaraghy H., Blauvelt A. (Manchester, United Kingdom)

P0373 Real-world effectiveness and safety of Guselkumab for the treatment of Psoriasis: a 6-month Analysis in a Series of Psoriatic Patients

Malara G., Trifiro C., Bartolotta A., Giofre C., Tripepi G. (reggio calabria, Italy)

P0374 Panniculitis secondary to Ibrutinib

Ho B., Sampson S., De Lord C., Harland C. (Sutton, United Kingdom)

P0375 Ixekizumab-Treated Patients with Moderate-to-Severe Plaque Psoriasis Maintained Improvements in Patient-Reported Outcomes Over 5 Years: Results from 2 Phase III Clinical Trials

Gooderham M., Iversen L., Torii H., Burge R., Mckean Matthews M., See K., Crane H., Elmaraghy H., Garrelts A., Foley P. (Peterborough, ON, Canada)

P0376 Secukinumab Demonstrates a Consistent Safety Profile in Patients with Psoriasis, Psoriatic Arthritis and Ankylosing Spondylitis over long term: Updated Pooled Safety Analyses

Gottlieb A., Deodhar A., Mcinnes I., Baraliakos X., Reich K., Schreiber S., Bao W., Marfo K., Richards H., Pricop L., Shete A., Safi J., Mease P., Lebwohl M. (New York, United States)

P0377 Generalized eosinophilic annular erythema: an unusual presentation of adult-onset atopic dermatitis successfully treated with dupilumab

Liaw T. (Taipei, Taiwan)

P0378 An Interim Analysis of a Real World Study to Access the Effectiveness and Patient-reported Outcome of Adalimumab in Patient with Moderate to Severe Plaque Psoriasis in China

LI X., Zheng J., Yang B., Liu H., Liang Y., Xu L., Cheng H., Zhang F., LI T., Zheng M., Yang S., Lu T., Zhang W., Shi Y.

P0379 Comparative Effectiveness of Secukinumab and Ustekinumab in Psoriasis: a study from the British Association of Dermatologists Biologics and Immunomodulators Register (BADBIR)

Yiu Z., Mason K., Hampton P., Reynolds N., Smith C., Lunt M., Griffiths C., Warren R. (Manchester, United Kingdom)

P0380 Long-term safety profile of tildrakizumab: Incidence of malignancies over 5 years of treatment in patients with moderate-to-severe psoriasis from reSURFACE 1 and reSURFACE 2 phase 3 trials

Lambert J., Gerdes S., Schoenenberger A., Ryzhkova A. (Ghent, Belgium)

P0381 Long-term safety profile of tildrakizumab: Incidence of severe infections over 5 years of treatment in patients with moderate-to-severe psoriasis pooled analyses from reSURFACE 1 and reSURFACE 2 phase 3 trials

Pinter A., Lacour J., Schoenenberger A., Ryzhkova A. (Frankfurt am Main, Germany)

P0382 Modelling average cost-per-responder of biological treatments for moderate-to-severe plaque psoriasis in the Netherlands

Egeberg A., Kongerslev R. (Hellerup, Denmark)

P0383 Ixekizumab Improves Nail and Skin Lesions in Patients with Active Psoriatic Arthritis and Prior TNF-Inhibitor Inadequate Response: 3-Year Results from SPIRIT-P2

Armstrong A., Tillett W., Somani N., Gellette A., Geneus V., Merola J., Tosti A., Gottlieb A., Rich P. (Los Angeles, United States)

P0384 Anti-tumor necrosis factor- α induced dermatologic conditions in Crohn's disease

Glaserhardt K., Kovács R., Németh R., Farkas K., Varga E., Mihályi L., Molnár T., Kemény L. (Szeged, Hungary)

P0385 Demographics and disease characteristics of patients with psoriasis treated with brodalumab enrolled in the British Association of Dermatologists Biologic and Immunomodulators Interventions Register.

Oluwa F., Lange S., Griffith G. (Hurley, United Kingdom)

P0386 Concentration of anti-commensal IgM antibodies increase during the anti TNF treatment in patients with inflammatory bowel disease

Rob F., Coufal Š., Nováková M., Hercogová J., Kolář M., Bortlík M., Lukáš M., Stehlíková Z., Jacková Z., Kverka M., Tlaskalova-Hogenova H., Jiraskova Zakostelska Z. (Prague, Czech Republic)

P0387 COVID 19 and immunosuppressants: a view of practising dermatologists of India.

Ray A., Agrawal I., Debata I., Panda M. (Bhubaneswar, India)

P0388 Aprepitant to treat itch in psoriatic undergoing biologics: why we should not switch the biologic drug?

Damiani G., Pacifico A., Malagoli P., Pigatto P. (Milan, Italy)

P0389 Long-term evaluation of etanercept biosimilar SB4 in real-life

Pensa C., Manfreda V., Tartaglia C., Botti E., Bianchi L., Giunta A. (Rome, Italy)

CME-CPD

P0393 Generalized Eruptive Keratoacanthomas of Grzybowski

Relvas M., Calvão J., Tellechea O., Cardoso J., Sampaio Dantas Coutinho I. (Coimbra, Portugal)

P0394 Ruxolitinib in the Treatment of Dermatomyositis

Kelly A., Akhras V. (Cork, Ireland)

Contact and Occupational Dermatitis

P0395 Patch testing in Southern Greece: a retrospective study.

Koumaki D., Koumaki V., Rovithi E., Boumpoucheropoulos S., Katoulis A., Bitados P., Stefanidou M., Evangelou G., Krueger-Krasagakis S., Krasagakis K. (Heraklion, Greece)

P0396 Contact allergy to Menthol in patients with oral symptoms

Ashraf I., Thompson D. (SOLIHULL, United Kingdom)

P0397 Systemic contact dermatitis to hyperthermic intravesical chemotherapy with mitomicin C

Duarte B., Pessoa e Costa T., De Lurdes Lobo M. (Lisbon, Portugal)

P0398 Results of comparative monitoring of occurrence and frequency of occupational allergic contact dermatitis in rubber and construction industry workers

Paravina M., Zirojevic B. (Nis, Serbia)

P0400 Is there a difference in frequency of contact allergy to propolis from different geographical origins?

Nyman G., Giménez-Arnau A., Grigaitienė J., Malinauskienė L., Oldberg Wagner S., Paulsen E., Prystupa Chalkidis K., Morgardt Ryberg K., Hagvall L. (Brämhult, Sweden)

P0401 Characteristics of Riehl Melanosis in an Ethnic Asian Population: A Comparative Study According to Age, Sex, and Hair Dye Use

Choi M., Lim Y., Lee W., Won C., Lee M., Choi J., Chang S. (Seoul, Korea, Rep. of South)

P0402 Acquired leukoderma in a patient with allergic contact dermatitis to FreeStyle Libre

Soares Queirós C., Alexandre M., Garrido P., Correia T., Soares de Almeida L., Filipe P. (Lisboa, Portugal)

P0403 Photopatch testing results of the last four years. Experience of a Cutaneous Allergy Unit of a tertiary hospital.

García Castro R., González-Pérez A., Puebla Tornero L., Segurado Tostón N., Yuste Chavez M., Velasco Tirado V., Gonzalez-de Arriba M. (Salamanca, Spain)

P0404 Occupational contact dermatitis due to the use of gloves by hospital staff in a whole Spanish region (Murcia)

Cuenca-Barrales C., Robles-Salaverri M. (Granada, Spain)

P0405 A Prospective Observational study on Pigmented Contact Dermatitis in a Tertiary Care Center of Nepal

Kc S., Adhikary M., Kc D., Paudel B. (Dhulikhel, Nepal)

P0406 Allergic Contact Dermatitis to IBOA in the Glucose Sensor FreeStyle Libre in a Tertiary Care Portuguese Hospital

Soares Queirós C., Alexandre M., Garrido P., Estanislau Correia T., Leal Filipe P. (Lisboa, Portugal)

P0407 Recalcitrant palmoplantar pustulosis: have you considered allergic contact dermatitis?

Neves J., Brasileiro A., Mendes-Bastos P. (Lisbon, Portugal)

P0408 Lymphomatoid contact dermatitis due to chlorhexidine in a paediatric patient

Partarrieu-Mejías F., Magdaleno J., García-Legaz Martínez M., Martínez-Domenech Á., Valenzuela C., García-Rabasco A., Zaragoza Ninet V., Alegre de Miquel V., Pérez Ferriols A. (Valencia, Spain)

P0410 Shifting the perfume paradigm: A novel allergen-depleted fragrance composition provides anti-inflammatory effects in vitro and soothes xerotic skin in vivo to enhance patients' treatment adherence

Kuhn A., Altgilbers S., Laudien M., Higuera S., Natsch A., Filbry A., Schmidt L., Weise J., Rippke F., Gallinger J. (Hamburg, Germany)

P0412 Childhood Hand Dermatitis: A Case of Contact Allergy to Slime

Elhag S., Thompson D. (Birmingham, United Kingdom)

P0413 A case series of granular parakeratosis attributed to benzalkonium chloride in laundry rinses

Dear K., Nixon R. (London, United Kingdom)

P0414 Occupational contact dermatitis in hairdressers in Georgian population

Matoshvili M., Tophuria D. (Tbilisi, Georgia)

P0415 The successful introduction of a hand dermatitis clinic during the covid 19 pandemic

Carey S., Walsh S. (London, United Kingdom)

P0416 Contact allergy to acrylates related to the occupational exposure - case report.

Czarnecka-Operacz M., Łabędź N., Jenerowicz D.

Corrective, Aesthetic and Cosmetic Dermatology

- P0417 case sharings on surgical infection from thread procedures and possible strategies**
Hau K. (Hong Kong, Hong Kong)
- P0418 Emulsified fat combined with platelet rich plasma versus emulsified fat alone in the treatment of atrophic scar**
Shalaby M., Hassanin M., Ibrahim S. (Cairo, Egypt)
- P0419 Clinical efficacy and reflectance confocal microscopy modifications of a polyvinyl-based gel containing retinoic and glycolic acid in moderate-severe skin aging: An assessor-blinded 1-month study.**
Campione E., Cosio T., Lanna C., Mazzilli S., Milani M., Bianvhi L. (Caronno Pertusella, Italy)
- P0420 The mechanism and clinical application of botulinum toxin type A in treating facial hypertrophic scar**
Chen H., Zhang J., Tan Q., LI J., Hamilton S. (hangzhou, China)
- P0421 M89, a dermocosmetic combining 89% Vichy mineralizing water and hyaluronic acid does not modify ex vivo the cutaneous penetration of topical ivermectin**
Tan J., Magali B., Emilie R., Noémie M., Ingrid D., Sebastien G., Laurène R., Kerob D. (Ontario, Canada)
- P0422 M89, a combination of 89% of Vichy mineralizing water and hyaluronic acid is beneficial as an adjunct for the management of erythematous rosacea and sensitive skin: results from an open-label, observational study**
Tan J., Julieta S., Orlandi C., Kerscher M., Anfilova M., Sonya A., Florianova A., Klaudia P., Altmayer A., Catherine D., Kerob D., Goldobina M., Arenbergerova M., Masha T., Araviiskaia E. (Ontario, Canada)
- P0423 A split-face study assessing the clinical benefit, tolerability and subject satisfaction of M89, a combination of 89 Vichy mineralizing water and hyaluronic acid, in subjects with rosacea associated with erythema and sensitive skin**
Berardesca E., Adriana B., Cribier B., Frederic F., Marc V., Kerob D., Tan J. (Rome, Italy)
- P0424 M89: a combination of 89% Vichy mineralizing water and hyaluronic acid repairs the skin barrier after dermatologic procedures**
Araviiskaia E., Kerscher M., Julieta S., Orlandi C., Anfilova M., Sonya A., Florianova A., Klaudia P., Altmayer A., Catherine D., Kerob D., Goldobina M., Arenbergerova M., Masha T., Tan J. (St. Petersburg, Russian Federation)
- P0425 Clinical studies to evaluate the effectiveness of two innovative formulations with Vichy volcanic mineralising water to improve exposome-induced ageing signs**
Escobar S., Valois A., Nielsen M., Kerob D. (Buenos Aires, Argentina)
- P0426 Skin Fillers Visualization and Filler Type Differentiation with 22 and 75 MHz High Frequency Ultrasound Skin Imaging.**
Bezugly A., Pavel B., Sedova T. (Moscow, Russian Federation)

- P0427 vitiligo like hypo pigmentation associated with peeling therapy**
Chehab H., Richert B. (brussels, Belgium)
- P0428 Clinical Efficacy and Safety evaluation of a moisturizing serum after aesthetics in-office procedures**
Piquero-Casals J., Furmanczyk M., Bustos J., Granger C. (Barcelona, Spain)
- P0429 A novel water-phased SPF 50 facial sunscreen combines sebum control and intense hydration, the ideal product for oily skin.**
Granger C., Bauza G., Bustos J. (BARCELONA, Spain)
- P0430 TAILORED SKIN CARE IMPROVES MODERATE AND SEVERE XEROTIC FOOT IN TYPE 2 DIABETIC PATIENTS: AN EXPLORATORY CLINICAL TRIAL**
Lechner A., Akdeniz M., Tomova-Simitchieva T., Bobbert T., Moga A., Lachmann N., Blume-Peytavi U., Kottner J. (La Tour de Peilz, Switzerland)
- P0431 Daily urban sunscreen with high UV protection and ginger root extract efficacy against pollution and solar damage.**
Granger C., Furmanczyk M., Bustos J., Caballero M., Garre A. (BARCELONA, Spain)
- P0432 Comparative study to evaluate the antiaging properties of cosmetic formulations containing free and nanoencapsulated glycolic acid**
Honda Igarashi M., Silva S., Mercuri M., Facchini G., Silva G., Pinheiro A., Eberlin S. (São Paulo, Brazil)
- P0433 Interest of a non-rinse micellar solution to remove pollution microparticles, heavy metals and pollen from face skin**
Larue F., Floriane G., Meriaux P., Chavagnac M., Sayag M., Ardiet N. (Lyon, France)
- P0434 Gentle night peel with alpha hydroxy acids provides skin peeling and rejuvenating activity with good cutaneous acceptability in sensitive and Chinese skin**
Granger C., Brown A., Bustos J., Narda M. (BARCELONA, Spain)
- P0435 Treatment of expression lines by intradermal injection of a solution containing the biomimetic peptide acetyl hexapeptide-8 and ibedenone**
Zenker S. (Munich, Germany)
- P0436 Intradermal injection of palmitoyl tripeptide-5 and acteyl tetrapeptide-9 for the treatment of sagging skin and for tissue redensification**
Zenker S. (Munich, Germany)
- P0437 Treatment of expression lines by intradermal injection of a solution containing the biomimetic peptide acetyl hexapeptide-8 and ibedenone**
Zenker S. (Munich, Germany)
- P0438 Dermo-cosmetic formula containing hyaluronic acid in different molecular weights visible improves skin signs of aging**
Mota Soares F., Seixas M., Balliana Da Mota A., Seixas V., Lima M., Mota Soares L., Loiola L., Mota Soares M.

- P0439 Infection with mycobacterium immunogenum following botulinum toxin injection**
Yeon J., Chan R., Fallah H. (Westmead, Australia)
- P0440 Innovative treatment of hydrocystoma of the eyelids with needle-assisted electrocoagulation**
Chaker H., Litaïem N., Chamli A., Ben Younes K., Becha T., Jones M., Zeglaoui F. (Tunis, Tunisia)
- P0441 Peels in correction of sensitive skin diseases**
Romashkina A. (Moscow, Russian Federation)
- P0442 Vichy volcanic mineralising water stimulates epidermal keratinocyte differentiation and tight junction synthesis: Results of an in vitro study**
Nielsen M., Rasmont V., Valois A., Sore G., Gueniche A., Fagot D. (Levallois Perret, France)
- P0443 Lower Eyelid Xanthelasma Following Hyaluronic Acid Filler Injections to the Tear Troughs**
Liu A. (Toronto, Canada)
- P0444 Management of discomfort sensations and skin repair quality in tattoo aftercare with a dermo-cosmetic product**
Fauger A., Sonck S., Kluger N., Chavagnac-Bonneville M., Sayag M. (Lyon, France)
- P0445 Whitening serum shows efficacy in lightening and improving beauty of the Asian skin**
Granger C., Furmanczyk M., Bustos J. (BARCELONA, Spain)
- P0446 Clinical Evaluation of the efficacy and safety of a Bio Cellulose facial mask after superficial chemical peeling**
Piquero-Casals J., Furmanczyk M., Granger C. (Barcelona, Spain)
- P0447 Evaluation of vitamin C permeability in the human skin using Raman spectroscopy after topical application of a serum containing 15% L-ascorbic acid, 1% vitamin E and 0.5% ferulic acid**
Carlos Da Silva G., Pinto Medeiros Neto L., Gonçalves Junior J., Sant'anna B., Choudhary H., Lynch S., Martin A. (Brazil)
- P0448 Anti-aging properties of retinol and retinoic acid on the biomechanical properties of the skin**
Querleux B., Santoprete R., Brizion S., Jouni H., Criqui C., Tancredi-Bohin E. (Clichy, France)
- P0449 Evaluation of tolerance and efficacy of a cosmetic mask used post-procedure**
Torreão P., Phua E., Clark R., Fernandes É., Pontes T., Fonseca A., Singh N., Seesurn B., Kerob D., Nielsen M., Valois A. (Rio de Janeiro, Brazil)
- P0450 Anti-ageing efficacy of melatonin-based topical treatments: An assessor-blinded, instrumental (VISIA and 3-D photos) 3-month trial**
Milani M., Scarcella G. (Caronno Pertusella, Italy)
- P0451 Recurrent inflammatory reaction after correction of the tear trough deformity with a hyaluronic acid filler**
Ikonnikova E., Kruglova L., Manturova N., Stenko A. (Moscow, Russian Federation)
- P0452 Therapy of delayed granulomatous inflammation after injection of permanent filler**
Ikonnikova E., Kruglova L., Manturova N., Stenko A. (Moscow, Russian Federation)

P0453 Acquired bilateral nevus of Ota-like macules (Hori's nevus) treated with Q-switched Alexandrite laser: experience from an Asian female patient

Chen Y., Chen G. (Kaohsiung, Taiwan)

P0454 Phytochemical Characterization and Clinical Evaluation of the Efficacy of a Topical Product Containing Calendula Petals and Calendula Extract

Du A., Robert V., Lee B., Yatskayer M. (United States)

P0455 M89, a combination of 89% Vichy mineralizing water and hyaluronic acid reinforces the skin barrier and shows efficacy and high tolerability in various facial inflammatory dermatoses and aesthetic procedures

Tan J., Julieta S., Orlandi C., Kerscher M., Anfilova M., Sonya A., Florianova A., Klaudia P., Altmayer A., Catherine D., Kerob D., Goldobina M., Arenbergerova M., Masha T., Araviiskaia E., Cygan K., Rodas A., Tony G., Moreau K., Roo Rodriguez E., Mattos M., Rijo Mendonça M. (Ontario, Canada)

P0456 Anti-wrinkle efficacy of a melatonin-based eye contour balm: An Antera 3D prospective 2-month trial

Milani M., Puviani M. (Caronno Pertusella, Italy)

P0457 Closing a need gap - effective anti-aging care targeting age spots for more skin clarity

Schmidt L., Van Geloven A., Harbig S., Fuerstenau M., Muhr G., Dippe R., Warnke K. (Germany)

P0458 Night peel serum provides gentle exfoliation and renews skin texture in Caucasian and Asian women.

Granger C., Furmanczyk M., Caballero M., Garre A. (BARCELONA, Spain)

P0459 Pigment Evening Benefits from a Multi-Mechanism Facial Skin Brightening Regimen in a Population Consisting of Chinese, Indian and Caucasian Women

Edison B., Marucci M., Green B., Tierney N. (Skillman, NJ, United States)

P0460 48-week Follow up of Intradermal Tranexamic Acid Injection for Treatment of Melasama: A Pilot Study

Lueangarun S., Tempark T. (Pathumthani, Thailand)

P0461 Treatment of post-surgical keloid scars by combining electrodesiccation and corticosteroid injection

Martinez Lopez A., López Delgado D., Rodriguez Tejero A., Molina-Leyva A. (Granada, Spain)

P0462 Clinical evaluation of anesthetic-like effect of two dermocosmetic formulations containing Aquafilus dolomiaie extract-G3, in subjects with sensitive facial skin by electrodermal response measurement

Villaret A., EL Marbouh L., Maret A., Coubetergues H., Calvet B., Jean-Decoster C., Ortiz A., Georgescu V. (TOULOUSE, France)

P0463 Clinical evaluation of the soothing effect of two dermocosmetic formulations containing Aquafilus dolomiaie extract-G3, in subjects with sensitive facial skin

Villaret A., EL Marbouh L., Maret A., Coubetergues H., Calvet B., Jean-Decoster C., Ortiz A., Georgescu V. (TOULOUSE, France)

P0464 Blood platelets induced regeneration of UV-treated fibroblasts in in vitro studies.

P0465 Keloid scar of upper lip following facial cellulitis: A case report

Hadjieconomou S., Whitaker S. (Bridgend, United Kingdom)

P0466 Facial rejuvenation using a hyaluronic acid eight-point facial lift combined with botulinum toxin

Martinez Lopez A., Lopez-Martinez J., Montero-Vilchez T. (Granada, Spain)

P0467 A case report of Botulinum toxin a Darier's disease treatment

De Manueles F., Balsalobre Gongora S. (Cáceres, Spain)

P0468 The Impact of a Photo-Protection Product and the Effects of Seasonality on Photo-aged Women

Robert V., Du A., Yatskayer M., Flament F. (United States)

P0469 Efficacy of Autologous Leukocyte-platelet-rich Fibrin (L-PRF) Intradermal Injection Using Simplified Preparation Method for the treatment of Athropic Acne Scar

Lueangarun S., Thanombooncharoen D., Tempark T. (Pathumthani, Thailand)

P0470 Correction of external periorcular wrinkles and palpebromalar and nasojugal grooves with 15 mg/ml cross-linked hyaluronic acid

Podlipnik S., Pigem R., Luis L. (Valencia, Venezuela)

P0471 Treatment of unpleasant skin sensations using micellar water

Taieb C., Gayraud F., Dinet D., Sayag M. (Fontenay-sous-Bois, France)

P0472 Evaluation of a Silicone Gel for Improving the Appearance of Scars Arising from Multifactoral Conditions

Lynch S., Raab S., Cook S. (United States)

P0473 Gastrodia elata root extract protective effects against hypoxia and oxidative stress in skin cells

Leblanc E., Jeronimo-Monteiro V., Desharaee A., Heusèle C., Dumas M., Bonté F. (SAINT JEAN DE BRAYE, France)

P0474 Evaluation of the efficacy on cutaneous hypersensitivity of a face emulsion containing sclareolide in women presenting a sensitive skin

Peres M., Huet F., Le Bonniec M., Guéhenneux S., Vié K., Misery L. (Pontoise, France)

P0475 Clinical evaluation of tolerance and efficacy of a body, face and hair oil containing Monoi and organic Tamanu extract, applied after sun exposure, under dermatological and ophthalmological controls

EL Marbouh L., Faure J., Nunez M., Coubetergues H., Calvet B. (France)

P0476 Skin colorimetric analysis on 95 Brazilian women using parameters ITA° and hue°

Pontes T., Clark R., Fernandes E., Fonseca A. (Rio de Janeiro, Brazil)

P0477 FACE Project: Value of a novel Artificial Intelligence solution to make at home cosmetic virtual analysis in the COVID era

Martorell Calatayud A., Ibor Crespo E., Sanz Motilva V., Gisbert-Climent V., Sanz M. (Spain)

P0478 Assessment of protectiver effects of a dermocostic oil containing monoi and organic tamanu extract, from oxidate stress triggered by UVA exposure on skin and hair models

EL Marbough L., Bianchi P., Duplan H., Faure J., Nunez M., Coubetergues H., Calvet B. (France)

P0479 Clinical assessment of the efficacy and tolerance of a non-comedogenic make-up face primer, under dermatological and ophthalmological controls

EL Marbough L., Faure J., Nunez M., Coubetergues H., Calvet B. (France)

P0480 Efficacy assessment of a 20% cosmeceutical Vitamin C skincare (ascorbic acid) in correcting pigmented spots and improving skin radiance and complexion evenness, under dermatological and ophthalmological controls

EL Marbough L., Faure J., Nunez M., Coubetergues H., Calvet B. (France)

Cutaneous Oncology

- P0481 Syringocystadenoma papilliferum and trichillemal cyst : a new association**
El Hadadi F., Mezni L., Znati K., Meziane M., Ismaili N., Benzekri L., Senouci K. (rabat, Morocco)
- P0482 PERIANAL MELANOMA A CASE TO REMEMBER**
Rochin J., Pulido Diaz N., Guevara Castillo R., Quintal Ramirez M. (MEXICO CITY, Mexico)
- P0483 3D mapping of basal cell carcinoma using bedside multi-spectral optocoustic tomography.**
Thng S., Olivio M., Chuah S., Tan W., Ntziachristos V., Aguirre J. (Singapore, Singapore)
- P0484 Case of lymphoma NK/T-cell, nasal type.**
Iakushenko S. (Lipetsk, Russian Federation)
- P0485 Association of Human Papillomavirus and Extra-genital Bowen's Disease: A Systematic Review**
Seo J., Jeon J., Song H., Baek Y. (Seoul, Korea, Rep. of South)
- P0486 Gender is a significant predictor of melanoma prognosis: a large hospital-based study**
Fan S., Zhao Y. (Beijing, China)
- P0487 Use of phosphodiesterase type 5 inhibitors and risk of melanoma**
Fan S., Zhao Y. (Beijing, China)
- P0488 Clinicopathological analysis and effective prognostic evaluation system of head and neck sweat gland adenocarcinoma: a mixed method study**
Fan S., Zhao Y. (Beijing, China)
- P0489 United Kingdom survey on the management of malignant eyelid tumours**
Kuah C., Gan J., Nitiapapand R., Madhavan K. (London, United Kingdom)
- P0490 Clinical and pathological features of cutaneous melanoma in a Moroccan population: a retrospective study**
Benahmed J., Badreddine H., Karima S., Kaoutar Z. (Rabat, Morocco)
- P0491 Clinicopathological and Dermoscopic Features of Amelanotic and Hypomelanotic Melanoma: a Multicentric Study**
Bearzi P., Paolino G., Pampena R., Longo C., Frascione P., Rizzo N., Raucci M., Carbone A., Cantisani C., Ricci F., Didona D., Mercuri S. (Milano, Italy)
- P0492 Melanocytic proliferations of uncertain malignant potential - a retrospective study of 23 patients**
Rodrigues Lopes J., Teixeira D., Tente D., Baptista A., Moreira A. (Vila Nova de Gaia, Portugal)
- P0493 Kaposi's disease about a series of 15 cases**
El Amraoui M., Frikh R., Naoufal H., Mohammed B. (Rabat, France)
- P0494 Nodular Melanoma: a single centre retrospective review of 24 cases during one year**

Kovacs N., Csányi I., Ócsai H., Varga E., Kemény L., Oláh J., Baltás E. (Szeged, Hungary)

P0495 Rosai-Dorfman disease: a skin-limited case.

Pérez P., Moreiras-Arias N., Buján-Bonino C., Aliste-Santos C., Ginarte-Val M., Vázquez-Veiga H. (Santiago de Compostela, Spain)

P0496 A case of extraocular sebaceous carcinoma in situ

Jeong K., Jeon J., Song H., Baek Y. (Seoul, Korea, Rep. of South)

P0497 Intralesional Methotrexate for the treatment of keratoacanthoma, clinical experience in Chilean population

Moran M., Minuzzi G. (Chile)

P0498 The association of antidiabetic treatment on the development of keratinocyte carcinoma in high-risk patients.

Misitzi A., Stratigos A., Mastorakos G., Weinstock M. (Athens, Greece)

P0499 Differential diagnosis of airway symptoms in melanoma patients treated with immune checkpoint inhibitors

Rózsa P., Varga A., Ócsai H., Baltás E., Berényi Z., Kemény L., Oláh J. (Szeged, Hungary)

P0500 Skin cancer prevalence and photoprotection habits in a group of farmers in Spain

Navarro Bielsa A., Gracia-Cazaña T., García-Malinis A., Quintana C., Gavín N., Martínez-Sánchez R., Mateo-Gállego R., Zazo E., Gilaberte Y. (Zaragoza, Spain)

P0501 Amelanotic melanoma of the scalp mimicking scarring alopecia

Bertholdi L., Gadens G., Volnei Dorn T., Floriani J., De Forville Mesquita L. (Curitiba, Brazil)

P0502 Walk-in mole/skin check: What are the perceived benefits?

Downs A., Wilson A., Costache M., Stone C. (Exeter, United Kingdom)

P0503 Chlormethine (CL) gel in the treatment of patients with mycosis-fungoides cutaneous T-cell lymphoma (MF-CTCL): Three case reports

Papadavid E. (Athens, Greece)

P0504 Risk prediction of melanoma lymph node metastasis with artificial intelligence

Ortiz Salvador J., Magdaleno J., Perez Pastor G., Pérez Ferriols A. (Valencia, Spain)

P0505 Incidence of melanoma and non-melanoma skin cancer in Ukraine in 2015-2019

Volkoslavskaya V., Roscheniuk L., Manyak N., Fuchyzhy I., Namli I. (Kharkiv, Ukraine)

P0506 Adnexotropic mycosis fungoides. Report of 4 cases.

González Pérez A., Rodríguez Baeza D., Viñolas Cuadros A., Moyano Bueno D., García Castro R., Cardeñoso Álvarez E., Santos-Briz Terrón Á., Cañueto Álvarez J., Román Curto C. (Salamanca, Spain)

P0507 Cutaneous schwannoma with epithelioid component on dorsum of foot: A rare presentation

Ko Y., Ro Y., Ko J., Kim J., Kim N., Kim K., Shin D. (Seoul, Korea, Rep. of South)

- P0508 Glomus tumour of the skin in extradigital location - a case report**
Teixeira D., Wen X., Rodrigues Lopes J., Costa M., Ferreira E., Baptista A., César A. (Vila Nova De Gaia, Portugal)
- P0509 Exclusive scalp involvement by small cell lymphocytic lymphoma treated with local radiotherapy.**
Gómez Arias P., Vázquez Díaz M., Sanz Zorrilla A., Baleato Gómez B., Moreno Mesa D., Gallardo Pérez M., Vélez García-Nieto A. (CORDOBA, Spain)
- P0510 Verrucous carcinoma: a series of 15 cases**
Daadaa N., Souissi A., Drissi H., Chelly I., Kchir N., Mokni M. (Hammam Lif, Tunisia)
- P0511 Melanoma- Synchronous Malignancy with Pulmonary Adenocarcinoma**
Popa R., Dalia B., Daniela N., Marinescu I., Alexandra C., Liana S. (Bucharest, Romania)
- P0512 Epidemiology and clinical features of Basal cell carcinoma: About 134 cases.**
Ben Samir A., Rabhi F., Ghannem A., Damak I., Jaber K., Dhaoui M. (Tunis, Tunisia)
- P0514 Impact of sonidegib on lesion size in nevoid basal cell carcinoma syndrome through 12 weeks of treatment**
Basset-Seguín N., Lear J., Hauschild A., Stockfleth E., Squittieri N., Dummer R. (Paris, France)
- P0515 Subanalyses of objective response rates in patients with advanced basal cell carcinoma: Results from the 42-month BOLT study**
Gutzmer R., Migden M., Squittieri N. (Hannover, Germany)
- P0516 Duration of response and progression-free survival until disease progression or start of new antineoplastic therapy with sonidegib 200 mg once daily in patients with locally advanced basal cell carcinoma: Results from the 42-month BOLT study**
Loquai C., Migden M., Lear J., Squittieri N., Liu L., Guminski A., Dummer R. (Mainz, Germany)
- P0517 Efficacy of sonidegib 200 mg daily with concomitant medication use in patients with locally advanced basal cell carcinoma: Results from the 42-month BOLT study**
Robert C., Dummer R., Migden M., Squittieri N., Liu L., Guminski A., Lear J. (villejuif, France)
- P0518 Efficacy of sonidegib 200 mg daily with concomitant common cardiovascular medications in patients with locally advanced basal cell carcinoma: Results from the 42-month BOLT study**
Grob J., Lear J., Dummer R., Guminski A., Squittieri N., Liu L., Migden M. (Marseille, France)
- P0519 Does Melanocytoma really exist?**
Oro Ayude M., Suh Oh H., Batalla A., Mateos-Martín A., Suárez-Peñaranda J., Álvarez-Álvarez C., García-Arroyo R., Rodríguez-Jato Q., Couselo-Rodríguez C., Soto-García D., Florez Menendez A. (Santiago, Spain)
- P0520 Giant histiocytic sarcoma and basal cell carcinoma; a curious collision**
Gracia Darder I., Boix-Vilanova J., Gómez Bellvert C., Ramos Rodríguez D., Giacaman A., Llull Ramos A., Martín-Santiago A., Del Pozo Hernando L. (PALMA DE MALLORCA, Spain)
- P0521 Factors related to the involvement of the surgical margin in non-melanoma skin cancer.**

Repiso-Jiménez J., Fernández-Canedo I., Rivas-Ruiz F., De Troya-Martín M. (Marbella, Spain)

P0522 A case of multiple Bowen's disease with a history of possible arsenic exposure

Kang M., Seo J., Lee S., Lee J., Yu D., Lee Y. (Korea, Rep. of South)

P0523 The role of adjuvant radiotherapy in high risk squamous cell carcinoma: a retrospective study.

Martinez Lopez A., Montero-Vilchez T., Cuenca-Barrales C., Molina-Leyva A. (Granada, Spain)

P0524 PLEOMORPHIC DERMAL SARCOMA: A CLINICO-PATHOLOGICAL RETROSPECTIVE STUDY OF 17 CASES

Rios Vinuela E., Serra-Guillén C., Llombart B., Diago Irache A., Bernia Petit E., Requena C., Nagore E., Traves V., Mayo F., Guillen C., Sanmartin O. (Valencia, Spain)

P0525 Acral Squamous Cell Carcinoma: clinical and histological study of 14 cases

Bernia Petit E., Rios Vinuela E., Mayo Martínez F., Diago Irache A., Requena Caballero C., Serra Guillén C., Sanmartín Jimenez O. (valencia, Spain)

P0526 Clinically misdiagnosed melanomas: is it a common problem?

Chlebicka I., Stefaniak A., Szepietowski J. (Wrocław, Poland)

P0527 A Proof of Concept, Phase 2 Study to Assess Efficacy and Safety of Patidegib for Reduction of Disease Burden of Persistently Developing Basal Cell Carcinomas (BCCs) in Non-Gorlin High-Frequency BCC Patients

Pendyala S., Mathauda-Sahota G., Hewitt K., Acosta L., Suttner J., Sarin K., Kantor J., Sofen H., Niranjana V. (San Francisco, United States)

P0528 Clinical, dermoscopy and histopathological characteristics of intradermal melanocytic nevus-associated melanomas

Balaguer Franch I., Hernández de la Torre-Ruiz E., Nieto Benito L., Rosell-Díaz Á., García Piqueras P., Lacasta Plasín C., Mateos Mayo A., Sánchez Herrero A., Suarez-Fernandez R., Avilès Izquierdo J. (Madrid, Spain)

P0529 Similar findings, different diagnoses - two cases of diffuse large B-cell lymphoma with cutaneous involvement

Relvas M., Calvão J., Matos A., Brites M., Cardoso J. (Coimbra, Portugal)

P0530 Lymphomatoid papulosis mimicking distal embolism.

Fulgencio Barbarin J., Falkenhain Lopez D., Puerta M., Muñoz-González H., Rubio-Muniz C., Arroyo-Andres J., Rodríguez Peralto J., Ortiz-Romero P., Postigo-Llorente C. (MADRID, Spain)

P0531 Blastic plasmacytoid dendritic cell neoplasm - the importance of recognizing cutaneous findings as the first step to establish diagnosis

Relvas M., Alves F., Vieira R., Cardoso J. (Coimbra, Portugal)

P0532 Primary cutaneous follicle center lymphoma in a patient being treated with Golimumab

Rodríguez-Villa Lario A., Medina S., Vega-Diez D., Gonzalez Canete M., Polo Rodríguez I., Vélez M., Trasobares L. (MADRID, Spain)

P0533 PERIUNGUAL HIDRADENOCARCINOMA MIMICKING SQUAMOUS CELL CARCINOMA: A RARE PRESENTATION WITH DERMATOSCOPIC FINDINGS

Farabi B., Nisa Akay B., Okcu Heper A. (Ankara, Turkey)

P0534 Alpha-melanocyte-stimulating hormone attenuates neovascularization by inducing nitric oxide deficiency via MC-Rs/PKA/NF-kB signaling

Wu C., Chuo W., Tai M. (Kaohsiung, Taiwan)

P0535 Cutaneous melanoma metastases in bullous pemphigoid lesions

Ványai B., Chang Chien W., Beke L., Várvolgyi T., Szabó I., Méhes G., Emri G. (Debrecen, Hungary)

P0536 Lentigo maligna recurring as desmoplastic melanoma, natural evolution or diagnostic confusion?

Nitu L., Nasturica I., Margaritescu I., Forsea A. (Bucharest, Romania)

P0537 The role of autophagy in different types of melanoma

Tósaki Á., Vass V., Szabó E., Emri G., Remenyik E. (Debrecen, Hungary)

P0538 Romidepsin in combination with low-dose methotrexate in advanced-stage mycosis fungoides and Sézary syndrome

Cieza Díaz D., Machan S., Prieto Torres L., Requena L., Córdoba Mascuñano R. (Madrid, Spain)

P0539 A Phase 1, Single-center, Pharmacokinetic, Safety and Tolerability Study of Patidegib Topical Gel in Healthy Adult Volunteers Under Maximum Use Conditions

Grycz K., Tang J., Epstein E., Friedman H., Kochendoefer G.

P0540 A misdiagnosed case of leiomyosarcoma of the foot

Tabka M., Litaïem N., Jones M., Zeglaoui F. (sousse, Tunisia)

P0541 A Phase 3 Pivotal Study to Assess Efficacy and Safety of Patidegib for Reduction of Disease Burden of Persistently Developing Basal Cell Carcinomas in Patients With Gorlin Syndrome

Foo C., Nader D., Nader B., Suttner J., Christensen S., Lear J., Harwood C., Niranjana V., Pendyala S. (San Francisco, United States)

P0542 Gorlin Syndrome: It's the Pits

Breneiser J., Alderman A., Pendyala S., Holm S.

P0543 "EOSINOPHILIC FASCIITIS AS A FIRST MANIFESTATION OF CUTANEOUS B CELL LYMPHOMA"

Uh Sánchez I., Bolaños M., Estrada Aguilar L. (CIUDAD DE MÉXICO, Mexico)

P0544 Long-term disease control after allogeneic hematopoietic stem cell transplantation in primary cutaneous T-cell lymphoma

Dimitriou F., Schanz U., Nair G., Kimeswenger S., Hoetzenecker W., Maiwald M., French L., Dummer R., Cozzio A., Guenova E. (Lausanne, Switzerland)

P0545 The unusual basal cell carcinoma (BCC) presenting on a background of a congenital cutaneous vascular anomaly - A systematic review and a case report

De La Cruz Monroy M., Fleet M., Al-Ghazal S. (Bradford, United Kingdom)

P0546 Clinical and histopathological evaluation of 50 acantholytic squamous cell carcinoma. Analysis outcome in a retrospective case control study

Conde Ferreirós A., Moyano-Bueno D., Viñolas-Cuadros A., Corchete-Sánchez L., García-Castro R., Medina M., Revelles Peñas L., Santos-Briz A., Román Curto C., Cañueto Álvarez J. (Salamanca, Spain)

P0547 Successful Radiotherapy for Keratoacanthoma Centrifugum Marginatum: a case report

Perinazzo Pauvels L., De Faria Melo M., De Matos Milman L., Peruzzo J. (Porto Alegre, Brazil)

P0548 Blockade of programmed death-1 (PD-1) in Sézary Syndrome reduces Th2 phenotype of non-tumoral T lymphocytes, but may enhance tumour proliferation

Saulite I., Ignatova D., Chang Y., Fassnacht C., Dimitriou F., Varypataki E., Anzengruber F., Nägeli M., Cozzio A., Dummer R., Scarisbrick J., Pascolo S., Hoetzenecker W., Bobrowicz M., Guenova E. (Switzerland)

P0549 Comparison of the Salamanca's refinement of the AJCC8 for T3 cutaneous squamous cell carcinoma (CSCC) with the Brigham and Women's Hospital's alternative staging system and the Tübingen's alternative staging system

Puebla Tornero L., Corchete-Sánchez L., Conde-Ferreirós A., García-Sancha N., Corchado-Cobos R., González-Pérez A., Segurado-Tostón N., Revilla-Nebreda D., Rodríguez-Baeza D., Cardeñoso-Álvarez M., Román-Curto C., Cañueto-Álvarez J. (Salamanca, Spain)

P0551 The role of actin in muscle spasms resulting from sonidegib

Leow L., Teh N. (Darlinghurst, Australia)

P0552 The features of the tumor microenvironment and the tumor budding identify subgroups of prognosis in cutaneous squamous cell carcinoma

Canueto Alvarez J., Mendiburu-Eliçade M., Corchete-Sánchez L., García-Sancha N., Corchado-Cobos R., Santos-Briz A., Cardeñoso-Álvarez E., Pérez-Losada J., Román-Curo C. (Salamanca, Spain)

P0553 Increased chlormethine induced DNA double stranded breaks in malignant T cells from mycosis fungoides skin lesions

Chang Y., Ignatova D., Fassnacht C., Guenova E. (Lausanne, Switzerland)

P0554 Aggressive primary cutaneous peripheral T-cell lymphoma - not otherwise specified masquerading as CD-4 positive small/medium T-cell lymphoproliferative disorder

Kapetanovic I., Reljic V., Vukovic J., Zivanovic D. (Belgrade, Serbia)

P0556 Terebrant basal cell carcinoma: About 7 cases

Belhareth K., Aounallah A., Mokni S., Sriha B., Ghariani N., Belajouza C., Denguezli M. (Tunisia)

P0557 Adherence to primary and secondary prevention measures by melanoma patients: a cross-sectional study.

Manrique-Silva E., Torrecilla Martínez I., Traves V., Requena C., Nagore E. (Valencia, Spain)

Dermatological Practice Management

P0558 A Pilot Study on the Efficacy and Safety of Low Level Light Therapy as a Treatment Option for Alopecia Areata in Filipino Men and Women

Chan B., Ismael D., Casintahan M., Flores Z. (Manila, Philippines)

P0560 Fractional Carbon-dioxide laser vs Fractional Carbon-dioxide laser with autologous topical platelet rich plasma (PRP) in the treatment of non-segmental vitiligo: A randomised comparative study.

Raizada A. (Bhubaneswar , India)

P0563 Clinical efficacy of a topical serum containing 15% L-Ascorbic Acid, Neohesperidin, Pycnogenol, Tocopherol and Hyaluronic Acid on skin aging signs in Brazil.

Kerob D., Rocio J., Zambelli P., Correia P., Junior J., Sant'anna B. (Rio de JAneiro, Brazil)

P0565 Adaptation to Covid-19 in UK

Mohri F., Ebadian M., Burova E., Salako K., Woo P. (bedford, United Kingdom)

P0566 Teledermoscopy for suspicious skin lesions by general practitioners

Mylle S., Michelle S., Tessa V., Marjan G., Laudine J., Bart D., Tom K., Isabelle H., Evelien V., Lieve B. (Ghent, Belgium)

Dermatological Surgery

P0568 5-year risk of basal cell carcinoma recurrence after a conventional surgical excision

Duarte B., Vieira L., Pessoa e Costa T., Ribeiro L., João A., Varanda Pereira A., Cabete J. (Lisbon, Portugal)

P0569 Rapid referrals: Are we making appropriate use of our surgical slots?

Butt S., Alani A., Affleck A. (Dundee, United Kingdom)

P0570 Tumescant liposuction in lipoma treatment

Almeida F., Pinho A., Brinca A., Vieira R. (Braga, Portugal)

P0571 Tunneled flaps: An ingenious reconstructive option for anterior auricle defects

Cerejeira D., De Castro Pinho A., Brinca A., Goulao J., Vieira R. (Almada, Portugal)

P0572 "Jigsaw puzzle" advancement flap for the reconstruction of an infraorbital defect

Cerejeira D., Bonito F., Goulao J. (Almada, Portugal)

P0574 Analysis of Day of Surgery Cancellations at a District General Hospital

Gnanappiragasam D., Stevenson O. (Leicester, United Kingdom)

P0575 Solid organ transplant recipients and Mohs micrographic surgery: a case control study.

Ferraresso M., Luna A., Pérez L., Caviedes M., Crivaro P., Vacas A., Martinez Piva M., Ferrario D., Molinari L., Rodriguez Kowalczyk M., Galimberti G., Mazzuocolo L. (Capital Federal, Argentina)

P0576 Risk factors to predict occurrence and prognosis of post-thyroidectomy hypertrophic scar: A retrospective review of 1439 cases

Kim J., Roh M. (Goyang, Korea, Rep. of South)

P0577 Perioral defect reconstruction after modified Mohs surgery : Evaluation of three different flap designs

Djuardi I., Anwar A., Djawad K. (Makassar, Indonesia)

P0578 Intralesional Polidocanol In Pyogenic Granuloma : A Case Series

Mathachan S., Khurana A. (New Delhi, India)

P0579 The factors predicting the treatment response of auricular keloids

Kim H., Kim H. (Pusan, Korea, Rep. of South)

P0580 What comes through the Mohs clinic door? An audit of referrals to a tertiary Mohs assessment clinic.

Chiang Y., Yiu Z., Madan V., Telfer N., Ghura V. (Greater Manchester, United Kingdom)

P0581 Tips and tricks for advanced dermatologic procedures

Leow L., Teh N. (Darlinghurst, Australia)

P0582 EFFECTIVENESS OF INTRALABIAL ROTATION FLAP

Karray M., Litaïem N., Charfi O., Sahli F., Rammah S., Jones M., Zegloui F. (TUNIs, Tunisia)

P0583 Comparison of ex-vivo confocal micrographic surgery of basal cell carcinoma and conventional frozen section Mohs surgery (Munich method)

Ruini C., Vladimirova G., Ergün E., Gust C., Sattler E., French L., Hartmann D. (Munich, Germany)

P0584 The Bilobed Flap: A novel technique for reconstruction of the ear following excision of melanoma

Sarwar U., Abdul Z., Fourie L. (United Kingdom)

P0585 Distribution of mutational profile among melanoma patients. A retrospective study about the clinical, environmental and histological features in melanoma patients.

Manrique-Silva E., Millani D., Garcia Z., Traves V., Requena C., Kumar R., Nagore E. (Valencia, Spain)

Dermatology and Internal Medicine, including Skin Manifestations of Systemic diseases

P0587 Pseudoporphyria in an IgA nephropathy patient

Chaiyamahapark S. (Phitsanulok, Thailand)

P0588 Ulcerated Sweet's syndrome in a patient on Lenalidomide for Primary Myelofibrosis - The need for awareness of uncommon presentations

Balendran T., Gunasekera C., Shanmuganathan P. (Batticaloa, Sri Lanka)

P0589 Resolution of necrobiosis lipoidica diabetorum after pancreas-kidney transplantation

Rodenas-Herranz T., Linares-González L., Vega-Castillo J., Ayen-Rodriguez A., Navarro Triviño F., Ruiz-Villaverde R. (Granada, Spain)

P0590 Adult T-cell Leukemia/Lymphoma: A Disease with Polymorphous Presentations

Weng T., Liu D., Lee W. (New taipei city, Taiwan)

P0591 Large cell transformation of a systemic low-grade follicular lymphoma presenting as a giant ulcerated cutaneous tumor

Duarte B., Pessoa e Costa T., Cabete J., João A. (Lisbon, Portugal)

P0592 Tuberous angiomas far from benign, revealing POEMS (reported case)

Bouakkaz A., Djeridane A. (Algiers, Algeria)

P0593 Erythematous nodules revealing a diffuse large B-cell lymphoma

Esteves M., Vide J., Azevedo F. (Porto, Portugal)

P0594 Advanced Hodgkin lymphoma with extensive cutaneous infiltration

Esteves M., Nogueira A., Costa C., Fonseca E., Azevedo F. (Porto, Portugal)

P0595 Blepharitis in cutaneous lupus erythematosus

Benahmed J., Sanae S., Mariam M., Nadia I., Laila B., Karima S. (Rabat, Morocco)

P0596 More Than Skin Deep? A Case Report and Literature Review on Cutaneous Fistulas

Kirk L., Harper N. (Birmingham, United Kingdom)

P0597 Performance, acceptability and tolerability of a new dexpanthenol-containing emollient in the care of dry skin in adult diabetics

Stettler H., Doarika A., Florence R. (Basel, Switzerland)

P0598 Eosinophilic dermatosis of hematologic malignancy - a predictor of poor prognosis?

Calvão J., Relvas M., Brinca A., Cardoso J. (Coimbra, Portugal)

P0599 Primary anetoderma and acquired cutis laxa associated with glomerulonephritis in a 37-year old Filipino male: a case report

Cua V., Cubillan E. (Manila, Philippines)

P0600 Scleredema of Buschke: about a case

Wafa J., Rabhi F., Frioui R., Mkhinini H., Soumaya Y., Jaber K., Dhaoui M. (bizerte, Tunisia)

P0601 Acute folliculitis responding to anti-fungal in an immunosuppressed patient with Blau syndrome

Ebadian M., Shpadaruk V., Ravindran D. (United Kingdom)

P0602 Micropapular cutaneous sarcoidosis with pulmonary involvement

Koumaki D., Koumaki V., Boumpoucheropoulos S., Lagoudaki E., Stefanidou M., Evangelou G., Krueger-Krasagakis S., Krasagakis K. (Heraklion, Greece)

P0603 Multiple florid condyloma acuminatum in a lupus patient under cyclophosphamide

El Hadadi F., Mezni L., Meziane M., Ismaili N., Benzekri L., Senouci K. (rabat, Morocco)

P0604 Mixed cold and warm autoimmune hemolytic anemia presenting as livedo reticularis

Nguyen M., Schenck O., Merkel E., Guggina L., Zhou X. (Chicago, United States)

P0605 Graft-Versus-Host Like Cutaneous Disease in a Thymic Hyperplasia Patient

Lau Y., Trendell-Smith N., Yeung C., Wong S., Chan H., Chan W. (Hong Kong, Hong Kong)

P0606 Fip1-like 1/platelet-derived growth factor receptor-alpha (FIP1L1/PDGFR α)- associated hypereosinophilic syndrome with cutaneous lesions as the sole manifestation: case report

Periša V., Vuksic Polic M., Laslo D. (Osijek, Croatia)

P0607 Mucocutaneous manifestations in patients with inflammatory bowel disease: a multiyear study from Crete, Greece.

Koumaki D., Machaira A., Katoulis A., Bitados P., Orfanoudaki E., Foteinogiannopoulou K., Stefanidou M., Krasagakis K., Koutroubakis I. (Heraklion, Greece)

P0608 Pyoderma gangrenosum associated with chronic refractory pouchitis; a case successfully treated with infliximab.

Koumaki D., Orfanoudaki E., Machaira A., Lagoudaki E., Krasagakis K., Koutroubakis I. (Heraklion, Greece)

P0609 A rare case with diffuse "sclerodermoid appearance" due to systemic amyloidosis

Thi Hong Chuyen N., Nguyen H. (Ho Chi Minh, Viet Nam)

P0610 Scalp necrosis revealing giant cell arteritis

Ben Kahla M., Idoudi S., Ahmed G., Fares M., Belajouza C., Sriha B., Mohamed D. (Créteil, France)

P0611 A Case of Pancreatic Panniculitis

Ho B., Zhang S., Sampson S., Harland C. (Sutton, United Kingdom)

P0612 Satoyoshi syndrome: about a case

Bouakkaz A., Chibane A., Kihal O., Djeridane A. (Algiers, Algeria)

P0613 Latent paraneoplastic dermatomyositis triggered by nivolumab treatment in a patient with metastatic melanoma. Case report and literature review.

Serra-Garcia L., Lopez-Guerra N., Bosch-Amate X., Morgado-Carrasco D., Milisenda J., Puig S. (Sant Cugat del Vallés, Spain)

P0614 Clinicopathological study of acquired reactive perforating collagenosis

Seishima M., Inoue M., Kawamura M., Matsuyama K., Mizutani Y., Miyazaki T. (Gifu, Japan)

P0615 Effectiveness of omalizumab in a case of normocomplementemic urticarial vasculitis

Ramírez Conchas J., Lukoviek Araya V., Algarra Sahuquillo J., Arteaga-Henriquez M., Merino De Paz N., García Bustínduy M. (SANTA CRUZ DE TENERIFE, Spain)

P0616 The Potential Link between Sarcoidosis, Systemic Lupus Erythematosus and Lymphoma: A Case Report

Sallam M., Assar H., Daruish M., Ibrahim M. (Cairo, Egypt)

P0617 A case of Neutrophilic Dermatitis of the Dorsal Hands

Lopes A., Almeida F., Brito C. (Braga, Portugal)

P0618 Eosinophilic dermatosis of haematological malignancy: a rare paraneoplastic disease

Rytenband F., Suzuki N., Machado de Moraes A., Cintra M., Vieira Pericole de Souza F., Nunes Secamilli E., Fantelli Stelini R., Yumi Massuda Serrano J. (Campinas, Brazil)

P0620 Primary cutaneous Rosai Dorfman disease of the auricle: A case report

Fakhfekh W., Rabhi F., Fazzeni M., Ben Samir A., Gargouri F., Jaber K., Dhaoui M. (Tunis, Tunisia)

P0621 Erythematosus penalscrotal edema in juvenile onset systemic lupus

El Mansouri M., Elfatoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P0622 Calciphylaxis without Renal Failure. Think not? Think Again.

Ajmul Hussain F., Harkins C., Shaffrali-Prempeh F. (Lanarkshire, United Kingdom)

P0623 Linear and atypical panniculitis: two cases

El Mansouri M., Essadouki S., Elfatoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P0624 Ulcerative cutaneous sarcoidosis: A rare presentation

Ben Samir A., Rabhi F., Fazzeni M., Ghannem A., Jaber K., Dhaoui M. (Tunis, Tunisia)

P0625 Melanogenic effect of Dersimelagon (MT-7117), an oral melanocortin 1 receptor (MC1R) agonist, in non-clinical studies.

Kondo M., Suzuki T., Kawano Y., Matsumoto A., Tanemura S., Funayama K., Nishi A. (Yokohama, Japan)

P0626 Carcinoma en Cuirasse : A Case Report

Perifani V., Theodoropoulos K., Kavourakis G., Theotokoglou S., Syrmali A., Psyrii A., Papadavid E. (Athens, Greece)

P0627 Post-surgical pyoderma gangrenosum: a diagnosis we cannot miss.

Penalba Torres M., Zarco Olivo C., Muñoz-González H., Velasco-Tamariz V., Garcia-Donoso C., Calleja-Algarra A. (Madrid, Spain)

P0628 Dermoscopy as a clue for the diagnosis of sarcoidosis

Antoniolli L., Mattias F., Pauvels L., Bakos R. (Porto Alegre, Brazil)

P0629 A case of uveitis and alopecia

Ebadian M., Elnaggar M., Yan A., Woo P., Riddell L., Barbieri A. (United Kingdom)

P0630 A case of cutaneous amyloidosis of penis associated with HPV infection

Kim J., Oh S., Park S., Jang J., Park H., Seo H. (Guri, Korea, Rep. of South)

P0631 Graft-vs-host disease NET-like following orthotopic liver transplantation: case report and review of the literature

Lopez Valle A., Calleja-Algarra A., Ortiz-Romero P., Zarco- Olivo C. (Madrid, Spain)

P0632 Study of carbohydrate and lipid metabolism in patients with necrobiosis lipoidica

Chaplyk-Chyzyho I., Dashko M., Voznyak I., Astsaturov H., Volbyn S. (Ukraine)

P0633 A Cyclic Umbilical Node

Olmos Nieva C., Castiñeiras González J., Perandones González H., Sanchez Sambucety P., Rodríguez Prieto M. (León, Spain)

P0634 Inverse lichen planus after successful hepatitis C treatment with sofosbuvir/ledipasvir

Amoedo P., Cerejeira A., Canão P., Azevedo F., Mota A. (Porto, Portugal)

P0635 Paraneoplastic cutaneous leukocytoclastic vasculitis as a marker of pancreatic adenocarcinoma: A case report.

Petrovska L., Gjorgjievska Kamceva M., Nikolovska S. (Stip, Macedonia)

P0636 The influence of the Covid-19 pandemic on the management of dermatological emergencies

Patrascu A., Porumb-Andrese E., Vata D., Halip I., Asavei A., Aniculaesa D., Dragoi A., Solovastru L. (Iasi, Romania)

P0637 Dermoscopic findings in a case of multisystem reticulohistiocytosis

Galimberti F., LI Y. (Miami, United States)

P0638 Lofgren's syndrome - a case report

Mitrovic M., Nedic Z., Gordic S. (Pancevo, Serbia)

P0639 Serum elafin as a potential marker for the diagnosis and assessment of disease activity in Behçet's disease

Kutlay A., Akdag Kose A. (Turkey)

P0640 Erdheim-Chester Disease mimicking eruptive xanthoma

Serra-Garcia L., Bosch-Amate X., Riera-Monroig J., Castillo-Fernández P., Estrach-Panella M., Iranzo-Fernández M. (Sant Cugat del Vallés, Spain)

P0641 A rare clinical form of sarcoidosis

Tazi Saoud Z., Fatim Zahra E., Hayat D., Fouzia H., Soumia C. (Morocco)

P0642 Destructive centrofacial granuloma : a diagnostic challenge

Tazi Saoud Z., Fatim Zahra E., Hayat D., Fouzia H., Soumia C. (Morocco)

P0643 Aseptic abscesses in a patient with colitis ulcerosa

Hake L., Drerup C., Ehrchen J. (Muenster, Germany)

P0644 Facial erythema : The trie that hides the Forrest?

Kerrouch H., Khalidi M., Titou H., Hanafi T., Frikh R., Hjira N. (Rabat, Morocco)

P0645 Familial hypercholesterolemia with extensive xanthomas of varying morphology

Rathore S. (New Delhi, India)

P0646 An interesting cutaneous manifestation of Multiple Myeloma. Case report

Gordillo García L., Arellano-Mendoza M., Mercadillo-Perez P., Ibarra Morales D. (Mexico City, Mexico)

P0647 Paraneoplastic erythema annulare centrifugum eruption (PEACE)

Aubán Pariente J., Gómez Vila B., Vázquez Losada B., Galache Osuna C., Gómez Diez S., Santos Juanes J. (Oviedo, Spain)

P0648 Cutaneous paraneoplastic manifestations: clinical aspects and interdisciplinary correlations

Aanutei C., Statescu L., Gheuca Solovastru L. (Iasi, Romania)

P0649 Multiple eruptive dermatofibromas developing in a patient with systemic lupus erythematosus

Toumi A., Souissi A., Chaabeni M., Chelly I., Mokni M. (Tunisia)

P0650 Plurality of histiocytosis: a report of five cases

Suzuki N., Lopes Iori N., Ferreira Magalhaes R., Cintra M., Yumi Massuda Serrano J., Fantelli Stelini R., Nunes Secamilli E. (Campinas, Brazil)

P0651 Cutaneous necrosis revealing system disease: about 4 cases

Bahloul E., Rekik M., Chaabouni R., Jallouli M., Mesrati H., Bahloul Z., Turki H. (El Habib, Tunisia)

P0652 Palmar erythema: an unusual manifestation of Kikuchi-Fujimoto's disease

Bahloul E., Baklouti M., Chifa D., Sellami K., Bahloul Z., Turki H. (Sfax, Tunisia)

P0653 Cutaneous manifestations of Diabetes mellitus as markers of metabolic control

Correia C., Duarte S., Fernandes S., Camacho M., Cantiga P., Filipe P. (Lisboa, Portugal)

P0654 Systemic sarcoidosis caused by permanent makeup

Grekova E., Olisova O., Teplyuk N., Grabovskaya O., Pyatilova P. (Moscow, Russian Federation)

P0655 gaucher disease and calcinosis cutis: an uncommon association

Ben Slimane M., Souissi I., Alaoui F., Sassi W., Mokni M. (Tunis, Tunisia)

Dermatopathology

P0656 Flame figures in linear IGA bullous dermatosis.

García-Gil M., Martínez Pallás I., Aldea-Manrique B., Ramirez-Lluch M., Lapeña Casado A., Monte Serrano J., Villagrasa P., Bularca E., Franco Rubio J., Prieto Torres L., Alvarez Salafranca M., Ara Martín M. (Zaragoza, Spain)

P0657 Neutrophils in Cutaneous Kikuchi-Fujimoto disease: a potential pitfall for a misdiagnosis of histiocytoid Sweet syndrome

Yeo P., Tan C., Lim Z., Kwong H., Wang D., Lim J., Lim Y., Lee J. (Singapore, Singapore)

P0658 Getting to the Bottom of Melanoma of the Buttocks: A Case Series and Well-Rounded Review

Wohltmann W., High W. (San Antonio, United States)

P0660 COMPARING SKIN CHARACTERISTICS AND MOLECULAR MARKERS OF XEROTIC FOOT SKIN BETWEEN DIABETIC AND NON-DIABETIC SUBJECTS: AN EXPLORATORY STUDY

Lechner A., Akdeniz M., Tomova-Simitchieva T., Bobbert T., Moga A., Lachmann N., Blume-Peytavi U., Kottner J. (La Tour de Peilz, Switzerland)

P0661 Multiple Miliary Osteoma Cutis in a young man

Marcillo J., Salido R. (Moscow, Russian Federation)

P0662 Familial multiple basaloid follicular hamartoma - a case report

Cerejeira A., Amoedo P., Pereira P., Pedrosa A., Baudrier T., Azevedo F. (Porto, Portugal)

P0663 Online education dermatopathology.

Iakushenko S., Ravodin R. (Lipetsk, Russian Federation)

P0664 What is that wart?

Ramírez Conchas J., Hernández-León N., Rodríguez Rodríguez R., Lukoviek Araya V., Algarra Sahuquillo J., Fagundo Gonzalez E. (SANTA CRUZ DE TENERIFE, Spain)

P0665 The pattern of invasive tumour border in cutaneous melanoma: A histological review of 74 cases.

Keeling E., Hartel P., Mckenna D. (Dublin, Ireland)

P0666 Moretones persistentes en el tobillo

Rodríguez Tejero A., López Delgado D., Montero-Vilchez T., Arias-Santiago S., Molina-Leyva A. (Granada, Spain)

P0667 Basal cell carcinoma processing: are serial transverse cross-sections needed for histological evaluation of surgical margins?

Pérez P., Fernández-García A., Suárez-Peñaranda J. (Santiago de Compostela, Spain)

P0668 Masson tumor of the forehead.

Idoudi S., Gammoudi R., Ben Kahla M., Ghariani N., Mokni S., Aounallah A., Boussafara L., Belajouza C., Denguezli M. (monastir, Tunisia)

P0669 An extensive, scarring neutrophilic dermatosis associated with Seronegative Rheumatoid Arthritis and positive Anti-Streptolysin O Titre. Does Rheumatoid Neutrophilic Dermatitis bridge the gap between Sweet's Syndrome and Pyoderma Gangrenosum?

Petrou I., Vandormael I., Swale V., Deroide F., Stratton R., Mangat P., Mcbride S. (Romford, United Kingdom)

P0670 Cutaneous metastases of visceral neoplasms: a 10-year retrospective analysis of a tertiary center

Relvas M., Almeida R., Cardoso J., Tellechea Ó. (Coimbra, Portugal)

P0671 Eosinophilic dermatosis of hematologic malignancy

Moya Martínez C., Nuñez Hipólito L., Haya Martínez L., Torre Castro J., Jo Velasco M., Requena Caballero L. (Madrid, Spain)

P0672 An unusual case of granulomatous inflammation caused by *Microsphaeropsis arundinis*

Doolan B., Satchell A., Gorji M. (Darlinghurst, Australia)

P0673 Scabies: a histopathological review of 23 cases

Pimenta R., Ortins Pina A., Kieselova K., Espinosa Lara P., Aguado Lobo M., De Vasconcelos P., Soares de Almeida L. (Lisbon, Portugal)

P0674 Circumscribed palmoplantar hypokeratosis: a case report

Pimenta R., Laureano Oliveira A., Soares de Almeida L., Filipe P. (Lisbon, Portugal)

P0675 Non-neural granular cell tumor. Novel immunohistochemical findings.

Torre-Castro J., Moya Martínez C., Núñez Hipólito L., Haya L., Mendoza Cembranos M., Eraña-Tomás I., Jo M., Saus C., Solares J., Requena L., Santonja C. (Madrid, Spain)

P0676 Ischemic fasciitis - a diagnosis to bear in mind in the elderly

Alves F., Santiago L., Cardoso J. (Coimbra, Portugal)

Dermoscopy

- P0677 Dermoscopic features of common hypomelanotic macular diseases**
Rebolledo K., Abad-Venida M., Buenviaje-Beloso M. (Manila, Philippines)
- P0678 Dermoscopy of melasma patients treated with q- switched laser toning in Indian skin**
Arsiwala S. (Mumbai, India)
- P0679 Clinical and dermoscopic features of melanocytic lesions on the face versus the external ear.**
Deinlein T., Blum A., Schultzer G., Haenssle H., Braun R., Giuffrida R., Hofmann-Wellenhof R. (Graz, Austria)
- P0680 Evaluation of videodermoscopic features of chemotherapy induced alopecia**
Karadag Kose O., Akosman C., Borlu M. (İstanbul, Turkey)
- P0681 Dermoscopy of Donovanosis.**
Idoudi S., Youssef M., Saad S., Yosra S., Lahouel I., Belhajali H., Jameleddine Z. (monastir, Tunisia)
- P0682 Pressure induced alopecia versus alopecia areata - Value of Trichoscopy**
Balendran T., Gunasekera C. (Batticaloa, Sri Lanka)
- P0683 Trichoscopy as monitoring tool for assessment of treatment response in 98 children with tinea capitis**
Kumar P., Pandhi D., Bhattacharya S., Das S. (NEW DELHI, India)
- P0684 Trichoscopic features of tinea capitis in two infant: A case report**
Kumar P., Pandhi D. (NEW DELHI, India)
- P0685 Alopecia areata or tinea capitis? the interest of trichoscopy, study of 146 cases**
Bouakkaz A., Chibane A., Kihal O., Djeridane A. (Algiers, Algeria)
- P0686 Evaluation of the role of genetic and environmental factors in the localization of congenital and acquired melanocytic nevi: A study in twins**
Voudouri M., Voudouri A., Sgouros D., Rigopoulos D., Katoulis A. (Anoixi Attikis, Greece)
- P0687 Clinical - Dermoscopic - Histopathological correlation of Fish tank granuloma - Report of a case**
Balendran T., Gunasekera C. (Batticaloa, Sri Lanka)
- P0688 Benign pigmented mucocutaneous lesions within external genital area - differential diagnosis with dermoscopy**
Szmigiel K., Kamińska-Winciorek G., Chwojnicky A., Garces Rene J. (Wrocław, Poland)
- P0689 Correlation analysis of dermoscopic features between five observers in a cohort of 200 dermoscopic images**
Rodríguez-Lomba E., Lozano-Masdemont B., Nieto-Benito L., Hernández de la Torre E., Suárez-Fernández R., Avilés-Izquierdo J. (Madrid, Spain)
- P0690 Teledermoscopy in Southern Denmark**

Vestergaard T., Prasad S., Schuster A., Laurinaviciene R., Andersen M., Bygum A. (Odense C, Denmark)

P0691 Dermoscopic features of Sutton nevi: a case series

Nedelcu R., Alexandra D., Georgiana Roxana Z., Sorina Andreea C., Alice B., Gabriela T., Elena B., Ionela H., Anastasia C., Andreea M., Mihaela A., Florentina P., Mihaela B., Daniela Adriana I. (Bucharest, Romania)

P0693 Evaluation of multi-class risk scoring AI in dermoscopy using per-class histograms

De Vylder J., Diricx B., Janssen L., Mylle S., Van Kelst S., Garmyn M., Hoorens I., Verhaeghe E., Brochez L., Kimpe T. (kortrijk, Belgium)

P0694 Benign umbilical tumors resembling Sister Mary Joseph nodule

Ha D., Kim H., Ko H., Kim B., Kim M. (Busan, Korea, Rep. of South)

P0695 Can dermoscopy be used to predict if a melanoma is in situ or invasive?

Polesie S., Jergéus E., Gillstedt M., Ceder H., Dahlén Gyllencreutz J., Fougelberg J., Johansson Backman E., Pakka J., Zaar O., Paoli J. (Gothenburg, Sweden)

P0696 Adult tinea capitis : Tricoscopic diagnosis

Mrad M., Rabhi F., Ghannem A., Fakhfekh W., Mtibaa L., Jaber K., Dhaoui M. (TUNIS, Tunisia)

P0697 Scalp dermatomyositis: A clinical, dermoscopic and histologic illustration

Tabka M., Mokni S., Ben Kahla M., Gammoudi R., Sriha B., Bellajouza C., Denguezli M. (sousse, Tunisia)

P0698 An unexpected cause of an itchy tattoo revealed in videodermoscopic examination

Sławińska M., Rogowska P., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0699 Cutaneous metastases from salivary duct carcinoma of the parotid gland - the first dermoscopic report

Sobjanek M., Sławińska M., Burdach R., Pęksa R., Biernat W. (Gdańsk, Poland)

P0700 A case of agminated clear cell acanthoma: dermoscopic and pathologic features.

Michelena M., Sarriugarte J., Arostegui J., Hiltun I., Cordoba A., Yanguas I. (Pamplona, Spain)

P0701 Agminated basal cell carcinoma mimicking amelanotic melanoma with in-transit metastases - clinical and dermoscopic features

Sławińska M., Biernat W., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0702 Pigmented multicentric superficial Basal Cell Carcinoma versus Melanoma: report of two cases with different dermatoscopies

Alvares Penha M., Guimaraes Forte I., Angelo de Marchi M., Da Silva L., Fernandes Pereira F., Da Silva Santos M., Lastoria J. (Presidente Prudente - SP, Brazil)

P0703 Amelanotic Meyerson's nevus dermoscopically mimicking amelanotic melanoma

Sławińska M., Biernat W., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0704 Clinical and dermoscopic features of primary melanoma in situ of the umbilicus revealed during videodermoscopic follow-up

Sławińska M., Biernat W., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0705 Trichoscopic features of angiolymphoid hyperplasia with eosinophilia

Sławińska M., Sokołowska-Wojdyło M., Biernat W., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0706 Two different faces of sebaceous adenoma in one patient - clinical and dermoscopic observation

Sławińska M., Biernat W., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0707 Solitary sclerotic fibroma - the second dermoscopic report with similar dermoscopic features

Sławińska M., Biernat W., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0709 Dermoscopy of Ulcerative Necrobiosis Lipoidica as a useful tool for diagnosis: A case report

Matuszak P., Słoma A. (Bydgoszcz, Poland)

P0710 Dermoscopy of hemosiderotic dermatofibroma - a report of two cases

Jocic I., Mijuskovic Z. (Belgrade, Serbia)

P0711 A cross-sectional study of the dermatological manifestations of patients with Fabry disease

Anker P., Kiss N., Fésűs L., Wikonkál N., Fekete G., Medvecz M. (Hungary)

P0712 Morbus Bowen - The dermoscopic and clinical correlation

Doci X., Jorgaqi E., Savo I., Cela R. (Durrës, Albania)

P0713 Pilomatricoma: clinical-dermoscopic and pathologic correlation

Karrakchou B., Boubnane I., Benzekri L., Ismaili N., Meziane M., Senouci K. (Rabat, Morocco)

P0714 Lichen planopilaris trichoscopy: a retrospective study of 8 cases

Tabka M., Mokni S., Aounallah A., Gammoudi R., Lobna B., Ghariani N., Bellajouza C., Denguezli M. (sousse, Tunisia)

P0715 Ungual Auspitz sign in a child with erythrodermic psoriasis

Aouali S., Regragui H., Zizi N., Dikhaye S. (Oujda, Morocco)

P0716 Trichoscopy in children's alopecia areata : series of 20 cases

Tazi Saoud Z., Fatim Zahra E., Hayat D., Fouzia H., Soumia C. (Morocco)

P0717 Multispectral dermoscopy and localisation of invasiveness in melanoma

Janssen L., Van Kelst S., Bosisio F., Mylle S., Diricx B., Kimpe T., Boone M., Verhaeghe E., Brochez L., Garmyn M. (Leuven, Belgium)

P0718 Dermoscopy of pigmented purpuric lichenoid dermatitis of Gougerot et Blum in an HIV infected patient

Garrido P., Espinosa Lara P., Aguado-Lobo M., Soares-Almeida L., Costa J. (Lisboa, Portugal)

P0719 A case of adult xanthogranuloma with dermoscopic findings.

Chen Q., Tian X., Zhu H. (Guangzhou, China)

P0720 FACIAL AGING THROUGH DERMOSCOPE

Kaur J., Sekhon H. (Amritsar, India)

P0721 Dermatoscopy of nailfolds in cases of connective tissue disorder

Baruah A. (BANGALORE, India)

P0722 When trichoscopy reveals traction alopecia associated to alopecia areata

Wafa J., Souissi I., Alaoui F., Sassi W., Mokni M. (bizerte, Tunisia)

P0723 Simulation and evaluation of clinically relevant features in the computer model of skin

Vasudev V., De Paepe L., Maidment A., Kimpe T., Platasa L., Philips W., Bakic P. (Ghent, Belgium)

P0724 Perforating dermatoses: A captivating dermoscopic presentation!

Aouali S., Sof K., Zizi N., Dikhaye S. (Oujda, Morocco)

P0725 Dermoscopic features of cutaneous lichen planus.

Sikora M., Rudnicka L., Kittler H., Szykut-Badaczewska A. (Warsaw, Poland)

P0726 Dermoscopy: a tool for diagnostic, therapeutic and prognostic evaluation of vitiligo

Alvares Penha M., De Moraes Antunes J., Angelo de Marchi M., Burgos Ponce J., Lastoria J. (Presidente Prudente - SP, Brazil)

Diagnostic Procedures

P0728 Unexpected basal cell carcinomas in a young woman unveiled by reflectance confocal microscopy

Peccerillo F., Ciardo S., Greco M., Pellacani G. (-, Italy)

P0729 Unrecognized deep vein thrombosis as a confirmation sign of invasive cervical cancer

Vicic M., Kastelan M., Brajac I., Prpic Massari L. (Rijeka, Croatia)

P0730 Real-time PCR methodology in the present-day diagnostics of dermatophyte infections

Vazheva G., Aleksandrova-Zisova L. (Plovdiv, Bulgaria)

P0731 Use of High-Frequency Ultrasonography in the diagnosis of a subcutaneous sebaceoma.

Boix-Vilanova J., Ramos Rodríguez D., DEL Pozo Hernando L., Martin-Santiago A., Gracia Darder I., Escalas J. (Palma de Mallorca, Spain)

P0732 Linefield confocal OCT of pigmented lesions

Schuh S., Welzel J., Ruini C., Sattler E. (Augsburg, Germany)

P0733 Confocal optical coherence tomography - the all-rounder?

Welzel J., Sandra S., Ruini C., Sattler E. (Augsburg, Germany)

P0734 Prospects for the using of the ytterbium porphyrin complexes in the early diagnosis of melanocytic lesions in clinical practice.

Olisova O., Svist P., Orlova E., Smirnova L., Kayumova L. (Moscow, Russian Federation)

P0735 Line-field confocal optical coherence tomography: a novel non-invasive skin imaging technique in dermatology

Monnier J., Cinotti E., Suppa M., Tognetti L., Miyamoto M., Perez-Anker J., Margot F., Yelamos O., Carmen O., Puig S., Dubois A., Rubegni P., Veronique D., Malveyh J., Perrot J. (Marseille, France)

P0736 Line field confocal optical coherence tomography for the non-invasive diagnosis of basal cell carcinoma

Ruini C., Sandra S., Hartmann D., Gust C., French L., Welzel J., Sattler E. (Munich, Germany)

P0737 Non-invasive real time imaging of mite skin infestation with line field confocal optical coherence tomography

Sattler E., Sandra S., Hartmann D., French L., Welzel J., Ruini C. (Munich, Germany)

P0738 Nailfold capillaroscopy in Raynaud's phenomenon

Flavia Corina B., Alexandru C., Velescu D., Emeric T., Sorina C., Mederle A., Dagos C., Claudia B. (Timisoara, Romania)

P0739 The possibilities and limitations of HF-USG in teledermatology.

Polanska A., Jenerowicz D., Paszyńska E., Żaba R., Adamski Z., Dańczak-Pazdrowska A. (Poznań, Poland)

Economics in Dermatology, Ethics in Dermatology

P0740 Nonattendance of referred patients in the OP Dermatology Department at KCH: What is the rate, associated outcomes and potential solutions?

El Masri A., Tulabaite K., Walsh S., Lee A., Connolly A. (London, United Kingdom)

P0741 Cost Effectiveness of emollients in the prevention of relapses in atopic dermatitis in the French setting

Cabou E., Eymere S., Launois R., Delvigne V., Seite S., Taieb C., Reguiat Z. (Fontenay-sous-Bois, France)

Epidemiology

- P0743 Comparing interest in indoor tanning among countries with different indoor tanning regulations.**
Misitzis A., Stratigos A., Weinstock M. (Athens, Greece)
- P0745 Epidemiological profile of dermatological consultations of riverside people during volunteers medical expeditions on rivers Tapajós e Cupari, state of Pará, Brasil**
Valente Muniz M., Delamare Teixeira A., Da Cunha Gobbo L., Fedrico Leite B., Nataly Moura França J., Anibale Rodrigues Junior J., Fileti Arruda L., De Sena Nogueira Maehara L., Moreira Passos Succi F., Soares Dos Santos M. (Campinas, Brazil)
- P0746 Cancer in patients with polymyositis, Dermatomyositis and dermatopolymyositis: results of a Danish registry analysis**
Miriam Z., Dressler C., Nast A., Egeberg A. (Berlin, Germany)
- P0747 Sun exposure and the use of photoprotection in riverine residents of a village on the Amazon River, Amapá, Brasil**
Mano C., Boareto Pegoraro N., Perugini Rocha M., Soares Dos Santos M. (Campinas, Brazil)
- P0748 Flare characteristics of generalized pustular psoriasis in North America: survey results from dermatologists in the Corrona Psoriasis Registry**
Strober B., Lebwohl M., Kotowsky N., Medeiros R., Mackey R., Harrold L., Valdecantos W., Flack M., Golembesky A. (New Haven, CT, United States)
- P0749 Perspectives on generalized pustular psoriasis treatment in North America: survey results from dermatologists in the Corrona Psoriasis Registry**
Strober B., Lebwohl M., Kotowsky N., Medeiros R., Mackey R., Harrold L., Valdecantos W., Flack M., Golembesky A. (New Haven, CT, United States)
- P0750 Sun protection and sun exposure habits among tattooed individuals**
Kluger N., Shourick J., Seité S., Taieb C. (Helsinki, Finland)
- P0752 Assessing potential risk factors for early-onset basal cell carcinomas**
Matas Nadal C., Fernández Armenteros J., Àngel Baldó J., Aguayo R. (Lleida, Spain)
- P0753 A nationwide population-based study of hospital admissions for dermatological diseases from 2006 to 2016 in Spain**
Cuenca-Barrales C., De Vega-Martínez M., Descalzo M., Garcia Doval I. (Granada, Spain)
- P0754 Unfitness in military service due to dermatological diseases: About 505 cases.**
Fazzeni M., Rabhi F., Fakhfekh W., Ghannem A., Jaber K., Dhaoui M. (tunis, Tunisia)
- P0755 Modern aspects of epidemiology of Paraneoplastic dermatoses**
Orlova E., Melikova N. (Moscow, Russian Federation)
- P0756 Sun protection and sun exposure habits among sensitive skin individuals**
Sourick J., Misery L., Delvigne V., Seite S., Salah S., Taieb C. (France)

P0757 A population-based study on regional variations of the psoriasis prevalence in Germany from 2010 to 2017

Andrees V., Augustin M., Augustin J., Zander N., Hischke S. (Hamburg, Germany)

P0758 Sensitive skin in France: An updated epidemiological approach

Taieb C., Delvigne V., Seite S., Salah S., Misery L. (Fontenay-sous-Bois, France)

P0759 Sensitive skin in Brazil: An updated epidemiological approach

Addor F., Taieb C., Salah S., Seite S., Delvigne V., Misery L. (Fontenay-sous-Bois, France)

P0760 Sensitive skin in USA: An updated epidemiological approach

Alexis A., Taieb C., Seite S., Salah S., Delvigne V., Misery L. (New York, United States)

P0761 Epidemiological Analysis of Onychomycosis from 2009 to 2017 in a Hospital

Fischman Gompertz O., Pires de Camargo Z., Tomimori Yamashita J., Marufuji Ogawa M., Archimedes Da Matta D., Vieira Fernandes F., Novaes Pereira Santana G., Neff G., Sant Ana Motter Borba O. (Sao Paulo)

P0763 Prevalence and clinical spectrum of tattoos dermatological complications: a first study from Poland

Rogowska P., Szczerkowska-Dobosz A., Sobjanek M., Sławińska M., Nowicki R. (Gdańsk, Poland)

P0764 Health care utilization and comorbidities among a hidradenitis suppurativa (HS) clinical cohort in Newfoundland and Labrador

Gulliver W., Penney M., Gulliver S. (St. John's, Canada)

P0765 To what extent are topical tacrolimus or pimecrolimus associated with an increased risk of skin cancer and lymphoma? Long term results from JOELLE study

Arana A., Pottegård A., Kuiper J., Crellin E., Reutfors J., Schmitt-Egenolf M., Lund L., Houben E., Booth H., Calingaert B., Kaye J., Gembert K., Rothman K., Dedman D., Kieler H., Gutiérrez L., Hallas J., Perez-Gutthann S.

Genetics

P0766 Darier's Diseases : Display disease, Major psycho emotional Trauma and resistant to different therapeutics

Boudghene Stambouli O., Haddam M., Dahmani B. (Tlemcen, Algeria)

P0767 PAPASH SYNDROME WITH MEFV GENE MUTATION

Monte Serrano J., Lapeña Casado A., Martínez Pallás I., Garcia-Gil M., Ramirez-Lluch M., Aldea-Manrique B., Villagrasa Boli P., Bularca E., Bosque Peralta T., De la Fuente Meira S., Ara Martín M. (Zaragoza, Spain)

P0768 Cardio-facio-cutaneous syndrome: a rare entity

Fox N., Rao A. (London, United Kingdom)

P0769 The effect of pain intensity on the psychological state of patients with Epidermolysis bullosa

Kolyadenko K., Fedorenko O., Tkachyshyna K., Sologyb L. (Kiev, Ukraine)

P0770 A new case of Rothmund-Thomson syndrome associated with a novel mutation in RCQL4 gene

Tous-Romero F., Sánchez-Velázquez A., Palma-Milla C., Ortiz-Romero P., Ortiz-de Frutos J. (Madrid, Spain)

P0771 Neurofibromas of the Nipple-Areolar Complex : an unusual localization

Khouna A., Hazim A., Dikhaye S., Zizi N. (Morocco)

P0772 A new family with familial generalized multiple glomovenous malformations

Pita Da Veiga Seijo G., Pérez-Feal P., Moreiras-Arias N., Loidi L., Vázquez-Veiga H., Fernández-Redondo V. (Spain)

P0773 Case Report : A new KRT6A mutation and a GJB2 mutation in the same patient with Pachyonychia Congenita

Perifani V., Theodoropoulos K., Theotokoglou S., Syrmali A., Papadimitriou N., Papadavid E. (Athens, Greece)

P0775 A case report of segmental Darier´s disease type 1 in a 39 year old woman

De Manueles F., Balsalobre Góngora S. (Cáceres, Spain)

P0776 The GenoME study: protocol for a fully virtual longitudinal genome-wide association study in subjects with atopic dermatitis

Brandt S., Ali Z., Anderson K., Hogrefe R., Andersen A., Brøgger-Mikkelsen M., Ko J., Manole I., Zibert J., Thomsen S. (Copenhagen, Denmark)

P0777 Biallelic EMILIN1 loss-of-function mutations impair both elastin and collagen fiber formation and cause a novel cutis laxa syndrome with arterial tortuosity and osteopenia

Beyens A., Adamo C., Yilmaz Gulec E., Gezdirici A., Balasubramanian M., Boel A., Bonaldo P., Aghdasi-Bornaun H., Brauchle E., Brinckman J., Devine W., Ellard S., Gangaram B., Moore S., Muiño-Mosquera L., Sasaki T., Schenke-Layland K., Symoens S., Tam A., Sengle G., Callewaert B. (Ghent, Belgium)

- P0778 Bullous congenital ichthyosiform erythroderma (epidermolytic hyperkeratosis): from keratin genes mutations to clinical erythroderma**
Patrascu A., Porumb-Andrese E., Vata D., Halip I., Asavei A., Aniculaesa D., Dragoi A., Solovastru L. (Iasi, Romania)
- P0779 Tuberos sclerosis revealed by epileptic seizures : about two cases**
Khedim N., El Fetoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)
- P0780 Porokeratotic nevi: natural history and molecular characterisation**
Saleva - Stateva M., Hess M., Technau K., Grüninger G., Weibel L., Badea M., Buente M., Theiler M., Bőrries M., Fischer J., Dourmishev L., Balabanova M., Stoyanova-Miteva L., Has C. (Sofia, Bulgaria)
- P0781 Clinical manifestations in the first year of a patient with Rothmund-Thomson Syndrome: case report and literature review**
Lori N., Suzuki N., Marina Gagheggi Maciel M., Steiner C., Ferreira Magalhaes R. (Campinas, Brazil)
- P0782 Netherton Syndrome delayed diagnosed in a 9-year-old Chinese boy with 3 novel mutations in SPINK5 gene**
Liang B., Zhu H. (Guangzhou, China)
- P0783 Whole exome sequencing of patients with early onset melanoma (age<40 years)- preliminary results**
Chatziioannou E., Kypraiou K., Stefanaki I., Vatsellas G., Plaka M., Loupis T., Vrachnos D., Polydorou D., Chatzopoulos D., Chasapi V., Champsas G., Makrythanasis P., Thanos D., Stratigos A. (Greece)

Gynaecological Dermatovenereology, Gender Dermatovenereology

P0784 Erosive adenomatosis of the nipple

Almeida F., Caldas R., Guimarães M., Lopes G., Pereira T., Brito C. (Braga, Portugal)

P0785 Case report: Atypical genital ulcerations in two young patients

Popescu I., Popescu C., Popescu R., Ditu I., Brânzea A., Coman A., Zeiler L. (Bucharest, Romania)

P0786 An audit of long-term follow-up in primary care of women with Lichen Sclerosus

Wang M., Nakakande D., Naseer S., Cecil A. (Oxford, United Kingdom)

P0787 A rare association of lichen simplex of the vulva and Laugier-Hunziker syndrome

Tovaru M., Niculae A., Georgescu S. (Bucharest, Romania)

P0788 Proposal of treatment for melanocytic correction and regulation on skin hyperpigmentation at the intimate area of female patients

Pigem R., Podlipnik S., Luis L. (Valencia, Venezuela)

P0789 A DIAGNOSTIC CHALLENGE: GENITAL ULCERS

Savvopoulou E., Ntavari N., Roussaki A., Zafeiriou E. (Larissa, Greece)

P0790 Hyperkeratosis of the nipple and areola: a case report of a rare entity

Baklouti M., Amouri M., Sellami K., Bahloul E., Masmoudi A., Boudaya S., Turki H. (Sfax, Tunisia)

P0791 Clinical spectrum of erosive vulvar lichen planus

Smirnova I., Petunova Y., Parygina O., Khostikoeva K. (StPetersburg, Russian Federation)

P0792 Squamous cell carcinoma of the penis: Immunosuppression confers distinct clinical, therapeutic and prognostic presentations compared to non-immunosuppressed patients

Melchor K., Juárez-Cortez V., Velázquez-Cárcamo E., Castillejos-Molina R., Domínguez-Cherit J., Ruelas-Villavicencio A. (Ciudad de México, Mexico)

Hair Disorders

P0794 Oral Minoxidil in the Treatment of Androgenetic Alopecia is Likely to be Bio-Activated by Sulfotransferase Enzymes Expressed in Hair Follicles

Goren A. (Irvine, CA, United States)

P0795 Novel Shampoo Reduces Hair Shedding by Contracting the Arrector Pili Muscle via the Trace Amine Associated Receptor

Goren A. (Irvine, CA, United States)

P0796 Mission Impossible: Dermal Delivery of Growth Factors via Microneedling

Goren A. (Irvine, CA, United States)

P0797 Trichotillomania masked by diffuse alopecia areata: a case report

Cua V., Lizarondo F., Yap-Silva C. (Manila, Philippines)

P0798 A Pilot Study on the Efficacy and Safety of Low Level Light Therapy as Therapeutic Option for Alopecia Areata in Filipino Men and Women

Chan B., Ismael D., Casintahan M., Flores Z. (Manila, Philippines)

P0799 A confusing dissecting cellulitis of the scalp

Chaker H., Litaïem N., Zeglaoui F. (Rades, Tunisia)

P0800 Reflectance confocal microscopy applied to Folliculitis Decalvans: preliminary results of a multicentric study

Vollono L., Mazzilli S., Cappilli S., Tassone F., Peris K., Bianchi L. (Rome, Italy)

P0801 Evaluation of serum osteopontin levels in patients with alopecia areata compared to healthy subjects

Ghiasi M., Lotfi E., Tamehri Zadeh S., Javanbakht M. (Tehran, Iran)

P0802 Trichoscopy of scarring, and non-scarring alopecia, study of 602 cases

Bouakkaz A., Chibane A., Kihal O., Djeridane A. (Algiers, Algeria)

P0803 Prognostic factors in women with frontal fibrosing alopecia: a cross-sectional study in a tertiary care hospital

Linares-González L., Rodenas-Herranz T., Vega-Castillo J., Navarro Triviño F., Ruiz-Villaverde R. (Granada, Spain)

P0804 Subjects with mild alopecia benefit from aminexil clinical 5: results from a large international study

Reygangne P., Mandel V., Michelet J., Florence P., Kerob D., Havlickoava M., Padlewska K., Meuleman V., Rose M., Adame G., Nevskaya M., Vaño-Galván S. (Paris, France)

P0805 Senile onset Alopecia areata : A retrospective study of 294 patients in Korea

Kim K., Moon H., Sim W., Lew B. (Seoul, Korea, Rep. of South)

P0806 Successful treatment of recalcitrant alopecia areata with simvastatin and ezetimibe

Calvão J., Pinto Gouveia M., Coutinho M. (Coimbra, Portugal)

P0807 A study of association of Premature Graying of hair and Osteopenia

Kumar A. (DELHI, India)

P0808 A rare kinky hair disease : Menkes disease

Hong J., Park S., Ham M., Seo S., Kye Y., Ahn H. (Seoul, Korea, Rep. of South)

P0809 Hair heterochromia: what's new in trichoscopy?

Ovcharenko Y. (Kharkiv, Ukraine)

P0810 Alopecia universalis a challenge disease successfully treated with apremilast

Tampouratzi E., Katsantonis J. (Pireas, Greece)

P0811 chronic telogen effluvium in Egyptian children:analysis of common risk factors

Morsy H., Taha E., Gergis N., Zahran A., Abd Eltawab A. (assuiut, Egypt)

P0812 A confusing dissecting cellulitis of the scalp

Chaker H., Litaïem N., Ben Younes K., Daadaa N., Becha T., Jones M., Zeglaoui F. (Tunis, Tunisia)

P0813 Treatment of seborrheic dermatitis complicated with pyoderma

Voloshynovych M., Blaha I., Girnyk G. (Ivano-Frankivsk, Ukraine)

P0815 Linear scleroderma "en coup de sabre" in a 9 year old child

Vulcan T., Zboras I., Pascaru O., Senila S. (Cluj-Napoca, Romania)

P0816 Folliculitis keloidalis nuchae: clinical and dermoscopic study

Daadaa N., Litaïem N., Chamli A., Karray M., Bacha T., Jones M., Zeglaoui F. (Hammam Lif, Tunisia)

P0817 Hair changes in chronic kidney disease: a cross-sectional study and analysis of risk factors

Daadaa N., Souissi A., Ben Kaab B., Dougoui M., Zouaghi M., Mokni M. (Hammam Lif, Tunisia)

P0818 Scarring alopecia - beyond scalp hair

João A., Cunha N., Pinheiro R., Lencastre A. (Lisboa, Portugal)

P0819 Pityriasis amiantacea associated with cicatricial alopecia

Cerejeira A., Preto Gomes N., Martins D., Pedrosa A., Azevedo F. (Porto, Portugal)

P0820 Characterization of a population with alopecia areata in Bogota, Colombia

Castillo Molina D., Duran Torres M., Peña Trujillo V., Ramirez Herrera N., Sánchez Zapata M., Jaimes Silva J., Centeno Padilla M., Castillo D., Fierro Lozada J. (Bogotá, Colombia)

P0821 facial papules associated with frontal fibrosing alopecia : a case report

Khammouma F., Souissi I., Mokni M. (Bizerta, Tunisia)

P0822 Atrichia with papular lesions: a rare cause of irreversible alopecia

Khammouma F., Nouredine L., Bacha T., Jones M., Faten Z. (Bizerta, Tunisia)

- P0823 Assessment of hairline recession in frontal fibrosing alopecia**
Gopee N., Hampton P. (Newcastle upon Tyne, United Kingdom)
- P0824 An atypical trichilemmal cyst presenting as squamous cell carcinoma**
Slimani Y., Ajaouani R., El Fatoiki F., Dahbi Skali H., Hali F., Chiheb S. (Casablanca, Morocco)
- P0825 Hair defects associated with Pili Torti**
Chamli A., Noureddine L., Karray M., Khammouma F., Bacha T., Faten Z. (tunis, Tunisia)
- P0826 Use of Aminexil as a structural analogue of 2% minoxidil for topical application in the treatment of diffuse androgenetic alopecia in women**
Girnyk G., Voloshynovych M., Blaha I. (Ivano-Frankivsk, Ukraine)
- P0827 Trichoscopic findings in a case of annular elastolytic giant cell granuloma**
Gomes T., Cardoso J., Guiote V. (Leiria, Portugal)
- P0828 Correlation between activity of Alopecia areata and antinuclear antibody in patient's blood serum**
Damarad A., Lomats K. (Minsk, Belarus)
- P0829 Postoperative pressure alopecia on head rest fixation points area, following intracranial meningioma surgery .**
Ahmed B., Hatim B. (Marrakech, Morocco)
- P0830 Analysis of hair trace elements in patients with alopecia areata**
Babak I., Syzon O., Dashko M., Astsaturov H., Bilynska O., Rudnyk T. (Lviv, Ukraine)
- P0831 A Systematic Review and Meta-analysis of Randomized controlled Trials of US FDA Clearance Home-use Low Level Light/Laser Therapy for Pattern Hair Loss, Focus on the Device Design and Technology**
Lueangarun S., Tempark T., Parcharoen Y., Visutjindaporn P. (Pathumthani, Thailand)
- P0832 Herbak Extract Combinations (Biochanin A and Acetyl tetrapeptide-3) vs 3% Minoxidil Solution for Treatment of Pattern Hair Loss: A 24-week, Prospective, Randomized Controlled Trial**
Lueangarun S., Tempark T., Panchaprateep R. (Pathumthani, Thailand)
- P0833 Canities subita: role of PD-1 as a pathophysiological mechanism?**
Navarro Triviño F., Ramos Pleguezuelos F., Ruiz-Villaverde R. (Granada, Spain)
- P0834 Trichoscopy findings in seven cases of primary cicatricial alopecia**
Nedelcu R., Gabriela T., Mihaela B., Florentina P., Adina D., Mihaela I., Lavinia-Isabela I., Elena-Adriana S., Anastasia C., Andreea M., Mihaela A., Elena B., Ionela H., Alice B., Daniela Adriana I. (Bucharest, Romania)
- P0835 Causes of Hair Loss in Young Women**
Al Abadie M., Asharaff F., Al Abadie D. (Wolverhampton, United Kingdom)
- P0836 The Efficacies from Global and Trichoscopic Assements of Hair Tissue-Based Therapy in the Treatment of Male Androgenetic Alopecia**

Lueangarun S., Puttacharoenlarp P., Ponnikorn S., Tempark T. (Pathumthani, Thailand)

P0837 Efficacies from Global and Trichoscopic Assessments of Hair Tissue-based Therapy in the Treatment of Male Androgenetic Alopecia

Lueangarun S., Puttacharoenlarp P., Ponnikorn S., Tempark T. (Pathumthani, Thailand)

P0838 Koebner-Like Phenomenon /Wolf's isotopic Response in a Patient with Folliculitis decalvans, a case report

Ben-Anaya N., Augustin M., Kirsten N. (Hamburg, Germany)

P0839 Dissecting cellulitis of the scalp treated by tumor necrosis factor inhibitors: a case series.

Laure F., Puzenat E., Dresco F., Charollais R., Carlet C., Gallais Serezal I., Charlée N., Aubin F. (BESANCON, France)

P0840 Trichoteiromania: clinical cases and trichoscopic features

Kubanov A., Mareeva A. (Moscow, Russian Federation)

P0841 Development and validation of a dermatoscopic severity score for female pattern hair loss

Alvares Penha M., Muller P., De Souza V., Miot H. (Presidente Prudente - SP, Brazil)

P0842 Tinea capitis mimicking androgenetic alopecia

Abdelli W., Souissi A., Khammouma F., Charfi O., Mokni M. (Tunis, Tunisia)

P0843 Trichoscopic features in patients with ectodermal dysplasia: about two cases

Abdelli W., Souissi A., Gara S., Alaoui F., Mokni M. (Tunis, Tunisia)

P0844 Trichoscopic features of tricho-hepato-enteric syndrome: a case report

Abdelli W., Souissi A., Karray M., Ben Slimaane M., Mokni M. (Tunis, Tunisia)

P0845 Pulse methylprednisolone therapy for severe alopecia areata: Study of 46 patients

Hammami F., Bahloul E., Sellami K., Amouri M., Masmoudi A., Boudaya S., Mseddi M., Turki H. (sfax, Tunisia)

P0846 Frontal fibrosing alopecia: a marked recession of the parieto-occipital hairline

Chaabani M., Souissi A., Chebbi M., Toumi A., Mokni M. (Tunis, Tunisia)

P0847 Tinea capitis mimicking scalp psoriasis in an elderly woman: how trichoscopy can guide to the right diagnosis

Rouai M., Souissi I., Toukebri N., Alaoui F., Mokni M.

P0848 High frequency ultrasonography in dirrentation of scarring and non-scarring alopecia.

Mikiel D., Polanska A., Żaba R., Adamski Z., Dańczak-Pazdrowska A. (Poznań, Poland)

P0849 diffuse alopecia areata mimicking telogen effluvium in a lupus patient

Ben Slimane M., Souissi I., Alaoui F., Magdoud O., Ben Ghorbel I., Mokni M. (Tunis, Tunisia)

History of Dermatovenereology

- P0850 The pages of 135-year history of the Russian Society of Dermatovenereology and Cosmetology**
Zaslavsky D., Kubanov A. (St. Petersburg, Russian Federation)
- P0851 A look at the past of contact dermatitis**
Chawla S. (LONDON, United Kingdom)
- P0852 Lice in history**
Sarbu M. (Bucharest, Romania)
- P0853 Ferdinand Karl Franz Schwarzmann, Ritter von Hebra, Founder of the Austrian school of dermatology (dedicated to the 140th anniversary of his death)**
Taganov A., Tikhomirov T., Tamrazova O., Molochkov A., Tamrazova A. (Moscow, Russian Federation)
- P0854 Brooke-Spiegler Syndrome and it's evolution over time**
Hamilton J., Musbahi E. (Brighton, United Kingdom)
- P0855 The History of Scabies: An itch through time**
Musbahi E., Hamilton J., Ali M. (United Kingdom)
- P0856 Brooke of Manchester**
Musbahi E., Hamilton J., Ali M. (United Kingdom)
- P0857 Phototherapy through the Ages: From Ancient Egypt to Nobel Prize Winner Niels Ryberg Finsen**
Elhag S. (Birmingham, United Kingdom)
- P0858 Scurvy - a fruitful history**
Searle T., Chohan T., Goulding J. (Birmingham, United Kingdom)

Infectious Diseases, Parasitic Diseases, Infestations

- P0859 Necrotic Erythema Nodosum Leprosum at a tertiary care centre -a case series**
Debbarman K. (Delhi, India)
- P0860 Dermatophytic disease (1959 - 2020) 61 years after its description**
Boudghene Stambouli O. (Tlemcen, Algeria)
- P0861 Secondary Syphilis mimicking Borderline Tuberculoid Leprosy in histopathological report**
Shrestha A. (Kathmandu, Nepal)
- P0862 Comparing the efficacy of topical Diphencyprone versus Measles -Mumps-Rubella vaccine in the treatment of palmoplantar warts**
Goldust M. (Sari, Iran)
- P0863 Erythema Infectiosum : A Retrospective Study of 83 Cases**
Go J., Jeong H., Jeong H., Jo S., Heo E. (Changwon city, Gyeongsangnam-do, Korea, Rep. of South)
- P0864 Widespread necrotizing purpura and scrotal Fournier gangrene-like lesion (Lucio's phenomenon) as the first diagnostic presentation of a patient with diffuse non-nodular necrotizing purpura**
Shahin A., Youssef R., Hussein S., Niazy M., Attia D., Elmasry M., Shalaby S., Abdelkader H., Bahgat M., Teleb D., Elbendary A., Mourad A., Hamed S., Abdel-Halim M. (Cairo, Egypt)
- P0865 Characteristics of dermato-venereological diagnosis of HIV-infected patients in Novosibirsk**
Narynchinova K., Krynitsina Y., Demidova E., Sergeeva I. (Novosibirsk, Russian Federation)
- P0866 Comparison of Famciclovir, Valacyclovir, and Brivudine Treatments for the treatment herpes zoster in adults**
Terzi E. (Istanbul, Turkey)
- P0867 Risk factors for recurrent cellulitis of the lower legs**
Brishkoska Boshkovski V. (Skopje, Macedonia)
- P0868 The clinical study of foot prototecosis**
Adamczyk K., Garnarczyk A., Antończak P., Lubczynska A., Wcislo-Dziadecka D. (Sosnowiec, Poland)
- P0869 Erythema multiforme and Epstein Barr Virus : an association not to be missed**
El Hadadi F., Mezni L., Meziane M., Benzekri L., Senouci K. (rabat, Morocco)
- P0870 Molluscum contagiosum in a 9 months old baby with Atopic dermatitis**
Vasileva M., Vasileva S., Mirova Shakleva E., Brishkoska Boshkovski V. (Stip, Macedonia)
- P0871 Disseminated Saksenaea vasiformis with cutaneous lesions: A case report of a rare case**
Tang-Lin L., Ang C., Lian B. (Singapore, Singapore)
- P0872 Can diagnostic criteria be developed for cellulitis of the lower limb?**

Patel M., Thomas K., Kai J., Lee S., Leighton P., Levell N., Francis N., Akyea R., Grindlay D., Smart P. (Birmingham, United Kingdom)

P0873 A case of a spider bite of the genus *Loxosceles* in Spain

Úbeda Clemente M., Hernández Gómez T., Navarro Pascual J., Cruañes Monferrer J., Hernandez-Gil Sanchez J., Gimenez Cortes M. (Murcia, Spain)

P0874 Disseminated *Mycobacterium Marinum*

Vilenchik V., Oxley J., Keith D. (Bristol, United Kingdom)

P0875 Sputum AFB smear positivity in Leprosy - Confounding the diagnosis

Balendran T., C.N G., Shanmuganathan P. (Batticaloa, Sri Lanka)

P0876 Efficacy of intralesional immunotherapy in treatment of Recalcitrant warts: comparative study between *Bacillus Calmette - Guérin (BCG)* and mumps - measles - rubella (MMR)

Ameen A. (Abu Dhabi, United Arab Emirates)

P0877 An underrecognized *Tinea faciei*

Chehab H., Richert B. (brussels, Belgium)

P0878 Unusual annular depigmented lesions of pityriasis versicolor

Chehab H., Richert B. (brussels, Belgium)

P0879 cutaneous erysipeloid leishmaniasis: an unusual presentation

Benahmed J., Soumaya H., Mariam M., Nadia I., Laila B., Karima S. (Rabat, Morocco)

P0880 Flagellate eruption revealing shiitake dermatitis

Chehab H., Richert B. (brussels, Belgium)

P0881 Lobomycosis: case report and therapeutical challenge

Thomaz Salomao S., Fraxe S., Dantas de Medeiros K., Ferreira Elias R., Marques Viana Junior E. (Boa Visra, Brazil)

P0882 A Clinical audit on cutaneous leishmaniasis response to Sodium stibogluconate among patients attending dermatology units, National Hospital of Sri Lanka

Balendran T., Janappriya G., Shanmuganathan P., Gunasekera C. (Batticaloa, Sri Lanka)

P0883 Morphological diagnosis of anthropophilic vs. zoophilic dermatophytosis: A retrospective, comparative accuracy of diagnosis by medical students and dermatology residents in training

Bunyaratavej S., Kiratiwongwan R., Liphoka P., Lertrujivanit K., Prasong W., Leeyaphan C. (Bangkok, Thailand)

P0884 Disseminated non tuberculous infection with cutaneous histoplasmosis

Long V., Lim J. (Singapore, Singapore)

P0885 CUTANEOUS LEISHMANIASIS IN IMMUNOSUPRESSED PATIENT SIMULATING CUTANEOUS EPIDERMAL CARCINOMA

Sanz-Cabanillas J., Salido Vallejo R., Sanz Cabanillas E., Hernandez Romero J., Gómez Arias P., Vélez García-Nieto A. (Córdoba, Spain)

- P0886 Cutaneous leishmaniasis in immunosuppressed patient simulating cutaneous epidermoid carcinoma**
Sanz-Cabanillas J., Sanz Zorrilla A., Sanz Cabanillas E., Salido Vallejo R., Vélez García-Nieto A. (Córdoba, Spain)
- P0887 Efficacy of Bleomycin Application on Periungual Warts after Treatment with Ablative Carbon Dioxide Fractional Laser: A Pilot Study**
Lee J., Kim J., Kim H., Suh J., Lee S., Kim M., Lee U. (Seoul, Korea, Rep. of South)
- P0888 5-Year Review of Patients with Sporotrichosis in Hospital Sultanah Aminah Johor Bahru**
Lim Y., Tey K. (Johor Bahru, Malaysia)
- P0889 A Case of Bullous Scabies Masquerading as Bullous Pemphigoid**
Lim Y., Tey K. (Johor Bahru, Malaysia)
- P0890 Uncommon clinical aspects of cutaneous leishmaniasis**
Rouai M., Rabhi F., Frioui R., Mkhinini H., Youssef S., Jabeur K., Dhaoui M.
- P0891 Tinea capitis and tinea barbae in adults: the 11-year experience of a Portuguese tertiary centre**
Duarte B., Galhardas C., Cabete J. (Lisbon, Portugal)
- P0892 Effect of different shampoos and contact time on *Microsporum canis* infected hair: In vitro model study**
Bunyaratavej S., Kiratiwongwan R., Suphatsathienkul P., Matthapan L., Supcharoenkul S., Lertrujivanit K., Prasong W., Leeyaphan C. (Bangkok, Thailand)
- P0893 Effect of probiotics vs. antiseptics on pathogenic bacteria in the human plasma biofilm model (hpBIOM)**
Stuermer E., Rembe J., Besser M. (Hamburg, Germany)
- P0894 Lepromatous leprosy: clinicopathological characteristics, diagnosis and prognosis. A retrospective case series.**
Rogel-Vence M., Carmona-Rodríguez M., González Ruiz L., Moro Bolado F., Sánchez Caminero M., Santiago Sánchez-Mateos J., Garrido Martín J., Romero Aguilera G. (Ciudad Real, Spain)
- P0895 tuberculous gumma and papulonecrotic tuberculid developing during chemotherapy in a post surgical case of carcinoma breast**
Kanoje P. (delhi , India)
- P0896 Norwegian scabies is still present: report of two cases**
Malouchou A., Karathanasi V., Mastorakou M., Nikoletta K., Mavropoulou N., Argyropoulou A., Anastasiadis G. (Athens, Greece)
- P0897 Antibacterial effect of preservatives in topical permethrin cream**
Flora A., Yeon J., Hudson B., Whitfield M.
- P0898 Cutaneous Leishmaniasis Mimicking Basosquamous Cell Carcinoma in A Solid Organ Transplant Recipient**
Nisa Akay B., Atak M., Okcu Heper A., Farabi B. (Ankara, Turkey)

- P0899 Mycobacterium bovis infection mimicking pyoderma gangrenosum and inflammatory bowel disease in an elderly gentleman**
Kearney N., O'kane C., Hall P., Boyle D., Hunter M., O'kane D. (Belfast, United Kingdom)
- P0900 The Cutaneous Manifestations, Pathology, and Molecular Study of Coxsackievirus A6-induced Hand, Foot, Mouth Disease**
Chu C., Wu C., Wang J. (Tainan, Taiwan)
- P0901 Leishmaniasis of the ear: About seven cases**
Ghannem A., Rabhi F., Ben Samir A., Mrad M., Jaber K., Dhaoui M. (tunis, Tunisia)
- P0902 Leishmaniasis of the face: About 40 cases**
Ghannem A., Rabhi F., Mrad M., Ben Mbarek M., Jaber K., Dhaoui M. (tunis, Tunisia)
- P0903 Diagnostic value of laboratory parameters for discrimination between erysipelas and limited cellulitis**
Drerup C., Sunderkoetter C., Ehrchen J. (Muenster, Germany)
- P0904 Tinea barbae profunda, caused by Trichophyton rubrum - autoinoculation from primary Tinea pedis**
Vazheva G., Aleksandrova-Zisova L. (Plovdiv, Bulgaria)
- P0905 Herpes zoster of a rare localisation- a case report**
Sekulic J., Vujanovic L., Jakovljevic S. (Zrenjanin, Serbia)
- P0906 Pyomyositis successfully treated with antibiotics only - a case report**
Alpalhão M., Antunes J., Filipe P. (Lisboa, Portugal)
- P0907 Retiform purpura as a dermatological sign of COVID-19 coagulopathy.**
Bosch-Amate X., Giavedoni P., Podlipnik S., Andreu-Febrer C., Sanz-Beltran J., Garcia-Herrera A., Alos L., Mascaró Jr. J. (Barcelona, Spain)
- P0908 Leishmanial dactylitis : About 20 cases**
Mrad M., Rabhi F., Ghannem A., Fakhfekh W., Jaber K., Dhaoui M. (TUNIS, Tunisia)
- P0909 Tinea Incognito With Kerion-like Presentation: A Case Report**
Keskin N., Adisen E. (Ankara, Turkey)
- P0910 Use of the PCR for the diagnosis of atypical enterovirus exanthemas**
Roca-Ginés J., Sánchez-Arráez J., Torres I., Abril-Pérez C., Botella-Estrada R. (Valencia, Spain)
- P0911 Dermatological fungus causing exclusive cerebral abscess in renal transplant recipient.**
Ray A., Mukherjee K., Thukral S., Ray D. (Bhubaneshwar, India)
- P0912 Atypical clinical presentation of herpes zoster in an immunocompetent woman**
Slimani Y., El Fatoiki F., Dahbi Skali H., Hali F., Chiheb S. (Casablanca, Morocco)
- P0913 Covid toes: an illustrated case report of post COVID 19 chilblains in a teenager**

Ajmul Hussain F., Harkins C., Shaffrali-Prempeh F. (Lanarkshire, United Kingdom)

P0914 A survey of onychomycosis caused by Candida spp., including pathogen spectrum and associated disorders

Szlavicz E., Szebenyi J., Moezzi M., Szepes É., Olah P., Gyulai R. (Pécs, Hungary)

P0915 Eczema herpeticum in Darier's disease: a case report

Guobytė N., Lauraitis J., Meškauskas R., Grigaitienė J. (Vilnius, Lithuania)

P0916 Clinical features of verruca plana and verruca plana like seborrheic keratosis

Hong J. (Goyang, Korea, Rep. of South)

P0917 Trends in bacterial skin infections and their antibiotic susceptibility in Korea : A 13-year study

Hong J. (Goyang, Korea, Rep. of South)

P0918 Phlegmon and abscess of the neck as a complication of long-lasting pediculosis capitis

Płaszczyńska A., Sławińska M., Nowicki R., Sobjanek M. (Gdańsk, Poland)

P0919 A case of chickenpox after zoster vaccination

Ryu J., Park J., Han J., Bang C., Lee J.

P0920 CUTANEOUS LEISHMANIASIS IN PATIENTS UNDER TNF-ALPHA INHIBITOR TREATMENT: CASE PRESENTATION AND THERAPEUTIC MANAGEMENT REVIEW

Salvador_rodíguez L., López Delgado D., Sanchez-Diaz M., Arias-Santiago S. (Granada, Spain)

P0921 Urticarial eruption in Coronavirus Disease 2019 (COVID-19) infection: a case report in Brazil

Andrade Carmello R., Teles de Andrades Pereira C. (Guarulhos, Brazil)

P0922 Pentosidine - a new marker of oxidative stress in benign HPV-associated lesions

Georgescu S., Tampa M., Nicolae I., Mitran C., Mitran M., Matei C., Popa M.

P0923 Clinicomycological profile of dermatophyte infections in pediatric population.

Ray A., Kar B. (Bhubaneswar, India)

P0924 Herpes Zoster Duplex Bilateralis In A Man With Multiple Immunosuppressive Comorbidities

Bintanjoyo L., Hidayati A. (Surabaya, Indonesia)

P0925 Cutaneous tuberculosis: reemerging disease?

Iglesias Leal C., Sebastiani F., Coringrato M., Olivares L., Maronna E. (Buenos Aires, Argentina)

P0926 Plantar molluscum contagiosum, an atypical location

Sanchez-Diaz M., López Delgado D., Rodriguez Tejero A., Molina-Leyva A., Arias-Santiago S. (Granada, Spain)

P0927 Management of cellulitis in adults: optimising investigation and antimicrobial prescribing

Hamond D., Chandler D. (Brighton, United Kingdom)

P0928 Atypical form of Bacillary Angiomatosis in a Renal Transplant Recipient

Kyriaki A., Kyriakou G., Karagiorga T., Kourea E., Assimakopoulos S., Kantounis K., Balasis S., Spyridonidis I., Georgiou S. (Greece)

P0929 Impact of colon microbiota in patients with pyoderma depending of the clinical course and duration of disease

Dashko M., Astsaturov H., Zaychenko Y., Volbyn S. (Lviv, Ukraine)

P0930 Pseudomonas aeruginosa intertrigo of the foot fully healed in a patient with severe venous insufficiency

Machado Á., Sanches M., Galaghar A., Selores M. (Porto, Portugal)

P0931 Particularities of cutaneous leishmaniasis of the legs: about 190 cases

Rekik M., Rabhi F., Wafa J., Thabouti Hamdi M., Soumaya Y., Jaber K., Dhaoui M. (Sfax, Tunisia)

P0932 Ecthyma Gangrenosum as first clinical manifestation of AIDS

Doci X., Jorgaqi E., Nina H., Cela R. (Durrës, Albania)

P0933 Imported eosinophilia: a new diagnostic challenge due to immigration.

Martos Cabrera M., Sampedro R., Reymundo A., De Argila D., Fernández-Rico P., Rodriguez P. (Madrid, Spain)

P0934 Kaposi Varicelliform Eruption Disseminated in a Patient with Exantema

Thomé França F., Rytenband F., Rossi Assis de Mendonça G., Yumi Massuda Serrano J., Fantelli Stelini R., Ferreira Magalhaes R. (Campinas, Brazil)

P0935 High-magnification imaging test in the diagnosis of scabies. A case series

Morgado D., Fusta Novell X., Perez-Anker J., Rizo D., Alsina Gibert M. (barcelona, Spain)

P0936 Aeromonas sobria necrotizing fasciitis and septic shock as complication of ozone therapy: a case report

Perez-Rojas D., Guerrero Hernandez D., Barron Tapia M., Guevara-Sanginés E., Estrada Aguilar L. (Mexico city, Mexico)

P0937 Disseminated cutaneous herpes zoster following mycophenolate mofetil therapy for granulomatosis with polyangiitis

Lawless R., Topham E. (Brighton, United Kingdom)

P0938 Mycobacterium infection masquerading as hypertrophic scar in patient with ornithine transcarbamylase deficiency and liver transplant

LI Y., Saad A., Galimberti F. (Miami, United States)

P0939 Chronic cheloidal nodules of the hand: don't forget the cutaneous leishmaniasis

Chaabani M., Jaber K., Rabhi F., Dhaoui M. (Tunis, Tunisia)

P0940 A case - report of parasitic infection with skin manifestation in a 17-year-old male

Krnjevic Pezic G., Buneta K., Tomic Babic L. (Ivanic-Grad, Croatia)

P0941 A Case Series of Herpes Zoster in Immunocompromised Patients

Shavira P., Sari M. (Surabaya, Indonesia)

P0942 DERMATOLOGICAL EMERGENCY: KAPOSI VARICELLIFORM ERUPTION IN A PATIENT WITH ERYTHRODERMIC MYCOSIS FUNGOIDES

Salvador_rodríguez L., Cuenca-Barrales C., Martínez Lopez A., López Delgado D., Molina-Leyva A. (Granada, Spain)

P0943 Atypical presentation of cutaneous leishmaniasis as a facial indurated erythematous plaque

Serra-Garcia L., Rizo-Potau D., Estrach-Panella M. (Sant Cugat del Vallés, Spain)

P0944 Prolonged systemic treatment of Majocchi granuloma of the leg

Bartolović L., Kedmenec Bartolić Š. (Cakovec, Croatia)

P0945 Post-kala-azar dermal leishmaniasis : a Moroccan case report

Tazi Saoud Z., Fatim Zahra E., Hayat S., Fouzia H., Soumia C. (Morocco)

P0946 Orf nodules masked by a maculo-papular exanthema

Tazi Saoud Z., Fatim Zahra E., Hayat D., Fouzia H., Soumia C. (Morocco)

P0947 A Very Rare Case of Bullous Erysipelas Caused by Pseudomonas putida

Medisika D., Rahmadewi R., Martodihardjo S., Mappamasing H., Indranarum T., Sawitri S., Murtiastutik D., Ervianty E. (Surabaya, Indonesia)

P0948 Changes in Foot Skin Microbiome of Patients with Type 2 Diabetes Mellitus

Lee J., Cho Y., Kim S., Hong J., Kim J., Hong J., Cheon H., Lee Y., Choe Y., Ahn K. (Seoul, Korea, Rep. of South)

P0949 Assessment of Anti-Malassezia Effect of the Bee Venom Components

Kim J., Cho Y., Lee J., Kim S., Hong J., Hong J., Cheon H., Lee Y., Choe Y., Ahn K. (Seoul, Korea, Rep. of South)

P0950 Cutaneous manifestations in COVID-19: from a first perspective to a confirmation

Recalcati S., Fantini F. (Lecco, Italy)

P0951 very rare concurrent herpes zoster and varicella in an immunocompetent child

Rabba S., El Fetoiki F., Hali F., Dahbi Skalli H., Chiheb S. (CASABLANCA, Morocco)

P0952 leprosy in morocco: an ongoing battle

Rabba S., Hali F., Dahbi Skalli H., Marnissi F., Chiheb S. (CASABLANCA, Morocco)

P0953 Deep dermatophytosis caused by Trichophyton Rubrum in two immunosuppressed patients

Silva L., Pimentel B., Catorze G., Teles Sousa J., Toscano C., Viana I. (Lisboa, Portugal)

P0954 Subcutaneous dirofilariasis affecting the face - case report

Słoma A., Matuszak P. (Bydgoszcz, Poland)

P0955 Clinical and socio-demographic characterization of cutaneous warts in patients from a dermatological center in Bogota, Colombia

Castillo Molina D., Fierro Lozada J., Molina D., Carrol Patiño M., Chacon Jaramillo P., Camacho Lazaro L., Cantillo Avilez M., Cantillo D., Castillo D. (Bogotá, Colombia)

- P0956 Crusted scabies in a 9-months malnourished baby girl**
Cenko A., Shkodrani E., Memini J., Cenko F. (Tirana, Albania)
- P0957 Cutaneous Leishmaniasis: the case of two immunocompetent patients who traveled in endemic Leishmaniasis areas**
Dobrescu F., Georgescu S., Diana-Maria O., Vasile B. (Bucharest, Romania)
- P0958 Scrofuloderma: A forgotten diagnosis that stil exists!**
Belanouane S., Fouzia H., Soumia C. (casablanca, Morocco)
- P0959 Childhood Leprosy: A Case Series**
Denissafitri A., Sasmito E., Indraswari A., Sawitri S., Kusumaputra B., Alinda M., Prakoeswa C., Listiawan M. (Surabaya, Indonesia)
- P0960 Acute acral cutaneous manifestations during the COVID-19 pandemic: a single center experience**
García-Legaz Martínez M., Martínez-Domenech Á., Magdaleno J., Valenzuela C., Partarrieu Mejías F., Lorca J., Casanova-Esquembre A., Navalpotro D., Gimeno-Cardona C., Bernia Petit E., Rios Vinuela E., Alegre de Miquel V., Pérez Ferriols A. (Valencia, Spain)
- P0961 Kaposi's varicelliform eruption occuring on Darier Disease**
Wafa J., Souissi I., Alaoui F., Samah A., Ines C., Mokni M. (bizerte, Tunisia)
- P0962 NEUROGENIC BLADDER ASSOCIATED WITH HERPES ZOSTER: A CASE REPORT**
Ntavari N., Savvopoulou E., Provas A., Roussaki A., Zafeiriou E. (Larissa, Greece)
- P0963 Community-acquired methicillin-resistant Staphylococcus aureus: An emerging problem in dermatology department**
Hammami F., Sellami K., Ennouri H., Maalej S., Mseddi M., Hammami A., Turki H. (sfax, Tunisia)
- P0964 Prevalence and clinical-histopathological characteristics of COVID-19 patients with skin manifestations**
Giavedoni P., Podlipnik S., Bosch-Amate X., Pericàs J., Fuertes I., Garcia-Herrera A., Alos L., Carrera C., Andreu-Febrer C., Sanz-Beltran J., Riquelme C., Riera J., Combalia A., Morgado Carrasco D., Pigem R., Toll A., Martí-Martí I., Rizo D., Serra-Garcia L., Alamon-Reig F., Iranzo P., Almuedo-Riera A., Muñoz J., Puig S., Mascaró J. (Barcelona, Spain)
- P0965 Tick-borne lymphadenopathy in two pediatric patients.**
Carmona-Rodríguez M., Rogel Vence M., Moro Bolado F., González Ruiz L., Sánchez Caminero M., García Arpa M., Santiago Sánchez-Mateos J., Romero Aguilera G. (Spain)
- P0966 Determinants of severity of erysipelas of the leg**
Chaabouni R., Boudaya S., Sellami K., Masmoudi A., Amouri M., Turki H. (Sfax, Tunisia)
- P0967 The Expanding Role for Mass Drug Administration in the Management of Scabies**
Welch E., Romani L., Whitfeld M. (Sydney, Australia)
- P0968 Staphylococcal involvement and methicillin resistance in patients with erysipelas**
Kazbaraitė G., Grigaitienė J., Jancoriene L., Radzisauskiene D. (Lithuania)

P0969 Sporotrichoid cutaneous tuberculosis in a patient treated with Infliximab : A case report .

Hayder F., Soua Y., Zili J., Youssef M., Kooli I., Mhalla S., Njima M., Hba H. (Monastir, Tunisia)

P0970 A puzzling crusted unilateral scabies lesion on the nipple : case report

Mezni L., Farah E., Mariam M., Karima S. (Rabat, Morocco)

P0971 Trichosporon inkin infection in a kidney-transplant patient

Muñoz-González H., Calleja-Algarra A., Penalba Torres M., Rodríguez Peralto J., López-Medrano F., Zarco-Olivo C. (Madrid, Spain)

P0972 Envenomation and cellulitis caused by the false widow spider *Steatoda Nobilis* (Thorell, 1875) in the United Kingdom

Hamilton J., George S. (Brighton, United Kingdom)

P0973 Atypical diffuse chronic and resistant cutaneous leishmaniasis due to *Leishmania Major* in an immunocompetent patient in Tunisia

Belhareth K., Aounallah A., Mokni S., Bel Kahla M., Bahri Y., Fathallah A., Souguir H., Mekki N., Sriha B., Ghariani N., Belajouza C., Denguezli M. (Tunisia)

P0974 A case of long-standing ulcerated cutaneous leishmaniasis in a non-endemic region: successful treatment with topical paromomycin

Özkaya E., Demirkesen C., Polat Ekinci A., Kutlay A. (Turkey)

P0975 Review of 22 cases of mycetoma in Tunisia

Belhareth K., Aounallah A., Snoussi M., Mokni S., Sriha B., Ghariani N., Belajouza C., Denguezli M. (Tunisia)

P0976 Pseudo-tumor cutaneous leishmaniasis: About 14 cases

Belhareth K., Bouchaala M., Boudaya S., Frikha F., Miladi S., Hammami F., Masmoudi A., Ayadi A., Amouri M., Turki H. (Tunisia)

Inflammatory Skin Diseases

- P0977 Sweet syndrome - Behcet's disease overlap in a 34-year-old Asian male: a case report**
Encarnacion L., Chua N. (Quezon City, Philippines)
- P0978 Pyoderma Gangrenosum : a severe form with severe pancytopenia**
Boudghene Stambouli O., Djellouli N., Dahmani B. (Tlemcen, Algeria)
- P0979 Erythema annular centrifugum by Dutasteride: A Case report**
Llamas-Molina J., Ayen-Rodriguez A., Linares-González L., Rodenas-Herranz T., Galvez-Moreno M., Ruiz-Villaverde R. (Granada, Spain)
- P0980 No evidence for association between cutaneous lichen planus and viral hepatitis in south Poland**
Zychowska M. (Rzeszów, Poland)
- P0981 Key immunohistochemical markers for differential diagnosis between lichen planus and lichenoid drug eruption**
Timoshchuk E., Megna M., Garcia T., Aristizabal A., Sadykov A., Chuprov I., Zaslavsky D., Olisova O., Nasyrov R., Grekova E., Sydikov A. (Saint-Petersburg, Russian Federation)
- P0982 Pyoderma Gangrenosum about a series of 15 cases**
El Amraoui M., Frikh R., Naoufal H., Mohammed B. (Rabat, France)
- P0983 Enteropathic pseudo-acrodermatitis complicated by cerebellar syndrome (reported case)**
Bouakkaz A., Chibane A., Djeridane A. (Algiers, Algeria)
- P0984 Kimura's disease in a 40 year old woman**
Chehab H., Richert B. (brussels, Belgium)
- P0985 Reticular Telangiectatic Erythema: Report of 4 cases and literature review**
DE LA Torre Gomar F., Fatsini Blanch V., Carnero González L., Sáenz Aguirre A., Roses Gibert P., Gimeno Castillo J., González Pérez R. (Vitoria, Spain)
- P0986 Atypical pityriasis rosea mimicking subacute cutaneous erythematous lupus**
Duarte S., Mendes R., Soares-Almeida L. (Lisboa, Portugal)
- P0987 The oral JAK3/TEC inhibitor ritlecitinib and the oral TYK2/JAK1 inhibitor brepocitinib show significant changes in inflammatory markers in blood of patients with alopecia areata in a 24-week study**
Guttman-Yassky E., Pavel A., Page K., Lee J., Quazi A., Wu J., Peeva E. (New York, United States)
- P0988 Clinical and Histopathological Characteristics of Cutaneous Lymphoid Hyperplasia: A Comparative Study According to Causative Factors**
Choi M., Lee K., Won C., Chang S., Lee M., Choi J., Lee W. (Seoul, Korea, Rep. of South)
- P0990 Impact of the COVID 19 pandemic on chronic inflammatory dermatoses: crossed looks on the dermatologist's position and the patient's concerns**

Fougerousse A., Maccari F., Reguiat Z., Begon E., Pallure V., Taieb C., Girard C., Mery Bossard L., Resopso G. (Saint Mandé, France)

P0991 Dermatological Presentation in a Covid-disease Patient

Olteanu R., Zurac S., Lelia I. (Bucharest, Romania)

P0992 Systemic dermatitis model mice cause atrophy of visceral adipose tissue due to inflammatory cytokine from the skin.

Mizutani K., Shirakami E., Ichishi M., Matsushima Y., Umaoka A., Okada K., Kondo M., Habe K., Yamaguchi Y., Watanabe M., Morita E., Yamanaka K. (Tsu, Japan)

P0993 Dermatomyositis with extensive calcifications treated with ruxolitinib.

Bosch-Amate X., Serra-Garcia L., Giavedoni P., Mascaró Jr. J. (Barcelona, Spain)

P0994 Radiation-induced lichen planus pigmentosus inversus

Falkenhain Lopez D., Puerta M., Fulgencio Barbarin J., Sanchez-Velazquez A., Ortiz-Romero P., Velasco-Tamariz V. (MADRID, Spain)

P0995 Lichen planus: Epidemiology, comorbidities and clinical features

Damak I., Rabhi F., Fazzi M., Fakhfekh W., Jaber K., Dhaoui M. (Tunis, Tunisia)

P0996 Sweet Syndrome revealing a Myelodysplastic Syndrome

Slimani Y., El Fatoiki F., Dahbi Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P0997 Symptom Experience of Patients with Palmoplantar Pustulosis (PPP)

Skalicky A., Esser D., Gloede T., Thoma C., Rentz A. (Seattle, United States)

P0998 A striking case of bilateral periorbital morphea with oral involvement and submucosal fibrosis

Maya H., Matar S., Caroline F., Gerard A., Josiane H., Tomb R. (Beyrouth, Lebanon)

P0999 Efficacy and safety of tildrakizumab, a high-affinity anti-interleukin-23p19 monoclonal antibody, in patients with active psoriatic arthritis in a randomized, double-blind, placebo-controlled, multiple-dose, phase 2b study

Mease P., Chohan S., Fructuoso F., Luggen M., Rahman P., Raychaudhuri S., Chou R., Mendelsohn A., Rozzo S., Trickett C., Young M., Gottlieb A. (Seattle, United States)

P1000 The systemic inflammatory environment delay the development of malignant melanoma

Matsushima Y., Mizutani K., Iida S., Umaoka A., Okada K., Kondo M., Habe K., Yamanaka K. (Japan)

P1001 Protection of barrier function impairment in sensitive skin models by an Aquaphilus dolomiae extract-G3 and a Dermo-Cosmetic formulation containing it.

Cecile V., Celine M., Lestienne F., Isabelle C., Caruana A., Bessou-Touya S., Duplan H. (TOULOUSE, France)

P1002 The cutaneous sensitivity can be modulated by neurogenic inflammation inhibition and anesthetic-like effect with Aquaphilus dolomiae extract-G3.

Lestienne F., Cecile V., Isabelle C., Carrere S., Bessou-Touya S., Duplan H., Castex-Rizzi N. (TOULOUSE, France)

- P1003 Impact of Psoriatic Disease on Family Planning in Women Aged 18-45: Results from a Multinational Survey across 11 Countries in Europe**
Mcbride S., Fargnoli M., Fougousse A., García Bustínduy M., Catton L., Senturk L., Ecoffet C., Koren J., Titilii A. (London, United Kingdom)
- P1004 Cutaneous lichen sclerosus : An atypical presentation**
Lakhal M., Rebhi F., Ben Mansour N., Khamassi H., Jaber K., Dhaoui M. (tunis, Tunisia)
- P1005 Multicentric reticulohistiocytosis: a case report**
Lukoviek Araya V., Arteaga Henríquez M., Ramírez Conchas J., Algarra Sahuquillo J., Fagundo González E., Rodríguez Rodríguez R., Bustabad Reyes S., Saéz Rodríguez M. (San Cristóbal de La Laguna, Spain)
- P1006 Ano-perineal lesions of crohn's disease: About 25 cases**
Belhareth K., Aounallah A., Ksaa M., Mokni S., Ben Slema A., Ghariani N., Belajouza C., Denguezli M. (Tunisia)
- P1007 Infraorbital lichen sclerosus: unusual clinical presentation**
Soukeina M., Korbi M., Belhadjali H., Njim L., Zili J. (Monastir, Tunisia)
- P1008 Hospital Encounters in Patients with Generalized Pustular Psoriasis**
Singer D., Hanna M., Bender S., Valdecantos W., Wu J. (Ridgefield, United States)
- P1009 Acquired erythroderma in adults - the need for a diagnostic algorithm**
Hancu M., Condurache O., Madalina M., Taranu T., Toader M. (IASI, Romania)
- P1010 morpheaform cutaneous sarcoïdosis: exceptionnal presentation of a great simulator**
Rabba S., Hali F., Dahbi Skalli H., Jabri H., Chiheb S. (CASABLANCA, Morocco)
- P1011 Gout predicts subsequent development of pyoderma gangrenosum- A population-based case-control study**
Kridin K., Damiani G., Cohen A. (Germany)
- P1012 Porokeratosis succesfully treated with oral acitretin and cryotherapy: case report**
Dinić M., Mihajlovic D., Kandolf-Sekulovic L. (Belgrade, Serbia)
- P1013 Eosinophilic annular erythema: a case report and review of literature**
Puerta M., Fulgencio Barbarin J., Falkenhain Lopez D., Agud de Dios M., Ortiz-Romero P., Rodríguez Peralto J., Gallego Alvarez S. (Boadilla del monte, Spain)
- P1014 Lichen amyloidosis: an under diagnosed dermatosis**
Benslimane Kamal I., Hali F., Marnissi F., Chiheb S. (Casablanca, Morocco)
- P1015 Pustular Penile Pyoderma Gangrenosum ,a rare presentation : case report**
Mezni L., Farah E., Mariem M., Kaouthar Z., Karima S. (Rabat, Morocco)
- P1016 Pityriasis rubra pilaris: report of 21 cases**
Chaabouni R., Belhareth K., Boudaya S., Frikha F., Masmoudi A., Turki H. (Sfax, Tunisia)

P1017 Clinical and socio-demographic characteristics of Hidradenitis Suppurativa in a dermatological center in Bogota, Colombia

Castillo Molina D., Chacon Jaramillo P., Cantillo D., Duran Torres M., Fierro Lozada J., Ochoa Bermudez J., Molina D., Ramirez Herrera N., Castillo D. (Bogotá, Colombia)

P1018 SAPHO syndrome with palmar pustulosis and sternal joints involvement

Rouai M., Alaoui F., Souissi I., Chaabani M., Mokni M.

P1019 Prurigo: study of 187 cases.

Chaabouni R., Amouri M., Sellami K., Bahloul E., Boudaya S., Turki H. (Sfax, Tunisia)

Inherited Skin Diseases

P1020 Ectodermal dysplasia with adermatoglyphia and congenital milia: report of two cases of Basan Syndrome with mutations in SMARCAD1.

Nieto Benito L., Rosell-Díaz Á., Balaguer Franch I., Hernández de la Torre-Ruiz E., García Piqueras P., Lacasta Plasin C., Suarez-Fernandez R., Campos M. (Madrid, Spain)

P1021 Palmoplantar keratoderma, hypertrophic nail changes, and oral leukokeratosis: A case of pachyonychia congenita with a novel KRT16 gene mutation

Hur K., Ko J., Mun J. (Seoul, Korea, Rep. of South)

P1022 Genotype/phenotype correlation of autosomal recessive congenital ichthyosis in an Italian cohort.

Corbeddu M., Diociaiuti A., Rotunno R., Zambruno G., Pisaneschi E., El Hachem M. (Roma, Italy)

P1023 In Interleukin-17 inhibitor as potential therapeutic approach in Netherton syndrome

Lemmerer R., Volc-Platzer B., Rappersberger K., Aichelburg M. (Vienna, Austria)

P1024 Treatment of Hailey Hailey disease with botulinum toxin

Mateos Mayo A., Sánchez Herrero A., Nieto Benito L., Rosell-Díaz Á., Balaguer Franch I., Hernández de la Torre-Ruiz E., García Piqueras P., Lacasta Plasin C., Rodríguez-Lomba E., Molina-Lopez I., Suarez-Fernandez R. (Madrid, Spain)

Lasers

- P1025 Laser therapy for different vulvar dermatosis**
Teovska-Mitrevska N., Biserkoska Atanasovska L. (skopje, Macedonia)
- P1026 clinical and dermoscopic evaluation of fractional carbon dioxide laser in management of keratosis pilaris in egyptian type skin**
Ismail S., Omar S. (Alexandria, Egypt)
- P1027 A case report: Combination of triamcinolone acetonide and 5-fluorouracil intralesional injection with yellow light diode 577nm laser for treatment of refractory keloid in Asian skin type**
Siskawati Y. (Denpasar, Indonesia)
- P1028 Laser treatment of recalcitrant pigmentary disorders in skin of colour**
Aurangabadkar S. (Hyderabad, India)
- P1029 R20C METHOD FOR TATTOO REMOVAL**
Udare S. (Navimumbai, India)
- P1030 Carbon Dioxide Laser Eye Protection. Is it necessary?**
Vilenchik V., Baker L., Thomas K., Keith D. (Bristol, United Kingdom)
- P1031 Cutaneous sarcoidosis treated with pulsed dye laser.**
Vilenchik V., Thomas K., Dear K., Kravvas G., Keith D. (Bristol, United Kingdom)
- P1032 Laser therapy is a safe and effective treatment for unwanted facial hair in adults undergoing male to female gender reassignment.**
Vilenchik V., Thomas K., Baker L., Hitchens E., Keith D. (Bristol, United Kingdom)
- P1033 Transdermal drug delivery with CO2 laser: fields of application and methods**
Provvidenziale L., Cinotti E., Cortonesi G., Fiorani D., Rubegni P. (SIENA, Italy)
- P1034 Fractional CO2 laser as drug delivery for daylight PDT: innovative approach in the management of actinic keratoses of the scalp**
Cortonesi G., Trovato E., Provvidenziale L., Fiorani D., Cinotti E., Rubegni P. (Siena, Italy)
- P1035 Novel 650-microsecond Pulsed Nd:YAG 1064nm Laser. New treatment options for old diseases.**
Orylska M., Znajewska A., Owczarczyk-Saczonek A., Placek W. (Olsztyn, Poland)
- P1036 Acne scar revision and dermal remodeling with Pico QSW laser**
Pai G. (Mangalore, India)
- P1037 Patient experience and treatment satisfaction following CO2 laser resurfacing of acne scarring: A retrospective review of a tertiary referral centre**
Cummins D., Bhutani R., Madan V. (Manchester, United Kingdom)
- P1038 1064nm Nd:YAG Laser assisted Liposuction for the treatment of gynecomastia: A case series of 311 patients**

Tsiatoura A., Mamali K. (Athens, Greece)

P1039 Efficacy and Safety of 585 nanometers Q-switched Nd: YAG Laser and 4% Hydroquinone combination vs 4% Hydroquinone Alone for Treatment of Melasma with Telangiectasia: A Randomized, Split-face Comparative Study

Lueangarun S., Namboonlue C., Tempark T. (Pathumthani, Thailand)

P1040 Intense pulsed light therapy as an effective tool for reduction of pigmentation in macular amyloidosis patches

Safdarian N. (Tehran, Iran)

P1041 A Design and Development of the Affordable Multimodal Low Level Light Therapy Bulb for the Treatment of Various Skin Conditions

Lueangarun S., Visutjindaporn P., Parcharoen Y., Tempark T. (Pathumthani, Thailand)

P1042 Efficacy of Combining Fractional Carbon Dioxide Laser and Silicone Gel in the Treatment of Hypertrophic Scars and Keloids: A Randomized Controlled Trial

Lueangarun S., Sukcharoen T., Tempark T. (Pathumthani, Thailand)

P1043 CO2 laser treatment of keratinocytic epidermal naevi: A case series

Ismail D., Madan V. (Manchester, United Kingdom)

P1044 Combination treatment with ablative CO2 laser and triamcinolone acetonide injections for auricular keloid scars: A case series

Ismail D., Madan V. (Manchester, United Kingdom)

Media, Information and Communication Technology (ICT)

P1045 The role of online health information seeking in the treatment of psoriasis from a patient perspective

Schuster B., Erbas M., Wallnöfer F., Schielein M., Ziehfrend S., Tizek L., Biedermann T., Zink A. (Munich, Germany)

P1046 Clinical photography in dermatology: An underestimated clumsiness?

Aouali S., Sof K., Zizi N., Dikhaye S. (Oujda, Morocco)

P1047 COVID-19 brings a new era in International postgraduate dermatology education

Yeon J., Tuicakau M., Chang O., Whitfeld M. (Westmead, Australia)

Miscellaneous

- P1048 Late-onset pseudoepitheliomatous hyperplasia developing within a red ink tattoo**
Pasmatzis E., Badavanis G., Constantinou P., Monastirli A., Apostolidou A., Tsambaos D. (Patras, Greece)
- P1049 Estimation of histone deacetylase 1 in patients with acne vulgaris and alopecia areata**
Elmasry M., Amin I., Ezzat M., Rashed L., Abdel Kader H. (Cairo, Egypt)
- P1051 A Study of Geriatric Dermatoses in a Semi Urban Population**
Kurikkalathu F., Santha Velappan R. (Kannur, India)
- P1052 A case of aquagenic palmoplantar keratoderma in the setting of lung fibrosis and transplant.**
Nguyen J., Shen S., McDonald P., Gin D. (Melbourne, Australia)
- P1053 Milia en plaque at a new site in the adult population successfully treated with a novel multimodal approach: a case report**
Rebolledo K., Gulmatico-Flores Z., Buenviaje-Beloso M. (Manila, Philippines)
- P1054 Tele dermatology in a second-level hospital: One year experience**
Ayen-Rodriguez A., Llamas-Molina J., Rodenas-Herranz T., Linares-González L., Ruiz-Villaverde R. (Granada, Spain)
- P1056 The blue whale challenge**
Ruiz-Villaverde R., Ayen-Rodriguez A., Llamas-Molina J., Linares-Gonzalez L., Rodenas-Herranz T. (Granada, Spain)
- P1057 MHC I deficiency syndrome with dermatologic manifestations: a case report**
Erthal A., De Moraes Vasconcelos D. (São Paulo, Brazil)
- P1058 Terra firma-forme dermatosis**
Almeida F., Fernandes A., Guimarães M., Lopes G., Brito C. (Braga, Portugal)
- P1059 Dermatologic alterations in Vipera snakebite through Europe: clinical cases and review of the literature**
Paolino G., Di Nicola M., Pampena R., Pontara A., Didona D., Moliterni E., Grano M., Borgianni N., Mercuri S. (Milano, Italy)
- P1060 Elephantiasis nostras verrucosa in the context of lymphoedema tarda and neurofibromatosis type 1**
Calvão J., Santiago L., Brites M., Figueiredo A. (Coimbra, Portugal)
- P1061 Piloleiomyomas in LHCCR.**
Pérez López I., Linares-González L., Rodenas-Herranz T., Ruiz-Villaverde R. (Granada, Spain)
- P1062 Verrucous linear epidermal nevus. Syndromic implications.**
Pérez López I., Herrera García J., Cuenca-Barrales C., Ruiz-Villaverde R. (Granada, Spain)

P1063 Antimalarial therapy for granuloma annulare

Phan K., Smith S. (Kogarah, Australia)

P1064 A case of Fibroelastolytic Papulosis on the chest of a Young Woman

Thomaz Salomao S., Medeiros K., Akel Thomaz Salomão N., Ferreira Elias R., Marques Viana Junior E., Oiticica Harris O. (Boa Visra, Brazil)

P1065 Ultrasound of Myxoid Cyst: case report

Thomaz Salomao S., Dantas de Medeiros K., Ferreira Elias R., Marques Viana Junior E., Carmen Akel Thomaz Salomao N. (Boa Visra, Brazil)

P1066 Evaluation of antiangiogenic and depigmenting potential of a lightening product

Papaiordanou F., Pacheco de Oliveira G., Parrolina Salvador J., Fernando Rensi Cunha L., Costa Morais D., Zung S. (Guarulhos, Brazil)

P1067 Circumscribed palmar hypokeratosis: case report of this underdiagnosed disease

Algarra Sahuquillo J., Pestana-Eliche M., Lukoviek V., Ramírez-Conchas J., Arteaga-Henríquez M., Rodríguez-Rodríguez R. (La Laguna, Spain)

P1068 A case of dermatitis after treatment with bee venom acupuncture

Jung J., Lee D., Park H., Kang H., Kim J. (Seoul, Korea, Rep. of South)

P1069 Acquired perforating collagenosis treated successfully with allopurinol and doxycycline - case report

Papara C., Danescu S., Baican C., Rogojan L., Baican A. (Cluj-Napoca, Romania)

P1070 Localized hyperhidrosis: eccrine nevus in an adult patient treated with botulinum toxin type A

Aragón-Miguel R., Robayna-Torres G., Alonso-García I., Martín-González I., López-Redondo M., Aramburu J., González-Valle O. (Madrid, Spain)

P1071 Efficacy of an Ointment Spray to improve the appearance of Moderate to Severe dryness

Sammam A., Teresa W., Ce A., Alexander F. (Hamburg, Germany)

P1072 A case of solitary nevus lipomatosus superficialis on the scalp

Kang M., Yun S., Lee S., Lee J., Yu D., Lee Y. (Korea, Rep. of South)

P1073 Advanced Anti-Aging Serum with multifunctional Benefits targeting urban Skin needs

Warnke K. (Hamburg, Germany)

P1074 Desmoplastic trichoepithelioma: Retrospective study of the casuistry of a dermatology service

Vivarelli Fernandes A., Valente N., Simonsen Nico M. (São Paulo - SP, Brazil)

P1075 Circumscribed palmar hypokeratosis successfully treated with cryotherapy

Cerejeira A., Preto Gomes N., Amoedo P., Costa-Silva M., Azevedo F. (Porto, Portugal)

P1076 Cutaneous Pili Migrans: case report and dermatoscopy of a migratory foreign body

Souza E., Vivarelli Fernandes A., Pinto Quaresma Santos M. (Sao Paulo, Brazil)

P1077 Epidermodysplasia verruciformis: A case report

Montero-Vilchez T., Martinez Lopez A., Rodriguez Tejero A., Molina-Leyva A., Arias-Santiago S. (Granada, Spain)

P1078 Cutaneous sarcoidosis- a case report

Jakovljevic S., Vujanovic L., Lovrenski A., Sekulic J. (Novi Sad, Serbia)

P1079 Cyclical bleeding from the umbilicus - if in doubt cut it out?

Hamilton J., Coburn P. (Brighton, United Kingdom)

P1080 Clinical characteristics of Behçet Disease at a Dermatology and Rheumatology center in Bogota, Colombia

Castillo Molina D., Martínez Zúñiga D., Polania Tovar M., Romero Díaz Y., Diana Carolina C., Cerón Delgado D., Prieto Soler C., Mantilla R., Castillo D., Blanco Gomez J. (Bogotá, Colombia)

P1081 Seborrheic Keratosis on the Volar Aspect of the Left Index and Middle Fingers

Park H., Choi I., Chang H., Kang H., Lee K., Park C. (Bucheon, Korea, Rep. of South)

P1082 Skin lesion training: Assessing the educational needs of UK-based General Practice trainees

Gopee N., Jamieson J., Hope D. (Newcastle upon Tyne, United Kingdom)

P1083 Common Cutaneous Manifestations of CrossFit Workouts

Golpanian R., Abrouk M., Egger A., Fourzali K., Yosipovitch G. (Miami, United States)

P1084 A survey of skin cancer knowledge and sun protection practices within cohabiting heterosexual couples.

Keeling E., Daly S., Mckenna D. (Dublin, Ireland)

P1085 Cutaneous Rosai-Dorfman Disease

Gimeno Castillo J., Saenz Aguirre A., De la Torre Gomar F., Rosés Gibert P., Gorostiaga Altuna I., García Río I. (Vitoria, Spain)

P1086 Cutaneous lymphangioma circumscriptum post mastectomy

Chamli A., Zaouak A., Koubaa W., Ben Tanfous A., Hammami H., Fenniche S. (tunis, Tunisia)

P1087 Umbilical endometrioma - Villar's nodule: case series

Ramírez-Oliveros J., Fresneda Vorontsova M., Vauchinski L., Aguinaga F., Gasparini A., Pereira Quintella L. (Rio de Janeiro, Brazil)

P1088 A Moisturizing Spray Ointment to Help Alleviate Dry Skin Symptoms

Sammain A., Teresa W., Ulrich S., Andrea S., Filbry A., Ce A. (Hamburg, Germany)

P1089 Repairing Ointments in dermatological practice

Sammain A. (Hamburg, Germany)

P1090 Diagnostic and therapeutic challenges in primary erythromelalgia: experience from a single center

Michelerio A., Tomasini C., Arbustini E., Vassallo C. (Pavia, Italy)

P1091 The level of awareness of the general population regarding sun tanning beds

Georgescu M., Marinescu V., Tanase I. (Rimnicu Vilcea, Romania)

P1092 Sunscreen literacy differs across socioeconomic backgrounds

Bubic B., Khan K., Chien A. (Baltimore, United States)

P1093 Novel cleansing formulations containing Hyaluronic Acid efficiently cleanse while improving Skin Hydration as optimal preparation for Skin care application

Kuhn A., Batzer J., Willenberg M., Kristof S., Drescher P., Van Geloven A., Buerger A., Busmann T., Weise J., Gallinger J. (Hamburg, Germany)

P1094 Acne inversa-like lesions induced by low dose of sorafenib

Aubán Pariente J., Palacios L., Gómez Vila B., Vázquez Losada B., Vazquez Lopez F., Santos Juanes J. (Oviedo, Spain)

P1097 The impact of a skin cancer diagnosis on travel insurance: a sun worshipper's dilemma

De La Cruz Monroy M., Abdul Z., Shariff Z. (Bradford, United Kingdom)

P1098 Fast growing infrapalpebral lesion

Gonzalez Canete M., Vega-Diez D., Rodríguez-Villa Lario A., Piteiro Bermejo A., Medina Exposito I. (Madrid, Spain)

P1099 Bloom syndrome associated with psoriasiform dermatosis: diagnostic and therapeutic difficulty

Rekik M., Amouri M., Miladi S., Hammemi F., Bahloul E., Boudaya S., Turki H. (Sfax, Tunisia)

P1100 Accident by Venomous Animal Case Report

Neff G., Petri V. (São Paulo, Brazil)

P1101 Cutaneous pseudolymphoma of the nose following labial herpes

Benslimane Kamal I., Hali F., Marnissi F., Chiheb S. (Casablanca, Morocco)

Nail Disorders

- P1102 Improvement of onychodystrophy by a nail lacquer containing urea, keratinase and hydroxypinacolone retinoate. An assessor-blinded trial**
Adamo L., Milani M. (Caronno Pertusella, Italy)
- P1103 Longstanding solitary neurofibroma: a rare case report from the United Kingdom**
Imsirovic A., Woo W., Drake P. (Brighton, United Kingdom)
- P1104 Subungual Eccrine Poroma**
Yorulmaz A., Aksoy G., Ucaryilmaz E. (Ankara, Turkey)
- P1105 Surgical approach to Koenen tumors: A case report and literature review**
Valente M., Bertazzoli Diogo A., Santos Ribeiro Bechara C., Pegas J. (Guarulhos, Brazil)
- P1106 What can be hidden under the nail? Single nail nodule - important or irrelevant?**
Orylska M., Znajewska A., Owczarczyk-Saczonek A., Placek W. (Olsztyn, Poland)
- P1107 Improvement of nail psoriasis with apremilast: results of an investigator-initiated open-label study**
Oak A., Ho-Pham H., Elewski B. (Birmingham, United States)
- P1108 Onychomatrichoma on 4th toenail: a rare tumor in a rare localization**
Duarte S., Soares-Almeida L., Fraga A. (Lisboa, Portugal)
- P1109 A pilot comparative evaluation of a new water-based nail-strengthening solution containing Pistacia lentiscus and hyaluronic acid in combination with oral terbinafine in mild to moderate distal subungual onychomycosis**
Starace M., Granger C., Alessandrini A., Bruni F., Piraccini B. (Bologna, Italy)
- P1110 TREATMENT ALGORITHM PROPOSAL FOR NAIL TOXICITIES IN PATIENTS TREATED WITH TARGETED ANTICANCER DRUGS**
Vastarella M., Annunziata M., Panariello L., Pucci Romano M., Fabbrocini G. (Naples, Italy)
- P1111 Visualization of penetration of topical antifungal drug substances through mycosis-infected nails by MALDI-MSI**
Endringer Pinto F., Bagger C., Osman-Ponchet H., Janfelt C., Joly-Tonetti N. (La Tour-de-Peilz, Switzerland)
- P1112 Long second toe: its nail and skin changes**
Geunhwi P., Kim H., Ko H., Kim B., Kim M. (Busan, Korea, Rep. of South)
- P1113 Elkonyxis : an unusual manifestation of crusted scabies**
Slimani Y., El Fatoiki F., Dahbi Skali H., Hali F., Chiheb S. (Casablanca, Morocco)
- P1114 Subungueal exostosis : a series of 48 cases**
Slimani Y., Erraji H., El Fatoiki F., Dahbi Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P1115 What can damaged nails hide?

El Mansouri M., Elfatoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P1116 Nails in alopecia areata in children

El Mansouri M., Elfatoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P1117 Efficacy of oral alitretinoin in the treatment of nail lichen planus

Didona D., Pumnea T., Von Braunmühl T., Wolf R. (Marburg, Germany)

P1118 SUBUNGUAL EXOSTOSIS: ABOUT 12 CASES

Karray M., Litaïem N., Khammouma F., Lahkal M., Bacha T., Jones M., Zeglaoui F. (TUNIS, Tunisia)

P1119 Prominent nail fold edema resembling a bacterial whitlow followed by onychomadesis of two fingers after removal of a plaster cast

Sayar Y., Kılıç Sayar S. (Kırklareli, Turkey)

P1120 Nail tumors: study of 57 cases

Daadaa N., Litaïem N., Khammouma F., Jones M., Zeglaoui F. (Hammam Lif, Tunisia)

P1121 A strange looking toenail : case report

Mezni L., Soumaya H., Safae M., Mariam M., Karima S. (Rabat, Morocco)

P1122 The mechanisms of action for vascular laser in the treatment of nail psoriasis

Leow L., Jones C. (Darlinghurst, Australia)

P1123 Onychomycosis treatment in Tunisia

Lakhal M., Litaïem N., Yacoubi J., Chaker H., Bacha T., Jones M., Zeglaoui F. (tunis, Tunisia)

P1124 Median Canaliform Dystrophy of Heller - case report

Coman A., Balaban M., Moroianu A., Turcu G., Antohe M., Brinzea A., Ion D., Popescu R., Popescu C., Nedelcu R. (Bucuresti, Romania)

P1125 Yellow nail syndrome : a case report

Zenjari L., El Fatoiki F., Hali F., Dahbi Skali H., Chiheb S. (Morocco)

P1126 idiopathic terry's nails

Ben Slimane M., Rabhi F., Soumaya Y., Jaber K., Dhaoui M. (Tunis, Tunisia)

Oral Mucosa and other Skin-adjacent Mucous Membranes

P1127 KEY FACTORS IN RECOGNIZING THE RIGHT TYPE OF CHEILITIS AND LIPINFLAMMATORY LESIONS

Lugović-Mihić L., Pondeljak N., Fercek I., Japundzic I., Blagec T., Novak I. (Zagreb, Croatia)

P1128 Clinical and dermatoscopic differentiation of psoriatic and lichen planus balanitis

Zavorins A., Kisis J., Voicehovska J., Nevidovska K. (Riga, Latvia)

P1129 Epidemiological data regarding benign lip tumors in our clinic

Pricop M., Urechescu H., Smaranda Laura G., Baderca F. (Timișoara, Romania)

P1130 Relationship between the prevalence of diabetes in patients with superficial candidiasis and severity of dermatoses

Rudnyk T., Turkevich S., Syzon O. (Lviv, Ukraine)

P1131 Cutaneous manifestations of Waldmann disease: A case report

Thabouti M., Korbi M., Belhadjali H., Zili J. (Monastir, Tunisia)

Paediatric Dermatology

P1132 A case of CLOVES syndrome

Kanji A., Young R., Cobben J., Laguda B. (London, United Kingdom)

P1133 Childhood acute urticaria and angioedema attending accident and emergency department: a single centre experience.

Koumaki D., Laguda B. (Heraklion, Greece)

P1134 Combination therapy of Zinc Acetate and Levamisole in extensive Warts in Children - An Observational Study.

Santha Velappan R., Kurikkalakathu F. (Kozhikode, India)

P1135 The efficacy, safety and tolerability of Itraconazole in pediatric dermatophytosis

Bhat R., Satheesh D. (Mangalore, India)

P1136 Two in-vitro studies comparing the friction lowering and protective properties of diaper care products

Peltier E., Elshazly M., Blenkiron P., Crowther J. (Basel, Switzerland)

P1137 MILIA-LIKE IDIOPATHIC CALCINOSIS CUTIS IN A CHILD WITHOUT DOWN SYNDROME

Martínez Pallás I., García-Gil M., Ramírez-Lluch M., Aldea-Manrique B., Monte Serrano J., Soria Navarro J., De La Fuente S., Ara Martín M. (Zaragoza, Spain)

P1138 Solitary nodule on the shoulder of an 11-year-old child

Esteves M., Lopes S., Cruz M., Mota A., Azevedo F. (Porto, Portugal)

P1139 Patient-Reported Outcomes by Psoriasis Area and Severity Index (PASI) Improvement in Pediatric Patients with Plaque Psoriasis

Paller A., LI L., Edson Heredia E., Guo J., Garrelts A., Rodriguez Capriles C., Magarinos G., Seyger M. (Chicago, United States)

P1140 Sequelae of Chicken Pox: 3 paediatric cases and important points to remember

Connolly A., Walsh S., Williamson E., Tewari A. (London, United Kingdom)

P1141 Adams-Oliver syndrome

Calvão J., Morgado M., Moreno A., Ramos L. (Coimbra, Portugal)

P1142 Vitamin D supplementation in Congenital Ichthyosis: case series

Hemrajani P. (new delhi, India)

P1143 Diagnostic protocol for a newborn with possible epidermolysis bullosa

Rodríguez Tejero A., Montero-Vilchez T., Sánchez-Díaz M., Molina-Leyva A., Arias-Santiago S. (Granada, Spain)

P1144 Localized scleroderma in childhood: case series of three patients with uncommon characteristics

Algarra Sahuquillo J., Ramírez Conchas J., Lukoviek V., Arteaga Henríquez M., González Hernández S., De Andrés del Rosario A. (La Laguna, Spain)

P1145 Basal cell carcinoma associated with body hemi-atrophy in a child -a genetic syndrome or a rare coincidence?

Danescu A., Ungureanu L., Candrea E., Senila S. (Cluj-Napoca, Romania)

P1146 Contact sensitization in children and its relation to sex: a 10 year retrospective study in a single dermatology centre

Hrvatín Stančič B., Točkova O., Lunder T., Starbek Zorko M. (Ljubljana, Slovenia)

P1147 Gianotti-Crosti like reaction to Molluscum contagiosum - Epidemiology and clinical characteristics

Bürgler C., Weibel L., Knöpfel N., Luchsinger I., Schwieger-Briel A., Theiler M. (Zurich, Switzerland)

P1148 Pediatric Lichen Planus: A Systematic Review Of 985 Cases

Assaf J., Sarkis A., Merhi R., Zeinaty P., Afiouni R., Kechichian E., Tomb R., Helou J. (Beirut, Lebanon)

P1149 Successful treatment of eosinophilic pustular folliculitis with benralizumab in a 13-year-old girl

Bürgler C., Guillet C., Kolm I., Theiler M., Schmid-Grendelmeier P., Kroiss S., Weibel L. (Zurich, Switzerland)

P1150 A rare case of acrokeratoelastoidosis associated with bilateral sensorineural hearing loss

Afacan E., Erdem Ö., Adisen E. (Ankara, Turkey)

P1152 Two cases of infancy associated eosinophilic pustular folliculitis (EPF) showed different pathological findings from classical variant

Takei S., Hayashi R., Tomii K., Deguchi T., Fujikawa H., Shinkuma S., Abe R. (niigata, Japan)

P1153 Secukinumab is highly efficacious and has a favorable safety profile in pediatric patients with moderate to severe plaque psoriasis: 24 week results

Magnolo N., Kingo K., Laquer V., Browning J., Reich A., Szepletowski J., Keefe D., Mazur R., Ghelani P., Forrer P., Wraith L., Patekar M. (Muenster, Germany)

P1154 Infantile hemangiomas with minimal and arrested growth(IH-MAGs): Clinical features and treatment outcomes with 0.5% topical timolol maleate

Bae K., Kim H., Kim B., Kim M., Ko H. (Korea, Rep. of South)

P1155 Acrodermatitis dysmetabolica in an infant with a methylmalonic acidemia

El Hadadi F., Bakkali O., Mezni L., Kriouile Y., Meziane M., Ismaili N., Senouci K. (rabat, Morocco)

P1156 A new Sensitive Skin questionnaire applicable to children

Boyer G., Bellemere G., De Belilovsky C., Baudouin C. (Epernon, France)

P1157 Anxiety and depression in pediatric patients with vitiligo and alopecia areata and their parents: a cross-sectional controlled study

Savaş Erdoğan S., Falay Gür T., Doğan B. (Istanbul, Turkey)

P1158 Unusual presentation of IgA vasculitis

Tabka M., Gammoudi R., Ben Kahla M., Boussofara L., Ghariani N., Bellajouza C., Denguezli M. (sousse, Tunisia)

P1159 Hand deformities in a young male patient

Arteaga-Henriquez M., Lukoviek Araya V., Ramírez Conchas J., Algarra Sahuquillo J., Fagundo-Gonzalez E., De-Andres-del-Rosario A., García Bustínduy M., Guimera F. (San Cristobal de La Laguna, Spain)

P1160 Acral lesions in children during COVID-19 pandemic: a case series with negative enzyme-linked immunosorbent assay antibody detection against SARS-CoV-2

Fusta Novell X., Esquius M., Trapé J., Sánchez-Pérez S., Badrenas-Ferrer A., Creus L. (Manresa, Spain)

P1161 Congenital Indeterminate Cell Histiocytosis: A Case Report.

Buján Bonino C., Pérez Feal P., Pita Da Veiga Seijo G., Suárez Peñaranda J., Rosón López E., Vázquez Veiga H. (Santiago de Compostela, Spain)

P1162 hoarsness in a patient with pachyonychia congenita

Rabba S., Hali F., Dahbi Skalli H., Wydadi O., Chiheb S. (CASABLANCA, Morocco)

P1163 Langerhansian histiocytosis with facial location : an atypical presentation

Khedim N., El Fetoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P1164 Cutaneous leishmaniasis in children , effectiveness of Clarithromycin : experience of the dermatology service of Casablanca in 2019

Khedim N., K.Benslimane I., El Fetoiki F., Skali H., Hali F., Riyad M., Chiheb S. (Casablanca, Morocco)

P1165 Xeroderma pigmentosum with squamous cell carcinoma: Two case reports

Asmarani Y., Perbriany D., Anwar A., Widita W., Iswanty M. (Makassar, Indonesia)

P1166 Several acute ulcers of the perianal region: Think about lipschütz ulcer

Baklouti M., Bahloul E., Sellami K., Frikha F., Turki H. (Sfax, Tunisia)

P1167 Use of Imatinib Mesylate in the treatment of Diffuse Cutaneous Mastocytosis, Bullous Variant, with extensive compromise: A case report

Ramírez-Oliveros J., Maya M., Chalela Mantilla J. (Rio de Janeiro, Brazil)

P1168 Cyrano hemangioma, no need for invasive treatment: ten years with propranolol

Benslimane Kamal I., Hali F., Chiheb S. (Casablanca, Morocco)

P1169 cytosteatonecrosis in a macrosomic newborn

Amri F., Soua Y., Njima M., Ben Hammouda H., Ghanmi S., Soua H., Hba H., Youssef M., Zili J. (Monastir, Tunisia)

P1170 Congenital bluish plaque on the cheek

Angel-Baldo J., Soria Gili X., Fernandez-Armenteros J., Carreño Hernández E., Aguayo-Ortiz R., Sanmartin Novell V., Matas-Nadal C., Canal Garcia E., Perez Manich J., Vilardell Villellas F., Martí Laborda R. (Lleida, Spain)

- P1171 Successful Treatment of Pemphigus Vulgaris in Children Using Methylprednisolone Pulsed Treatment**
Rosdiana B., Murtiastutik D., Widia Y., Citrashanty I., Sawitri S., Zulkarnaen I. (Surabaya, Indonesia)
- P1172 Benign Cephalic Histiocytosis and Juvenile Xanthogranuloma - spectrum of a single disease?**
João A., Cunha N., João A., Baptista J. (Lisboa, Portugal)
- P1173 Pediatric erythematous lesions of the pulps**
Chaabouni R., Rekik M., Bahloul E., Sellami K., Amouri M., Turki H. (Sfax, Tunisia)
- P1174 Acute hemorrhagic edema of infancy : a case report**
Zenjari L., El Fatoiki F., Hali F., Dahbi Skali H., Chiheb S. (Morocco)
- P1175 Genital herpes zoster in child**
Zenjari L., El Fatoiki F., Hali F., Dahbi Skali H., Chiheb S. (Morocco)
- P1176 Annular lichenoid dermatitis of youth (ALDY)**
Aubán Pariente J., Gómez Vila B., Vázquez Losada B., Santos Juanes J., Vazquez Lopez F., Galache Osuna C. (Oviedo, Spain)
- P1177 Prurigo in children : Epidemiological and clinical characteristics of 52 patients**
Zenjari L., El Fatoiki F., Hali F., Dahbi Skali H., Chiheb S. (Morocco)
- P1178 Pityriasis Lichenoides like Mycosis Fungoides: A 5-Year-Old boy case report**
Cingoz K., Gökyayla E., Gençoğlan G. (Manisa, Turkey)
- P1179 Juvenile Dermatomyositis in a 3-Year-Old Boy- a Case Report**
Zeiler L., Popescu C., Popescu R., Brinzea A., Popescu I., Coman A., Calinescu A., Balaban M., Ditu I. (Bucharest, Romania)
- P1180 Proliferative nodules on a giant congenital naevus mimicking a melanoma**
Zenjari L., El Fatoiki F., Hali F., Dahbi Skali H., Chiheb S. (Morocco)

Pharmacology and Skin-related Toxicology, Phlebology

P1181 Effects of epidermal growth factor receptor inhibitors (EGFRI) on miRNA expression and their role on the downstream signalling

Kemski S., Scholl C., Molitor V., Steffens M., Bieber T., Stingl J. (Bonn, Germany)

P1182 Skin reactions related to anti PD-1/PD-1L immunotherapy

García-Legaz Martínez M., Martínez-Domenech Á., Magdaleno J., Valenzuela C., Partarrieu Mejías F., Casanova-Esquembre A., Lorca J., Pérez-Pastor G., Hernandez Bel P., Alegre de Miquel V., Pérez Ferriols A. (Valencia, Spain)

P1183 Multiple eruptive keratoacanthomas induced by Cisplatin

Ben Kahla M., Belhareth K., Amina A., Colandane B., Mokni S., Gammoudi Fathallah R., Ghariani N., Nejet G., Badreddine S., Mohamed D. (Créteil, France)

Photobiology and Photoallergy

- P1184 Parental sun protection behaviors in the Australian population: a survey study**
Phan K., Adamthwaite L., Smith S. (Kogarah, Australia)
- P1185 mTOR activation and telomeres' length assessment in human cells submitted to UV stress**
Ionescu M., Francine J., Jean Eric B., Karim M., Luc L. (Paris, France)
- P1186 The combination of Omalizumab and narrowband ultraviolet B to treat idiopathic Solar Urticaria**
Prabhu D., Dawe R. (Dundee, United Kingdom)
- P1187 Innovative Digital Solution supporting Sun Protection and Vitamin D Synthesis by using Satellite-based Monitoring of Solar Radiation**
Young A., Schalka S., Simeone E., Sohn M., Morelli M. (Didcot, United Kingdom)
- P1189 Use of reconstructed skin model to assess the photo-protection afforded by some sunscreens against DNA lesions and cellular alterations**
Lelièvre D., Canivet F., Thillou F., Tricaud C., Lefloch C., Bernerd F. (Lyon, France)
- P1190 Delayed-onset solar urticaria coexisting with spontaneous chronic urticaria and polymorphic light eruption.**
Reolid A., Muñoz-Aceituno E., Rodriguez P., Chicharro-Manso P., De Argila D. (Madrid, Spain)
- P1191 Hydroa Vacciniforme: About Two Cases Report**
Thabouti Hamdi M., Soua Y., Korbi M., Lahouel I., Hba H., Youssef M., Zili J. (sousse, Tunisia)
- P1192 Repetitive irradiation with sub-erythematous UV dose induces changes in human epidermis on three cellular levels: DNA structure, epigenetic DNA methylation and gene expression**
Holzscheck N., Söhle J., Schläger T., Roggenkamp D., Grönniger E., Falckenhayn C. (Hamburg, Germany)

Phototherapy, Photodynamic Therapy

- P1193** **Role of resolvin D1 in psoriasis before and after narrowband ultraviolet B phototherapy : a case-control study**
Elmasry M., Abdel Halim D., Rashed L., Hassan E. (Cairo, Egypt)
- P1194** **the efficacy of IPL and 14% ammonium lactate versus ammonium lactate alone in the treatment of keratosis pilaris**
Iraji F., Siadat A., Rahmani S. (Isfahan, Iran)
- P1195** **The effectiveness of antimicrobial and low-intensity photo-dynamic laser therapy of scleroatrophic lichen of vulva**
Porsokhonova D., Rakhmatullaeva S., Mukhamedova M. (Tashkent, Uzbekistan)
- P1196** **Efficacy of lidocaine 7% and tetracaine 7% self-occlusive cream in reducing MAL-cPDT procedure-related pain in subjects with Actinic Keratosis: A randomised, single-blind, vehicle-controlled trial (The 3P trial).**
Brumana M., Milani M., Puviani M. (Caronno Pertusella, Italy)
- P1197** **Your MED and skin type does not predict your response to UVB and UVA1 phototherapy**
Connolly A., Novakovic L., Young A., Tewari A. (London, United Kingdom)
- P1198** **Methylene Blue Mediated Photodynamic Therapy for Non Melanoma Skin Cancer**
Sadek A., Salah M., Samy N. (Cairo, Egypt)
- P1199** **A prospective, controlled study to evaluate the safety and efficacy of the IndoorLux system with BF-200 AL (Ameluz) in the simulated-daylight photodynamic therapy (SDL-PDT) for mild-to-moderate actinic keratoses**
Palacio Giral A., Medrano Cebrian K., Reinhold U., Bai-Habelski J. (Bonn, Germany)
- P1200** **Evaluation of the Therapeutic Pathway of Patients with Psoriasis Undergoing Phototherapy**
Rodrigues Lopes J., Teixeira D., Baptista A., Varela P. (Vila Nova de Gaia, Portugal)
- P1201** **GIANT MOLLUSCUM CONTAGIOSUM PLAQUE IN IMMUNOCOMPETENT PATIENT WITH EXCELLENT RESPONSE TO PHOTODYNAMIC THERAPY**
Morales Moya A., García-Gil M., De La Fuente S., Ramirez-Lluch M., Aldea-Manrique B., Ara Martín M. (ZARAGOZA, Spain)
- P1202** **Generalized Granuloma Annulare treated with Narrowband UVB**
Mendes R., Alpalhão M., Soares-de-Almeida L., Filipe P. (Lisbon, Portugal)
- P1203** **Effectiveness and safety of daylight photodynamic therapy for actinic keratosis: a single-hospital experience**
Altemir A., Arandes-Marcocci J., Quintana-Codina M., Del Alcázar-Viladomiu E., Iglesias-Plaza A., Melé-Ninot G. (Barcelona, Spain)
- P1205** **Pemphigus foliaceus induced by 5-aminolaevulinic acid-based photodynamic therapy**
Jurėnas A., Macejevskā M., Meškauskas R., Pamedys J., Lauraitis J., Grigaitienė J. (Vilnius, Lithuania)

P1206 Effect of NB UVB therapy over disease activity and quality of life in patients with psoriasis

Dourmishev L., Lyubomirova K. (Sofia, Bulgaria)

P1207 Surface Ultraviolet Radiation Forecasting with Deep Neural Network for Heliotherapy in Psoriasis in Thailand

Raksasat R., Sri-lesaranusorn P., Pemcharoen J., Buntoung S., Janjai S., Amnarttrakul E., Asawanonda P., Sriswasdi S., Chuangsuwanich E. (Pathumwan, Thailand)

P1208 Trichodynia associated to scarring alopecia, excellent clinical response with photodynamic therapy in patient diagnosed with lichen planopilaris

De Manueles F., Balsalobre Góngora S. (Cáceres, Spain)

P1209 Intralesional photodynamic therapy for cutaneous and plexiform neurofibromas, a case report and literature review

Songsantiphap C., Thumtecho S., Phowthongkum P., Asawanonda P., Amnarttrakul E. (Pathumwan, Thailand)

P1210 The use of protoporphyrin derivatives in the photodynamic therapy in non-melanoma skin cancers

Grochocka M., Tadrowski T., Wierzchowski M., Czajkowski R. (Bydgoszcz, Poland)

P1211 Perforating collagenosis successfully treated with UVB-NB phototherapy: case report.

Ramos C., Suárez K., Gomez-Flores M., Ocampo-Candiani J., Herz-Ruelas M. (Monterrey, Mexico)

Pigmentary Diseases

- P1212 Improvement of Vitiligo under Apremilast in a Patient with Plaque Psoriasis**
Plachouri K., Kyriakou G., Chourdakis V., Georgiou S., Grafanaki K. (Patras, Greece)
- P1213 Expression of the autophagic markers; LC3-i, LC3-II, and Beclin 1 in vitiligo : A case-control study**
El-Hanafy G., Nada H., Rashed L., Mousa M., Elmasry M. (Cairo, Egypt)
- P1214 Efficacy and safety of cyclosporine versus methotrexate in the treatment of progressive non-segmental vitiligo**
Goldust M. (Sari, Iran)
- P1215 Lichen Planus Pigmentosus: Diagnosing the Unfamiliar**
Malaca C., Mella C., Galang D., Jamora J. (Makati City, Philippines)
- P1216 Study of the cutaneous expression of prostaglandin F2-alpha in vitiligo patients: a case-control study**
Elmasry M., Nagui N., Rashed L., EL-Tartoushy S. (Cairo, Egypt)
- P1218 A Cross-Sectional, Clinico-epidemiological Study of Factors Associated with Onset, Severity and Pattern of Melasma in a Tertiary Hospital in the Philippines**
Abalos-Babaran S. (Manila, Philippines)
- P1219 Cutaneous melanoachantoma, case report**
Djordjevic M., Djordjevic G., Todorovic D., Krstic M. (Nis, Serbia)
- P1220 Two bilateral symmetrical giant Becker's nevi in a young adult**
Duarte S., Soares-Almeida L., Fraga A. (Lisboa, Portugal)
- P1221 An atypical case of piebaldism in a 70 year old patient**
Neagu N., Ambros M., Morariu S. (Tîrgu Mureş, Romania)
- P1222 A retrospective evaluation of patient profiles and treatment modalities used within an Australian pigmentary disorders clinic**
Doolan B., Weaich M., Gupta M. (Darlinghurst, Australia)
- P1224 24 weeks Long-term efficacy and tolerability of a Skin care Regimen with Thiamidol in patients with moderate to severe facial hyperpigmentation**
Roggenkamp D., Fürstenau M., Kausch M., Sammain A., Kolbe L. (Hamburg, Germany)
- P1225 A Treatment Combination of Narrow-band UVB phototherapy and Polypodium Leucotomos Extract with Green tea and Vitis Vinifera in Vitiligo patients to improve photoadaptation: A Case Series**
Piquero-Casals J., Mir-Bonafé J., Rozas E., Flores Climente V., Alomar A. (Barcelona, Spain)
- P1226 lichen planus pigmentosus inversus : case report**
Thabouti Hamdi M., Rabhi F., Wafa J., Frioui R., Soumaya Y., Jaber K., Dhaoui M. (sousse, Tunisia)

- P1227 Evaluation of efficacy of a high SPF product: protection against UVA/UVB rays, infrared radiation and blue light, with no acneogenic potential**
Papaiordanou F., Pacheco de Oliveira G., Parrolina Salvador J., Fernando Rensi Cunha L., Costa Morais D., Zung S. (Guarulhos, Brazil)
- P1228 French maritime pine bark (pycnogenol) in association with triple combination cream for the treatment of facial melasma in women: a double-blind, randomized, placebo-controlled trial**
Basso Lima P., Alexandria Ferreira Dias J., Cavalcante Espósito Lemos A., Donida Bartoli Miot L., Miot H. (Botucatu, Brazil)
- P1230 Whitening composition show effective results in treatment of facial skin hyperpigmentation and melasma**
Mota Soares M., Balliana Da Mota A., Seixas M., Seixas V., Akita M., Lima M., Mota Soares L., Mota Soares F.
- P1231 Topical Curcumin as a Treatment in Vitiligo: A Double-Blind Pilot Clinical Trial**
Mansouri P., Jalalmanesh S., Rajabi M., Nikkhah N., Chalangari R., Martits-Chalangari K. (Tehran, Iran)
- P1232 Successful Treatment of Vitiligo with Low Dose Cytokines**
Kadurina M., Kacheva M., Chepilev A. (Rome, Italy)
- P1233 Systemic Treatments for Vitiligo**
Searle T., Al-Niaimi F., Ali F. (Birmingham, United Kingdom)
- P1234 Not always vitiligo or partial albinism**
Cerejeira A., Amoedo P., Preto Gomes N., Mota A., Azevedo F. (Porto, Portugal)
- P1235 When art depicts piebaldism: The Spotted boy (1811) and The Portrait of Mary Sabina (b.1736)**
Kluger N., Fisher R. (Helsinki, Finland)
- P1236 Epidemiological characterization of vitiligo and its association with autoimmune diseases in patients from two referral centres in Bogota, Colombia**
Castillo Molina D., Ordoñez Rubiano M., Rubiano Mojica P., Fierro Lozada J., Cantillo Avilez M., Clavijo Quintero A., Vargas Caycedo Z., Bula Galan G., Zarta L., Sanchez Y. (Bogotá, Colombia)
- P1237 Prurigo Pigmentosa: An old disease with a recent resurgence**
Butt S., Bryden A. (Dundee, United Kingdom)
- P1238 An analysis of patient satisfaction in a pigmented disorders clinic from a quaternary referral service**
Doolan B., Weaich M., Gupta M. (Darlinghurst, Australia)
- P1239 Prevalence of Psychosocial Comorbidities in Vitiligo: A Systematic Literature Review**
Ezzedine K., Eleftheriadou V., Jones H., Bibeau K., Kuo F., Sturm D., Pandya A. (Paris, France)
- P1240 Efficacy of Thiamidol, Nicotinamide, Tranexamic acid, Cysteamine and Azelaic acid on Melanin Production in vitro**
Mann T., Welge V., Weise J., Roggenkamp D., Kolbe L. (Hamburg, Germany)

P1241 Treatment of melasma in patient with a multi-ethnic profile through a depigmenting method with corrective and Regulatory action without hydroquinone

Pigem R., Podlipnik S., Luis L. (Valencia, Venezuela)

P1242 Efficacy of a new well-tolerated dermo-cosmetic complex for post-inflammatory hyperpigmentation and solar lentigo spots.

Fauger A., Teme B., Callejon S., Weber S., Fontbonne A., Cadars B., Scalia J., Trompezinski S., Sayag M. (Lyon, France)

P1243 Late Onset of Naevus of Ota in a 38 years old women .

Khouna A., Aburabie H., Dikhaye S., Zizi N. (Morocco)

P1244 Actinic plan lichen : about two cases

Khedim N., El Fetoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P1245 An Unusual Cause of Hyperpigmentation in a 16year old Boy.

Nemazee L., Madan V. (Manchester, United Kingdom)

Pregnancy-related Dermatoses

P1246 A case of lichen Nitidus improved during pregnancy

Ebadian M., Shpadaruk V. (United Kingdom)

P1247 Case of Degos disease after pregnancy

Iakushenko S., Suhova L., Ravodin R., Gusarov M. (Lipetsk, Russian Federation)

P1248 Stretching induces inflammation and contributes to striae gravidarum formation : in vitro models

Leroux M., Bredif S., Bellemere G., Laurent P., Leccia E., Baudouin C. (Epernon, France)

P1249 Pregnant woman skin characterization

Boyer G., Bellemere G., De Belilovsky C., Baudouin C. (Epernon, France)

P1250 Psoriasis in child-bearing age women

Maccari F., Fougèrousse A., Reguiai Z., Taieb C. (Saint Mandé, France)

P1251 Labour induction as part of therapeutic management of pustular psoriasis in pregnancy

Alonso-Naranjo L., González-Cantero Á., Molina-Figuera E., Luna-Bastante L., Mateo-Moreno D., Carbonero-Jiménez L., Romo-Navarro Á., Sánchez-Muñoz C., Recuero-Pradillo M., Pérez-Hortet C. (Toledo, Spain)

P1252 Pemphigoid gestationis with mucosal involvement: a case report

Ramírez-Oliveros J., Hincapié Echeverría M., Chalela Mantilla J. (Rio de Janeiro, Brazil)

Pruritus

P1253 Novel Yeast Extract Demonstrates Rapid Sustained Itch Relief in Chronic Pruritus Patients

Goren A. (Irvine, CA, United States)

P1257 Prevalence of prurigo nodularis in the regional area of Brittany (France) : estimation by matching two databases

Misery L., Brenaut E., Elodie T., Juliette B., Bouée S. (Brest, France)

P1258 Is the Labeled Magnitude Scale a reliable instrument for the assessment of intensity of chronic pruritus?

Zeidler C., Röchter M., Ständer S. (Münster, Germany)

P1259 An anti-itch spray formulation significantly reduces itch associated with various skin conditions

Worthmann A., Gallinger J., Ulrich S. (Hamburg, Germany)

P1261 The chronic itch burden scale: a patient-reported outcome questionnaire in patients with chronic pruritus

Jennifer T., Nordon C., Morisot N., Falissard B., Auges M., Mengeaud V., Misery L. (Toulouse, France)

P1262 Prevalence of prurigo nodularis in Poland

Ryczek A., Reich A. (Rzeszów, Poland)

P1263 A Global Analysis of the Clinical Characteristics and Burden of Disease in Prurigo Nodularis Patients

Aggarwal P., Wongvibulsin S., Choi J., Williams K., Huang A., Chavda R., Gabriel S., Kwatra S. (Baltimore, United States)

P1264 Clinical characteristics of itch in paediatric population with type 1 diabetes.

Stefaniak A., Zubkiewicz-Kucharska A., Matusiak L., Noczynska A., Szepietowski J. (Wrocław, Poland)

Psoriasis

- P1266** **Observational study to assess the effectiveness, safety profile and real-life prescribing and utilization patterns of tildrakizumab in patients with moderate to severe plaque psoriasis in routine clinical practice: SAIL Study design**
Augustin M., Ghislain P., De Kort W., Hanusch U., Ryzhkova A. (Hamburg, Germany)
- P1268** **Open-label, randomised phase IV study to assess the efficacy and safety of tildrakizumab in patients with moderate-to-severe psoriasis who are non-responders to dimethyl fumarate therapy: TRANSITION Study design**
Von Kiedrowski R., Termeer C., Pau-Charles I., Thaçi D. (Selters, Germany)
- P1269** **Role of resolvin D1 in psoriasis before and after narrowband ultraviolet B phototherapy: a case-control study**
Elmasry M., Abdel Halim D., Rashed L., Hassan E. (Cairo, Egypt)
- P1270** **Response to brodalumab in patients with moderate-to-severe plaque psoriasis and metabolic syndrome**
Iversen L., Hansen J., Ghislain P., Thio H. (Aarhus, Denmark)
- P1271** **Improvements across the psoriasis disease continuum with fixed-combination Cal/BD Foam in a Phase 3, double-blind, randomized trial**
Leonardi C., Veverka K., Hansen J., Yaloumis M., Stein Gold L. (Saint Louis, United States)
- P1274** **Comparison of Secukinumab versus Adalimumab in Patients with Psoriatic Arthritis with concomitant moderate-to-severe Plaque Psoriasis: 52 Week Results from the EXCEED Study**
Gottlieb A., Merola J., Reich K., Behrens F., Nash P., Ding K., Pellet P., Pricop L., McInnes I. (New York, United States)
- P1275** **Long-Term, Durable, Absolute Psoriasis Area and Severity Index Improvement of Risankizumab Treatment: An Interim Integrated Analysis of Patients with Moderate-to-Severe Plaque Psoriasis**
Gooderham M., Pinter A., Zeng J., Zhao Y., Kaufmann C., Strober B. (Peterborough, Canada)
- P1276** **Combining secukinumab with dimethyl fumarate for treatment of a patient with psoriasis and recent diagnosis of multiple sclerosis**
DI Tullio F., Odorici G., Lasagni C., Capobianco M., Conti A., Mandel V. (Modena, Italy)
- P1277** **Sustained High Efficacy with Ixekizumab in Psoriasis Affecting Scalp, Nails, and Palms/Soles through 5 Years: Results from UNCOVER-3**
Blauvelt A., Mabuchi T., Crane H., Elmaraghy H., Ridenour T., See K., Gallo G., Lebwohl M. (Portland, United States)
- P1278** **Adipose tissue beneath the lesional skin demonstrates a unique cytokine profile in patients with psoriasis**
Okinaga S., Kamata M., Shimizu T., Ito M., Uchida H., Egawa S., Hayashi K., Tada Y. (Tokyo, Japan)
- P1279** **A Prospective, observational post-marketing surveillance study to evaluate the effectiveness and safety of secukinumab in Indian patients with moderate to severe plaque psoriasis requiring systemic therapy (PSO-REAL STUDY)**

Chandrashekar B., Mallela V., Kawatra P. (Bengaluru, India)

P1280 Secukinumab Demonstrates Sustained Effectiveness in Patients with Moderate to Severe Plaque Psoriasis: Results from an Interim Analysis of the SERENA Study

Augustin M., Von Kiedrowski R., Rigopoulos D., Sator P., Conrad C., Romanelli M., Ghislain P., Schulz B., Orsenigo R., Aassi M., Jagiello P. (Hamburg, Germany)

P1281 Secukinumab Demonstrated High Efficacy in Clearing Nail Psoriasis : Post-hoc Analyses Results from the Phase III Programs

Reich K., Nash P., Kirkham B., Bao W., Aassi M., Frueh J., Gaillez C., Elewski B. (Hamburg, Germany)

P1282 Effects of ustekinumab on cytokine expression in psoriasis

Kim B., Choi C., Lee K., Youn S. (Seongnam, Korea, Rep. of South)

P1283 Long-term durable improvements in health-related quality of life among psoriasis patients treated with risankizumab for more than 3 years: Analysis of Dermatology Life Quality Index (DLQI) scores

Papp K., Soliman A., Lebwohl M., Zeng J., Rubant S., Puig L. (Waterloo, Ontario, Canada)

P1284 EXPERIENCE WITH THE USE OF RETINOIDS IN PATIENTS WITH ACNE VULGARIS ASSOCIATED WITH VULGAR PSORIASIS

Byelousova I., Hekimoglu I. (Kyiv, Ukraine)

P1285 Aesthetic Treatments in Psoriasis Patients: An Analysis of Existing Literature.

Mazur M., Lodyga M., Adamski Z. (Poznan, Poland)

P1286 Greater Improvements in Mean Psoriasis Area and Severity Index in Patients With Psoriasis Receiving Secukinumab vs Ustekinumab: Pooled Analysis From the Phase 3 CLEAR and CLARITY Studies

Blauvelt A., Bagel J., Reich K., Thaçi D., Tyring S., Nguyen E., Meng X., Gomez B., Patekar M., Lebwohl M. (Portland, United States)

P1288 Effects of Guselkumab, a Monoclonal Antibody that Specifically Binds to the p19-Subunit of Interleukin-23, on Dactylitis and Enthesitis in Patients with Active Psoriatic Arthritis: Pooled Results Through Week 24 from Two Phase 3 Studies

Dutz J., Mcgonagle D., Mcinnes I., Deodhar A., Schett G., Mease P., Merola J., Shawi M., Kafka S., Karyekar C., Kollmeier A., Hsia E., Xu X., Sheng S., Agarwal P., Zhou B., Ritchlin C., Rahman P. (Vancouver, Canada)

P1289 Relationship Between Presence of Itch and Specific Manifestations of Psoriasis, Disease Burden, and Physician- and Patient-Reported Outcomes: Real-World Experience with Apremilast

Reich K., Magnolo N., Korge B., Schwichtenberg U., Morys S., Lorenz-Baath K., Roemmler-Zehrer J., Nunez Gomez N. (Hamburg, Germany)

P1290 Differences in clinically relevant response types underlying the superior efficacy of guselkumab over secukinumab in psoriasis: results from a heatmap analysis of the ECLIPSE study

Thaçi D., Schäkel K., Conrad C., Wegner S., Jazra M., Öztürk B., Wapenaar R., Reich K. (Lübeck, Germany)

P1291 Clusters of patients treated with guselkumab or secukinumab in the head-to-head ECLIPSE trial exhibit distinct response patterns as revealed by unsupervised machine learning

Thaçi D., Conrad C., Egeberg A., Pinter A., Reich K., Hyde B., Eun Y., Headd J., Wegner S., Jazra M., Öztürk B., Schäkel K. (Lübeck, Germany)

P1292 Treatment of palmoplantar pustulosis with brodalumab: Report of three cases

Politou M., Rigatos P., Kleidona I., Fekkas N. (Athens, Greece)

P1293 Real-world effectiveness and Safety of Guselkumab for the Treatment of psoriasis: a 6-month Analysis in a Series of Psoriatic Patients

Malara G., Trifiro C., Bartolotta A., Giofre C., D'arrigo G., Tripepi G. (Reggio Calabria, Italy)

P1294 Real world data from a large prospective cohort study (KTC) using tildrakizumab in psoriasis

Drerup K., Mrowietz U. (Kiel, Germany)

P1295 Investigating the relation between GDF-15/MIC1 serum level and its gene expression with psoriasis

Talae R., Nikouejad H., Akbari H., Zaker S. (Kashan, Iran)

P1296 Application of the statistical method to convert published PASI 50/75/90/100 into absolute PASI response rate in patients with moderate-to-severe plaque psoriasis treated with tildrakizumab based on data from the two pivotal phase 3 studies reSURFACE 1 and reSURFACE 2

Dyukukha I., Schoenenberger A., Kasujee I., Mrowietz U., Vonthein R. (Reinbek, Germany)

P1297 The reliability of tuberculin skin test in the diagnosis of latent tuberculosis infection in psoriasis patients: A case- control study

Surucuoglu S., Türel Ermertcan A., Cetinarslan T., Ozkutuk N. (Manisa, Turkey)

P1298 Complete skin clearance throughout 156 consecutive weeks of guselkumab treatment in patients with moderate-to-severe psoriasis: A post-hoc analysis of the VOYAGE 1 trial

Costanzo A., Conrad C., Gramiccia T., Jazra M., De Jong E., Iversen L., Öztürk B., Wapenaar R., Wegner S., Torres T., Puig L. (Milan, Italy)

P1299 Long-term drug survival over 4 years of continuous guselkumab treatment in patients with moderate-to-severe psoriasis: A post hoc analysis of the VOYAGE 1 trial

Augustin M., Jazra M., Öztürk B., Wapenaar R., Warren R., Wegner S., Puig L., Egeberg A. (Hamburg, Germany)

P1300 Excimer light (308nm UVB) ameliorates imiquimod-induced psoriasiform psoriasis through decreasing mRNA expressions of Th17 cytokines and inducing regulatory T cells.

Egawa S., Kamata M., Shimizu T., Ito M., Uchida H., Hayashi K., Tada Y. (Tokyo, Japan)

P1301 Response to biologic treatments for plaque psoriasis in Italian real practice: final results from the CANOVA observational study

Colombo D., Fiocchi M., Ferri F., Di Palma L., Bianchi L., Fabbrocini G., Corrao S., Offidani A., Stingeni L., Costanzo A., Pellacani G., Peris K., Bardazzi F., Argenziano G., Ruffolo S., Dapavo P., Carrera C., Fargnoli M., Parodi A., Romanelli M., Malagoli P., Zagni E. (Italy)

P1302 Pale ichthyol, Canola, oil, Juniper fruit oil and Hemp seed oil in topical psoriasis treatment.

Radzikowska A., Kisiel K., Romańska-Gocka K., Kołaczek A., Debowska R., Smigielska K., Rogiewicz K., Eris I. (Piaseczno, Poland)

P1303 safe profile of brodalumab in men with reproductive age : a presentation of a rare case report

Tampouratzi E., Katsantonis J. (Pireas, Greece)

P1304 Treatment of moderate-severe psoriasis with dimethyl fumarate: our experience

Rosés Gibert P., Saenz Aguirre A., De la Torre Gomar F., Gimeno Castillo J., Martínez de Lagrán Álvarez de Arcaya Z., González Pérez R. (Vitoria-Gasteiz, Spain)

P1306 Dose escalation of anti-interleukin and anti-tumor necrosis factors antibody treatments for psoriasis in Germany

Puig L., Betts K., Joshi A., Manceur A., Ionescu-Iltu R., Soliman A., Serre D., Pinter A. (Barcelona, Spain)

P1307 Management of moderate-to-severe psoriasis with brodalumab in daily practice conditions - first real-world-evidence (RWE) results from the LIBERO trial

Von Kiedrowski R., Torsten H., Georg M., Timmel A., Andreas S., Hutt H., Augustin M. (Selters, Germany)

P1308 Clinical Characteristics, Effectiveness, and Patient Benefits of Apremilast for the Treatment of Moderate to Severe Plaque Psoriasis in Systematic-Experienced Patients in Clinical Practice Settings in Spain

De la Cueva P., Armesto S., Montesinos E., Callaghan A., Rivera R., Latasa F., Hospital M., Sánchez J., Llamas-Velasco M., Carrascosa J., García Font M., Botella R., Martínez L., Ara M., López J., López Á., Martínez E., Calvo C., Puig L. (Madrid, Spain)

P1309 Early detection of response to brodalumab in patients with moderate-to-severe plaque psoriasis

Thio H., Hansen J., Ghislain P., Iversen L. (Rotterdam, Netherlands)

P1310 Health-related Quality of Life and Characteristics of Patients with Psoriasis in High-impact Locations: Results of a National Psoriasis Foundation Survey

Armstrong A., Bell S., Crowley J., Edson Heredia E., Anderson S., Zhu B., Faries D., Smith S. (Los Angeles, United States)

P1311 Comparison between two severity indexes in psoriasis: Physician's Global Assessment (PGA) x Psoriasis Area Severity Index (PASI)

Hamilko de Barros M., Takamitsu H., Kampel Stolnicki D., Valente Bezerra I., Santos M., Avelleira J. (Rio de Janeiro, Brazil)

P1312 Indoleamine 2,3-dioxygenase 2 knockout exacerbates imiquimod-induced psoriasis-like dermatitis.

Fujii K., Yamamoto Y., Mizutani Y., Saito K., Seishima M. (Gifu City, Japan)

P1313 Benefit in Treatment Satisfaction From Apremilast Treatment After Switching From Fumaric Acid Esters Due to Adverse Events or Lack of Efficacy: Second Interim Real-World Analysis of the APART Study

Mrowietz U., Ertner K., Sticherling M., Korge B., Schwichtenberg U., Mortazawi D., Roemmler-Zehrer J., Lorenz-Baath K., Helget U., Nunez Gomez N. (Germany)

P1314 Pooled Analysis of the Association of Body Mass Index, Gastrointestinal Adverse Events, and Weight Loss in Patients With Moderate to Severe Plaque Psoriasis in Apremilast Clinical Trials

Rosmarin D., Pinter A., Yamauchi P., Nunez Gomez N., Shi R., Paris M., Gisondi P. (Boston, United States)

P1315 Climatotherapy and Psychosocial Symptoms in Young Patients with Psoriasis: A 3-Month Cohort Study

Nordgren M., Duvetorp A., Dalgard F. (Malmö, Sweden)

P1316 Treating to target in patients with moderate to severe Psoriasis using systemic therapies - results from the multicenter, prospective PREDICT study

Jacobi A., Weideman-Röver B., Barbus S. (Germany)

P1317 Treatment adjustment in commonly used biologics for the treatment of moderate to severe chronic plaque psoriasis: first results of the german retrospective chart review (TABU)

Kirsten N., Gomis-Kleindienst S., Barbus S., Augustin M. (Germany)

P1318 Introducing a simplified titration scheme for dimehylfumarate (DMF) in patients with moderate-to-severe psoriasis: A case series

Von Kiedrowski R., Diemert S. (Selters, Germany)

P1319 Secukinumab efficacy and quality of life outcomes in patients with moderate-to-severe plaque-type psoriasis: results by gender from the SUPREME study

Stingeni L., Malara G., Conti A., DI Costanzo L., Carrera C., Burlando M., Malagoli P., Musumeci M., Bardazzi F., Brazzelli V., Amerio P., De Simone C., Trevisini S., Balato A., Loconsole F., De Felice C., Colombo D., Bartzaghi M., Rausa A., Aloisi E., Orsenigo R., Costanzo A. (Perugia, Italy)

P1320 Secukinumab Treatment Demonstrates Sustained Drug Survival and High Effectiveness in Patients with Chronic Plaque Psoriasis in the Australian Real-world Setting : Results from the SUSTAIN Study

Foley P., Baker C., Dolianitis C., Mate E., David Cains G. (Carlton, Australia)

P1321 Absolute Psoriasis Area and Severity Index comparison of ixekizumab to etanercept and placebo in paediatric patients with moderate-to-severe plaque psoriasis

Seyger M., Paller A., Pinter A., Puig L., Sapin C., Schuster C., Riedl E., Mrowietz U. (Nijmegen, Netherlands)

P1322 Impact of Apremilast in Biologic-Naive Patients With Moderate Psoriasis and Poor Quality of Life: Final Results of the Greek Nationwide, Real-World, Prospective APRAISAL Study

Ioannides D., Chasapi V., Oikonomou C., Tampouratzi E., Lazaridou E., Rigopoulos D., Neofotistou O., Drosos A., Tomai K., Rovithi E., Kalinou C., Papadavid E., Aronis P., Papageorgiou M., Protopapa A., Moulis C., Lefaki I., Zafiriou E., Krasagakis K., Pokas E., Satra F., Anagnostopoulos Z., Antonakopoulos N., Papakonstantis M. (Greece)

P1324 Initial report from the Psoriasis Study of Health Outcomes (PSoHO) on baseline characteristics and week 12 results in psoriasis patients treated with biologics in a real-world setting

Pinter A., Costanzo A., Gooderham M., Radtke M., Smith S., Warren R., Schuster C., Brnabic A., Reed C., Riedl E., Puig L. (Frankfurt am Main, Germany)

P1325 Utility of the PSAID12, a Patient Reported Outcome Measure for Psoriatic Arthritis, among patients in the Corrona Psoriasis Registry

Gottlieb A., Harrison R., Mclean R., Dube B., Merola J. (New York, United States)

P1326 Patients receiving biologics for >6 months are more likely to achieve a PGA=0 and have better quality of life scores than those receiving biologics for <6 months.

Korman N., Malatestinic W., Burge R., Renda L., Zhu B., Lucas J., Hetherington J., Massey L. (United States)

P1327 Short-term effectiveness of brodalumab on the extent and severity of sleep problems in Japanese patients with plaque psoriasis in real-life clinical practice: Results from ProLOGUE study

Mizutani Y., Seishima M., Kanai Y., Murotani K., Imafuku S. (Gifu, Japan)

P1328 Artificial Intelligence in Psoriasis Care: A Literature Review

Kenny B., Gulliver W., Power S., Penney M., Gulliver S. (St. John's, Canada)

P1329 Secukinumab Treatment Results in Improvement in Quality of Life for Patients with Severe Chronic Plaque Psoriasis in the Australian Setting : Results from the HOPE Study

Foley P., Spellman L., Murrell D., Mate E., Lowe P. (Carlton, Australia)

P1330 Prevalence of comorbidities in older adults (65 years old and over) with psoriasis stratified by type of systemic treatment.

Ter Haar E., Van Winden M., Bronkhorst E., Van de Kerkhof P., De Jong E., Lubeek S. (Nijmegen, Netherlands)

P1331 Risk of disease flares during first biologic therapy among patients with stable and controlled psoriasis: A Danish Nationwide Study

Loft N., Egeberg A., Rasmussen M., Bryld L., Nissen C., Dam T., Ajegey K., Iversen L., Skov L. (Hellerup, Denmark)

P1332 Effectiveness and safety of switching from originator to biosimilar adalimumab in patients with psoriasis

Wendelboe Nielsen V., Lund T., Gniadecki R., Olsen R., Nissen C., Baselius Schwensen J., Thomsen S. (Copenhagen NV, Denmark)

P1333 The benefit of complete versus almost complete skin clearance from the patient perspective: an assessment of real-world patients with psoriasis in five European countries

Reed C., Hill J., Schuster C., Hetherington J., Lucas J., Piaserico S. (United Kingdom)

P1334 Similar Burden of Disease in Patients With Moderate Versus Severe Psoriasis: Pooled Analysis of Baseline Data From the ESTEEM 1, ESTEEM 2, LIBERATE, and UNVEIL Apremilast Studies

Strober B., Leonardi C., Papp K., Barker J., Shi R., Guerette B., Nunez Gomez N., Augustin M. (New Haven, CT, United States)

P1335 The Self-Training Assessment in Moderate Psoriasis: Dermatologists' Perspectives on Canadian Patients With Moderate Psoriasis

Turchin I., Beecker J., Searles G., Nicholson D., Gaudreau A., Gooderham M. (Fredericton, New Brunswick, Canada)

- P1336 Interim analysis of the non-interventional study TILOT: Effectiveness of tildrakizumab in long-term treatment of moderate to severe plaque psoriasis in routine practice**
Tsianakas A., Kirsch A., Diemert S. (Germany)
- P1337 Efficacy of a second IL-17 inhibitor in patients with psoriasis: a systematic review and meta-analysis**
Loft N., Halling A., Egeberg A., Skov L. (Hellerup, Denmark)
- P1338 concomitant psoriasis and bullous pemphigoid**
Zlatanovic Z., Jovic A., Popovic D., Cekic S., Vidovic N., Kocic H., Jovanovic M., Tiodorovic D. (Nis, Serbia)
- P1340 Correlation Between Change in Psoriasis Area and Severity Index and Dermatology Life Quality Index in Patients With Psoriasis: Pooled Analysis From Four Phase III Clinical Trials**
Stull K., Patil D., Gomez B., Feldman S. (Research Triangle Park, United States)
- P1341 Matching-Adjusted Indirect Comparison of Ixekizumab vs. Secukinumab in Achieving High Levels of Skin Improvement for up to 12 Weeks of Treatment in Patients with Moderate-to-Severe Psoriasis**
Reich K., Paul C., Zhu B., Burge R., See K., Garrelts A., Wang F., Blauvelt A. (Hamburg, Germany)
- P1342 Calcipotriol plus Betamethasone Dipropionate Aerosol Foam For Scalp Psoriasis**
Anderko M. (Hamburg, Germany)
- P1343 Efficacy of secukinumab versus ustekinumab in patients stratified by their nail involvement status at baseline**
Conrad C., Ortmann C., Vandemeulebroecke M., Kasperek T., Reich K. (Lausanne, Switzerland)
- P1344 Secukinumab in psoriasis patients with non-alcoholic fatty liver disease: study design and objectives of the PINPOINT trial**
Thaçi D., Schäkel K., Cornberg M., Christian S., Bachhuber T., Hillmann E., Geier A. (Lübeck, Germany)
- P1345 Apremilast Improved Patient-Reported Outcomes in Patients With Moderate to Severe Plaque Psoriasis of the Scalp: Results of the Phase 3, Randomized STYLE Study**
Wang Y., Sofen H., Stein Gold L., Strober B., Zhang Z., Van Voorhees A. (Thousand Oaks, CA, United States)
- P1346 Improvements in Psoriasis Severity, Specific Manifestations, and Symptoms With Apremilast Treatment in Patients With More Moderate Versus Severe Disease at Baseline**
Lebwohl M., Mrowietz U., Menter A., Griffiths C., Bagel J., Strober B., Nunez Gomez N., Shi R., Guerette B., Reich K. (New York, NY, United States)
- P1347 Patients with psoriasis receiving long-term proactive or reactive management with fixed-dose combination Cal/BD foam showed sustained improvement in DLQI, PSI and EQ-5D scores, with significantly greater improvement in the proactive group**
Calzavara-Pinton P., Kircik L., Jalili A., Lons-Danic D., Pink A., Jensen N., Thoning H., Petersen B., Thaçi D. (Brescia, Italy)

P1348 More Moderate Disease Levels at Baseline and Early Intervention With Apremilast Were Associated With Higher Target PASI Outcomes: Pooled Analysis of Apremilast Trials in Patients With Moderate to Severe Psoriasis

Lebwohl M., Mrowietz U., Menter A., Griffiths C., Bagel J., Strober B., Nunez Gomez N., Shi R., Guerette B., Reich K. (New York, NY, United States)

P1349 Secukinumab reduces markers of systemic inflammation in plaque psoriasis patients in a rapid and sustained manner: a post hoc pooled safety analysis over five years

Mehta N., Aassi M., Quebe-Fehling E., Peine M. (Bethesda, United States)

P1350 Investigating the risk of malignancy in elderly patients with psoriasis

Finstad A., Glockler-Lauf S., Almuhanha N., Alhusayen R. (Ottawa, Canada)

P1352 PsoBest: Current status, profiles, impact for health care of the German National Registry on Psoriasis

Thaci D., Reich K., Boehnke W., Enk A., Mrowietz U., Staubach-Renz P., Strömer K., Von Kiedrowski R., Laura K., Sorbe C., Augustin M.

P1353 The risk of malignancy in secukinumab-treated psoriasis, psoriatic arthritis and ankylosing spondylitis patients: analysis of long-term clinical trial and post-marketing surveillance data

Lebwohl M., Deodhar A., Griffiths C., Menter A., Poddubnyy D., Bao W., Jehl V., Marfo K., Primatesta P., Safi J., Shete A., Mease P. (New York, United States)

P1354 Long-Term Real-World Safety and Effectiveness of Adalimumab for Moderate to Severe Psoriasis: Year-11 Report of Interim Results From the ESPRIT Registry

Thaçi D., Wu J., Abramovits W., Papp K., Bereswill M., Arikian D., Kupper H., Guo D., Menter A. (Lübeck, Germany)

P1355 HIGHER EFFICACY AND FASTER RESPONSE PER BODY REGION TO PSORIASIS TREATMENT WITH SECUKINUMAB COMPARED TO USTEKINUMAB – A POOLED POST-HOC ANALYSIS OF CLEAR AND CLARITY STUDIES

Alpalhão M., Duarte J., Diogo R., Vandemeulebroecke M., Ortmann C., Kasperek T., Filipe P. (Lisboa, Portugal)

P1356 Secukinumab Treatment and Drug Survival under Real-World Conditions: 1-year Results from an Interim Analysis of the SERENA Study

Augustin M., Von Kiedrowski R., Rigopoulos D., Sator P., Conrad C., Romanelli M., Ghislain P., Schulz B., Orsenigo R., Aassi M., Jagiello P. (Hamburg, Germany)

P1357 Effectiveness and Safety of Secukinumab and Current Standard of Care in a Real-World Clinical Setting in the Asia-Pacific and Middle East Regions: Results from the REALIA Study

Foley P., Tsai T., Rodins K., Hamadah E., Ammoury A., Abdel Dayem H., Abdallah M., Crowe S., Haas S., Pournara E., Jagiello P., Huang Y. (Carlton, Australia)

P1358 Cost per responder analysis comparing secukinumab with ustekinumab in the treatment of moderate to severe psoriasis over 1 year in Malaysian public hospital

Thevarajah S., Robinson S., Teoh T., Tey K., Tan W., Mishra S., Tiong J., Lew J., Panguluri S. (Kuala Lumpur, Malaysia)

P1359 Efficacy of Risankizumab vs Secukinumab for Moderate-to-Severe Plaque Psoriasis: Subgroup Analysis From a Phase 3 Trial

Gordon K., Wu T., Longcore M., Crowley J. (Milwaukee, United States)

P1360 Residual rash in patients with psoriasis on biological therapy

Zhukov A., Khairutdinov V., Samtsov A. (St.-Petersburg, Russian Federation)

P1361 The disease burden and biologics usage among patients with moderate-to-severe psoriasis: a 12 year Malaysian registry review (2007 - 2018)

Robinson S., Thevarajah S., Tang M., Tey K., Teoh T., Tang J., Selvarajah L., Tan W., Mishra S., Tiong J., Lew J., Aec V. (KUALA LUMPUR, Malaysia)

P1362 Efficacy, Safety and Immunogenicity of the Biosimilar HLX03 Compared with Adalimumab in Chinese Patients with Moderate to Severe Plaque Psoriasis: a Randomised, Double-blind, Phase 3 Equivalence Study

Zhang J., Cai L., LI L., Cheng H., Ding Y., Biao Z., Zhang S., Geng S., Liu Q., Fang H., Song Z., Lu Y., LI S., Guo Q., Tao J., He L., Gu J., Yang Q., Zhang L., LI Y., Chai K., Zhang X., Luk A. (Beijing, China)

P1363 Patient reported outcomes in remission versus relapse in patients with psoriasis receiving treatment with fixed-dose combination Ca/BD foam from the PSO-LONG trial

Thaçi D., Tying S., De la Cueva P., Gooderham M., Petersen B., Thoning H., Jensen N., Segaert S. (Lübeck, Germany)

P1364 Secukinumab in real-world plaque psoriasis treatment in Germany: Final results from 2,502 patients of the PROSPECT study

Thaçi D., Von Kiedrowski R., Körber A., Melzer N., Bachhuber T., Kasperek T., Duetting E., Krähn-Senfleben G., Augustin M. (Lübeck, Germany)

P1365 National Psoriasis Foundation Real-World Quality of Life Survey of Individuals with Psoriatic Arthritis vs. those with Psoriasis Alone

Gondo G., Bell S., Blauvelt A. (Portland, United States)

P1366 Long-term Efficacy and Safety of Continuous Risankizumab Every 12 Weeks: An Interim Analysis from the Open-Label Extension Trial, LIMMitless

Papp K., Lebwohl M., Puig L., Zeng J., Rubant S., Sinvhal R., Zhao Y., Leonardi C. (Ontario, Canada)

P1367 Long-term Safety of Guselkumab in Patients with Moderate to Severe Plaque Psoriasis Through 4 Years of Continuous Follow-up in the VOYAGE 1 & 2 Trials

Reich K., Vender R., Merola J., Thaçi D., Langley R., Foley P., Gooderham M., Gordon K., Papp K., Song M., Miller M., You Y., Shen Y., Ramachandran P., Blauvelt A. (Hamburg, Germany)

P1368 Persistence of Biologic Treatment with TNF alpha inhibitors in psoriasis: A Population-based Study in a Bucharest Hospital

Olteanu R., Minca A., Constantin M. (Bucharest, Romania)

P1370 Response to Guselkumab Treatment Among Psoriasis Patients with and without Metabolic Syndrome: Post Hoc Analyses from VOYAGE 1 and VOYAGE 2

Blauvelt A., Thaçi D., Merola J., Leonardi C., Landells I., Choe Y., Song M., Miller M., You Y., Shen Y., Foley P. (Portland, United States)

- P1371 Efficacy and Safety of Guselkumab in Patients with Moderate to Severe Plaque Psoriasis by Baseline Smoking Status: Pooled Data Through Week 28 of the Phase 3 VOYAGE 1 and VOYAGE 2 Trials**
Guenther L., Strober B., Spellman L., Ghoreschi K., Kim B., Song M., Miller M., You Y., Shen Y., Armstrong A. (London, ON, Canada)
- P1372 Response to Guselkumab in Patients 65 Years of Age or Older with Moderate to Severe Plaque Psoriasis: Results from VOYAGE 1 and VOYAGE 2 Through Week 28**
Reich K., Callis-Duffin K., Ho V., Tsai T., Puig L., Thaçi D., Papp K., Gottlieb A., Song M., Miller M., You Y., Shen Y., Griffiths C. (Hamburg, Germany)
- P1373 Serum Protein Changes Associated with Guselkumab Treatment in Palmoplantar Pustulosis**
Morita A., Chen Y., Deprimo S., Liu X., Kimura T., Morishima H., Muñoz-Elías E. (Nagoya, Japan)
- P1374 Efficacy of Risankizumab vs Secukinumab for Moderate-to-Severe Plaque Psoriasis: Subgroup Analysis of Prior Treatment History From a Phase 3 Trial**
Pinter A., Zhan T., Rubant S., Sobell J. (Frankfurt am Main, Germany)
- P1375 Treatment Patterns and Costs for Oral and Biologic Psoriasis Treatments: a US Claims Database-Based Analysis**
Xia Q., Bao Y., Dhanda D., Alemao E., Saha S., Jobson G., Wu J. (Princeton, United States)
- P1376 Quantifying Clinical and Health-Related Quality-of-Life Improvements in Psoriasis Patients Who Switched From Ustekinumab to Risankinumab: Subgroup Analysis From a Phase 3, Open-label Extension Study**
Strober B., Blauvelt A., Armstrong A., Photowala H., Patel M., Wu T., Bachelez H. (New Haven, United States)
- P1377 Psoriasis in routine clinical care: baseline characteristics and effectiveness of guselkumab in a German real-life setting – Week 28 results from the PERSIST study**
Mortazawi D., Korge B., Personke Y., Gomez M., Gerdes S. (Neuss, Germany)
- P1380 Effectiveness and Safety of Systemic Therapy for Psoriasis in Older Adults: A Systematic Review**
Van Winden M., Van der Schoot L., Van de L'isle Arias M., Van Vugt L., Van den Reek J., Van de Kerkhof P., De Jong E., Lubeek S. (Nijmegen, Netherlands)
- P1381 Celastrol enriched extracted modulates Th17 key-disease mediators by interrupting feed-forward inflammation and by restoring homeostasis in psoriasis epidermal skin**
Nguyen T., Lestienne F., Cousy A., Bianchi P., Bessou-Touya S., Castex-Rizzi N., Mengeaud V., Duplan H. (Toulouse, France)
- P1382 Bimekizumab versus ustekinumab in plaque psoriasis: Lasting efficacy translates to rapid and sustained improvements in quality of life in the BE VIVID multicentre, randomised, double-blinded phase 3 trial**
Gordon K., Foley P., Rich P., Duffin K., Pinter A., Griffiths C., Wang M., Vanvoorden V., Staelens F., Ciaravino V., Merola J.
- P1383 Real-World Evaluation of Biologic and Nonbiologic Systemic Psoriasis Treatment Patterns in Sweden**

Freilich J., Stelmaszuk N., Enggaard C., Huetson P., Alemao E. (Sweden)

P1385 Undertreatment of Patients With Moderate to Severe Psoriasis (PsO) Receiving Oral Therapy

Hines D., Multani J., Patel V., Wade R., Alemao E., Armstrong A. (Plymouth Meeting, United States)

P1386 Bimekizumab for the treatment of moderate to severe plaque psoriasis with scalp, nail and palmoplantar involvement through 52 weeks: Post-hoc analysis from the BE VIVID phase 3 trial

Papp K., Lebwohl M., Gottlieb A., Sebastian M., Langley R., Okubo Y., Wang M., Cioffi C., Staelens F., Reich K.

P1387 Long-term improvements in health-related quality of life of patients with moderate to severe plaque psoriasis treated with certolizumab pegol: Results from the CIMPASI-1 and CIMPASI-2 phase 3 trials

Thaçi D., Blauvelt A., Reich K., Warren R., Piguet V., Brock F., Fierens F., Ciaravino V., Lebwohl M.

P1388 A Placebo-Controlled Study of Secukinumab in Patients With Plaque Psoriasis and Subclinical Psoriatic Arthritis as Measured by Musculoskeletal Ultrasound: INTERCEPT Study Design

Gottlieb A., Bakewell C., Scher J., D'agostino M., Thiele R., Schett G., Merola J., Steadman J., Kianifard F., Gomez B., Kaeley G. (New York, NY, United States)

P1389 Long-Term Safety of Risankizumab in Patients With Moderate-to-Severe Plaque Psoriasis: Results From Pooled Clinical Studies

Papp K., Gordon K., Bachelez H., Blauvelt A., Shah M., Zhao Y., Waterhouse B., Sinvhal R., Reich K. (Waterloo, Ontario, Canada)

P1390 Guselkumab, an IL-23 Inhibitor that Specifically Binds to the IL-23 p19 Subunit, in Biologic-naive Patients with Active Psoriatic Arthritis: Composite Week 24 Efficacy of the Phase 3, Randomized, Double-blind, Placebo-controlled Studies

Gooderham M., Kollmeier A., Yang Y., Shawi M., Agarwal P., Zhou B., Hsia E., Mcinnes I., Mease P. (Peterborough, ON, Canada)

P1391 Secukinumab dosing every two weeks demonstrated superior efficacy compared to dosing every four weeks in psoriasis patients weighing 90 kg or more

Augustin M., Patekar M., Yamauchi P., Pinter A., Bagel J., Xia S., Charef P., Keefe D. (Hamburg, Germany)

P1392 Adverse Events of Special Interest With Long-Term Risankizumab Treatment in Patients With Moderate-to-Severe Plaque Psoriasis: Pooled Analyses of Clinical Studies

Lebwohl M., Strober B., Wu J., Thaçi D., Kaplan B., Waterhouse B., Zhao Y., Sinvhal R., Langley R. (New York, United States)

P1393 Patients with Psoriatic Arthritis Treated with Guselkumab Achieved Psoriasis-related Symptom-free State and had no Skin Condition Impact on their Health Related Quality of Life

Dutz J., Merola J., Han C., Kollmeier A., Zhou B., Agarwal P., Yang Y., Shawi M., Deodhar A. (Vancouver, Canada)

P1394 Unmet personal patient needs in psoriasis patients with low disease activity on adalimumab, etanercept or ustekinumab.

Van Muijen M., Atalay S., Van Vugt L., Vandermaesen L., Van den Reek J., De Jong E. (Nijmegen, Netherlands)

- P1395 Guselkumab, an IL-23 inhibitor that Specifically Binds to the IL-23 p-19 Subunit, for Active Psoriatic Arthritis: 1-Year Results of a Phase 3, Randomized, Double-blind, Placebo-controlled Study of Patients who were Biologic-naive or TNFa Inhibitor-experienced**
Dutz J., Ritchlin C., Helliwell P., Boehncke W., Hsia E., Kollmeier A., Subramanian R., Xu X., Sheng S., Jiang Y., Zhou B., Han C., Deodhar A. (Vancouver, Canada)
- P1397 Maintenance of Clinical Response in Risankizumab vs Secukinumab for Moderate-to-Severe Plaque Psoriasis: Subgroup Analysis From the IMMerge Phase 3, Randomized, Efficacy Assessor-Blinded, Active-Comparator Trial**
Leonardi C., Xue Z., Photowala H., Langley R. (Richmond Heights, United States)
- P1398 Efficacy and Safety of Guselkumab, a Monoclonal Antibody Specific to the p19 Subunit of Interleukin-23, Through Week 52 of a Phase 3, Randomized, Double-blind, Placebo-controlled Study Conducted in Biologic-naive Patients with Active Psoriatic Arthritis**
Gottlieb A., Mcinnes I., Rahman P., Hsia E., Kollmeier A., Xu X., Han C., Subramanian R., Agarwal P., Sheng S., Jiang Y., Zhou B., Mease P. (New York, United States)
- P1399 A case of central retinal artery occlusion in psoriasis patient.**
Nakanishi T., Sugimoto M., Muramoto Y., Akeda T., Kondo M., Yamanaka K. (Japan)
- P1400 Effects of Secukinumab on Disease Burden, Patient Needs and Benefits, and Treatment Satisfaction in Patients with Plaque Psoriasis across European Regions: Patient's Perspective Data from the PROSE Study**
Da Silva N., Sommer R., Ortmann C., Jagiello P., Bachhuber T., Augustin M. (Hamburg, Germany)
- P1401 The study of hemostasis indices in patients with psoriasis**
Bilynska O., Chaplyk-Chyzho I., Syzon O., Dashko M., Fedorova U., Babak I. (Lviv, Ukraine)
- P1402 Compression fracture in psoriasis patient**
Nakayama Y., Mizutani K., Ishikawa M., Akeda T., Yamanaka K. (Tsu, Japan)
- P1403 Proactive treatment of plaque psoriasis with twice-weekly topical Cal/BD foam is safe in patients undergoing HPA-axis testing**
Papp K., Adamski Z., Guenther L., Liljedahl M., Miasik-Pogodzinska A., Tying S., Werschler W., Lacour J., Holst Mørch M. (Waterloo, Canada)
- P1404 Skin surface protein detection by Transdermal Analyses Patches for biomarker assessment in pediatric psoriasis.**
Schaap M., Bruins F., He X., Orro K., Peppelman M., Van Erp P., De Jong E., Koenen H., Van den Bogaard E., Seyger M. (Nijmegen, Netherlands)
- P1406 Dose adjustment of biologic treatments for moderate-to-severe plaque psoriasis in real-world: A systematic review**
Gambardella A., Sohr A. (Caserta, Italy)
- P1408 Efficacy and safety of guselkumab in real clinical practice. Report of twelve cases of a Spanish tertiary hospital**
De Manueles F., Balsalobre Góngora S. (Cáceres, Spain)

- P1409 Proactive management with twice-weekly topical Cal/BD foam prolongs treatment efficacy versus reactive management in patients with plaque psoriasis**
Stein-Gold L., Alonso-Llamazares J., Laws P., Perrussel M., Yamauchi P., Thoning H., Toxvaerd C., Sticherling M. (Detroit, United States)
- P1410 Modulation of psoriasis-associated biomarkers in a 3D human skin equivalent inflammatory model by a formulation containing Celastrol enriched plant cell culture extract.**
Florence F., Alvarez-George S., Lestienne F., Nguyen T., Mengeaud V., Duplan H., Bessou-Touya S., Castex-Rizzi N. (TOULOUSE, France)
- P1412 Basic skin care as stand-alone or adjunctive basic therapy in the treatment of Psoriasis - data from three studies**
Schmidt L., Sammain A., Worthmann A., Keyhanian S., Nippel G., Tsianakas A. (Germany)
- P1413 Incidence of Psoriatic Arthritis in Patients With Psoriasis: Retrospective Analysis of a US Electronic Health Records Database**
Merola J., Tian H., Patil D., Richardson C., Scott A., Chen Y., Kim N., Hur P., Armstrong A. (Boston, United States)
- P1414 Effects of Guselkumab on Articular Components of American College of Rheumatology Score and Skin Clearance in Patients with Active Psoriatic Arthritis: Results from the Phase 3 DISCOVER-1 Study**
Gottlieb A., Mease P., Merola J., Kollmeier A., Hsia E., Xu X., Agarwal P., McInnes I., Yang Y., Shawi M., Boehncke W. (New York, United States)
- P1415 Untreated latent tuberculosis infection: two cases of psoriasis treated with secukinumab with no evidence of reactivation**
Machado Á., Abreu M., Selores M., Torres T. (Porto, Portugal)
- P1416 The features of IFN- α , IL-23, TGF- β cytokine synthesis in biological fluids of patients with psoriasis and activated chronic herpes simplex virus infection**
Fedorova U., Syzon O., Dashko M., Astsaturov H. (Lviv, Ukraine)
- P1417 Dynamics of changes in indicators of immune and endocrine systems and skin microbiota in patients with psoriasis using phototherapy**
Astsaturov H., Syzon O., Dashko M., Voznyak I., Chaplyk-Chyzho I. (Lviv, Ukraine)
- P1419 Patient-physician (dis)agreement on their reports of body surface area affected by psoriasis: Associations with disease burden and patient-defined treatment benefits**
Da Silva N., Augustin M., Hilbring C., Von Stülpnagel C., Sommer R. (Hamburg, Germany)
- P1420 BMS-986165, an Oral, Selective Tyrosine Kinase 2 Inhibitor: Overview of Pharmacokinetics in Healthy Volunteers Including ADME, Food and pH Effects, and Drug-Drug Interactions**
Chimalakonda A., Singhal S., Dockens R., Bernstein G., Marchisin D., Girgis I., Banerjee S., Throup J., Aras U., LI W., Murthy B. (Princeton, United States)
- P1421 Understanding the prevalence of potentially undiagnosed psoriatic arthritis and the impact on patient quality of life: Results from the National Psoriasis Foundation's Annual Survey.**
Merola J., Gondo G., Bell S., Callis-Duffin K., Gottlieb A. (Boston, United States)

- P1422 Psoriasis exacerbation after vaccination in JAK2 V617F background**
Grafanaki K., Stamati I., Vryzaki E., Liga M., Georgiou S. (Patras, Greece)
- P1424 Psoriasis and herpes virus**
Astsaturov H., Syzon O., Fedorova U., Bilynska O., Babak I. (Lviv, Ukraine)
- P1425 Can numbers be usefull in psoriasis prognosis**
Voznyak I., Bilynska O., Fedorova U., Zaychenko Y. (Lviv, Ukraine)
- P1426 Is it possible to interrupt the immunobiological after sustained clinical remission in patients with moderate to severe psoriatic disease?**
Carneiro S., Camargo C., Penetra M., Januário V., Ramos-e-Silva M. (Rio De Janeiro, Brazil)
- P1427 Immunohistochemical investigation of vascular factors and cytokeratins 6, 16 and 17 in psoriasis and geographic tongue**
Carneiro S., Picciani B., Pedra Dias E. (Rio De Janeiro, Brazil)
- P1429 Secukinumab Normalizes Expression of Proteins Associated with Inflammation and Cardiovascular Risks in Patients with Psoriasis**
Krueger J., Garcet S., Muscianisi E., Pariser D., Lee P., Blauvelt A., Obepso-S Study Group O. (New York, NY, United States)
- P1430 Assessment of Major Adverse Cardiovascular Events According to Treatment Modalities in Psoriasis: A Korean Population-based Nationwide Cohort Study**
Hong J., Cho Y., Lee J., Kim S., Hong J., Kim J., Cheon H., Lee Y., Choe Y., Ahn K. (Seoul, Korea, Rep. of South)
- P1431 Ustekinumab is more effective than anti-TNF agents is increasing the level of anti-inflammatory adipokines in psoriasis**
Onsun N., Akaslan T., Yabaci A., Bulut H., Yalcin B., Gulcan A. (Istanbul, Turkey)
- P1432 Body composition and fat distribution in patients with psoriasis or psoriatic arthritis**
Aubin F., Toussirot E., Desmarets M., Wendling D., Augé B., Gillard J., Messica O., Guillot X., Laheurte C., Monnet E., Dumoulin G. (BESANCON, France)
- P1433 Real-world baseline characteristics of patients treated with guselkumab (GUS) and their association with Dermatology Life Quality Index (DLQI) from the British Association of Dermatologists' and Immunomodulators Register (BADBIR)**
Rogers A., Hampton K., Jazra M., Chin J. (Portsmouth, United Kingdom)
- P1434 A pragmatic non-invasive assessment of liver fibrosis in patients with psoriasis, rheumatoid arthritis or Crohn's disease receiving methotrexate therapy**
Alby Lepresle B., Aubin F., Verhoeven Weil D., Zhong P., Wendling D., DI Martino V., Toussirot E., Vuitton L., Carbonel F., Blondet R., Thévenot T., Cales P., Monnet E., Cervoni J. (BESANCON, France)
- P1435 Sequencing of anti-IL-17 therapies in the treatment of plaque psoriasis - Results of a treatment sequential model**
Egeberg A., Sohrt A., Danø A., Notario J. (Hellerup, Denmark)

- P1436 Ostraceous psoriasis: an uncommon presentation in pediatric age**
Garrido P., Costa J., Tapadinhas C., Soares-Almeida L., Filipe P. (Lisboa, Portugal)
- P1437 Influence of the IL17A Inhibitor Secukinumab on the Expression of Anti-microbial Peptides in Lesional Skin of Psoriasis Patients**
Trense Y., Harder J., Kruse N., Ständer S., Schlüter K., Chatzimichail G., Ludwig R., Thaçi D.
- P1438 New onset of psoriatic arthritis in patients with psoriasis: A monocentric 5-year retrospective cohort study**
Tahir E., Ständer S., Lamprecht P., Ludwig R., Thaçi D. (Lübeck, Germany)
- P1439 Ustekinumab for severe psoriasis in a liver transplant recipient: a groundbreaking case report**
Palo J., Rytenband F., Giatti Carneiro R., Luz Felipe Da Silva D., Yumi Massuda Serrano J., Ferreira Magalhães R. (Campinas, Brazil)
- P1440 Real-life experience with SB5 (adalimumab biosimilar) in psoriasis: results of a single-centre, retrospective study**
Angel-Baldo J., Fernandez-Armenteros J., Casanova Seuma J., Aguayo-Ortiz R., Sanmartin Novell V., Baradad Brusau M., Soria Gili X., Matas-Nadal C., Canal Garcia E., Perez Manich J., Marti Laborda R. (Lleida, Spain)
- P1441 Secukinumab Shows Sustained Effectiveness and Improvements in Quality of Life in Moderate-to-Severe Plaque Psoriasis over 36 Months: Data from the PURE Registry**
Papp K., Gooderham M., Lynde C., Brassard D., Al-Mohommedi F., Prajapati V., Lima H., Siddha S., Delorme I., Albrecht L., Vieira A., Rihakova L. (Calgary, Canada)
- P1442 Phototherapy efficacy is modulated by diet in psoriatic patients: vegans, vegetarians and omnivores**
Pacífico A., Pigatto P., Malagoli P., Damiani G. (Milano, Italy)
- P1443 Tattoos and chronic dermatoses- a survey among psoriatic patients.**
Walczak P., Rogowska P. (Gdansk, Poland)
- P1444 Secukinumab treatment results in improvements in DLQI associated with low absolute PASI scores: 24-month follow-up from the British Association of Dermatologists Biologics and Immunomodulators Register (BADBIR)**
Batchelor R., Shams K., Martin-Clavico A., Cooper H., Williams R., Mckimming P., Franklin A., Riley E., Bewley A. (Exeter, United Kingdom)
- P1445 The skin may clear but the arthritis won't disappear: focusing on concomitant and new-onset psoriatic arthritis in a daily practice cohort of psoriasis patients on biologic therapy.**
Van Muijen M., Van Hal T., Groenewoud H., Van den Reek J., De Jong E. (Nijmegen, Netherlands)
- P1447 Correlation of leptin and adiponectin levels in patients with psoriasis and eczema**
Kremic Z. (Belgrade, Serbia)
- P1448 Assessment of sleep quality in partners of patients affected by psoriasis and psoriatic arthritis: a multi center real-life study**
Damiani G., Pacífico A., Malagoli P., Bragazzi N., Pigatto P. (Milan, Italy)

P1449 Cross-sectional case control study on the role of psoriasis and psoriatic arthritis in the development of metabolic syndrome and cardiovascular risk

Carneiro S., Gusmão Acyoli P., Mazzillo M., Camargo C., Penetra M., Ramos-e-Silva M. (Rio De Janeiro, Brazil)

P1450 Roflumilast Cream (ARQ-151) 0.15% and 0.3% Improved Symptom Burden in Adults With Chronic Plaque Psoriasis in a Phase 2b Study

Kircik L., Lebwohl M., Papp K., Gooderham M., Stein Gold L., Draelos Z., Kempers S., Tying S., Albrecht L., Wiseman M., Ferris L., Smith K., Higham R., Navale L., Welgus H., Berk D. (Louisville, United States)

P1451 Correlation of sexual function with quality of life, disease activity and symptoms of depression in patients with psoriatic disease

Carneiro S., Penetra M., Picciani B., Amorim G., Lagalhard Victor C., Januário V., Ramos-e-Silva M. (Rio De Janeiro, Brazil)

P1452 Gut-skin axis in psoriasis - clinical implications.

Sikora M., Stec A., Rudnicka L. (Warsaw, Poland)

P1453 The risk of osteopenia/osteoporosis in patients with psoriasis: a systematic review

Schauer A., Dunnigan A., Bunker C. (London, United Kingdom)

Psychodermatology

- P1454 Four years stability of type D personality in patients with moderate to severe psoriasis and its implications for psychological impairments**
Aguayo Carreras P., Ruiz-Villaverde R., Molina-Leyva A. (Granada, Spain)
- P1456 Unusual organisms found on culture as a diagnostic clue in Dermatitis Artefacta**
Alani A., Butt S., Affleck A. (Dundee, United Kingdom)
- P1457 Psychodermatology in Balkans. Knowledge, awareness and practice patterns of dermatologist in Albania.**
Jafferany M., Jorgaqi E. (Michigan)
- P1458 Coping with internalized stigmatization in psoriasis is beyond the patient's own**
Afacan E., Yıldırım Y., Adisen E. (Ankara, Turkey)
- P1459 The Alzheimer patient from the dermatologist's point of view**
Michelerio A., Tomasini C. (Pavia, Italy)
- P1460 Dermatitis artefacta - a case report**
Cerejeira A., Preto Gomes N., Cruz M., Mota A., Azevedo F. (Porto, Portugal)
- P1461 Psychological (co)morbidity in patients with and without anogenital psoriasis and chronic pruritus: Associations between disease/ treatment burden and clinically significant symptoms of depression and anxiety**
Da Silva N., Augustin M., Hilbring C., Von Stülpnagel C., Sommer R. (Hamburg, Germany)
- P1462 Some features of perception of change in quality of life in patients with EB during the pandemic of COVID19**
Kolyadenko K., Fedorenko O., Sologyb L. (Kiev, Ukraine)
- P1463 Significance of chronic pruritus for intrapersonal burden of psoriasis and treatment and for interpersonal experiences of stigmatization and sexuality: Health care study to characterize the need for action and awareness**
Sommer R., Augustin M., Hilbring C., Ständer S., Hubo M., Hutt H., Von Stülpnagel C., Da Silva N. (Hamburg, Germany)
- P1464 Addictions as part of psoriasis care? A patient-centered approach in 502 psoriasis patients across Germany**
Schielein M., Tizek L., Ziehfrend S., Schuster B., Maaßen D., Biedermann T., Zink A. (München, Germany)
- P1465 Apparent skin diseases are insufficiently considered**
Taieb C. (Fontenay-sous-Bois, France)
- P1466 Factitious disorder in dermatology : a case report**
Khammouma F., Souissi I., Mokni M. (Bizerta, Tunisia)

P1467 Dermatosis Neglecta - A Case Report

Neff G., Fernandes Duque Estrada E., Duque Estrada Medeiros E., Maklouf Amorim M. (São Paulo, Brazil)

P1468 Dermatitis Artefacta: a diagnosis challenge.

Belanouane S., Fouzia H., Soumia C. (casablanca, Morocco)

P1469 Bubbles on the dorsal surface of the hands and feet, what would you think of?

Benslimane Kamal I., Hali F., Battas O., Chiheb S. (Casablanca, Morocco)

P1470 Pathomimia: a challenging psychocutaneous disorder

Belanouane S., Fouzia H., Chiheb S. (casablanca, Morocco)

P1471 Patient with multiple incisions on the abdomen and legs

Franceschi N., Prkačin I., Situm M., Dediol I. (Zagreb, Croatia)

Quality of Life

P1472 Correlation of Psoriasis Disability Index and Psoriasis Area and Severity Index

Aalemi A., Bahin M., Poorun D. (Kabul, Afghanistan)

P1473 Giant Atypical Molluscum Pendulum

Boudghene Stambouli O., Tebal A., Dahmani B. (Tlemcen, Algeria)

P1474 Assessment of negative emotional state in women with hirsutism

Lufi A. (Tirane, Albania)

P1475 Further validation and clinical application of the Hyperhidrosis Quality of Life Index (HidroQoL) in patients with axillary hyperhidrosis: A phase III RCT

Gabes M., Kamudoni P., Masur C., Abels C., Jourdan C., Schramm K., Salek S., Apfelbacher C. (Magdeburg, Germany)

P1476 Improved quality of life of patients with generalized pustular psoriasis in Japan: A cross sectional survey.

Hayama K., Fujita H., Iwatsuki K., Terui T. (Tokyo, Japan)

P1477 Erosive Pustular Dermatitis of the Scalp - Insights to Aid Clinical Practice

Yeh R., Polcz M., Wong D. (Randwick, Australia)

P1478 Development and psychometric evaluation of the U.S. English Wound-QoL questionnaire to assess health-related quality of life in people with chronic wounds

Sommer R., Von Stülpnagel C., Fife C., Blasingname M., Anders M., Thompson D., Augustin M., Da Silva N., Blome C. (Hamburg, Germany)

P1479 Association of Hidradenitis Suppurativa and Obesity with Quality of Life in Hidradenitis Suppurativa

Iftikhar U. (Lahore, Pakistan)

P1480 Assessing patient-perceived discomfort of subcutaneous delivered immunosuppressant medication in a dermatology outpatient setting.

O'connor M., Feighery C., Collins S. (Drogheda, Ireland)

P1481 The burden of sensitive skin is lower in smokers: lessons from the use of the Burden of Sensitive Skin (BoSS) questionnaire

Polena H., Chavagnac-Bonneville M., Misery L., Sayag M. (Lyon, France)

P1482 The impact of the itch on the Quality of Life in patients with chronic skin diseases

Gincheva-Mancheva V., Gospodinov D. (Pleven, Bulgaria)

P1483 Influence of skin subjective symptoms on sleep, quality in patients with cutaneous disorders : a study of 2871 subjects

Halioua B., Misery L., Seite S., Delvigne V., Salah S., Chelli C., Taieb C. (Paris, France)

P1484 Feasibility of determining quality of life in patients with urticaria

Rudnyk T., Turkevich S., Ivanyushko-Nasarko N. (Lviv, Ukraine)

P1485 Validation of the electronic Patient Benefit Index for psoriasis

Otten M., Fleyder A., Augustin M. (Hamburg, Germany)

P1486 Sunscreen use patterns vary widely across demographics

Bubic B., Khan K., Chien A. (Baltimore, United States)

P1487 The impact of acne vulgaris on quality of life in Georgian population

Matoshvili M., Tophuria D., Didbaridze T. (Tbilisi, Georgia)

P1488 Euro-QoL-5D (EQ-5D): a useful tool to assess quality of life in patients affected by psoriasis and psoriatic arthritis.

Manfreda V., Teoli M., Dattola A., Tartaglia C., Bianchi L., Giunta A. (Italy)

P1489 Global Research on the Impact of Dermatological Diseases (GRIDD): Improving Patient Leadership and Engagement in Dermatology Research

Pattinson R., Trialonis Suthakharan N., Augustin M., Bundy C. (Cardiff, United Kingdom)

P1490 Health care situation of patients with atopic dermatitis and indication for systemic therapy in dermatological routine care in Germany

Langenbruch A., Zander N., Augustin M. (Germany)

P1491 Itch is a relevant factor of disease burden in patients with atopic dermatitis in German routine care

Langenbruch A., Zander N., Augustin M. (Germany)

P1492 Assessment of sleep quality in parents with children affected by psoriasis, psoriatic arthritis or atopic dermatitis

Pigatto P., Bragazzi N., Pacifico A., Malagoli P., Conic R., Piccoli S., Damiani G. (Milano, Italy)

Research in Dermatovenereology, Experimental Dermatovenereology

P1493 In contrast to melanocytes, keratinocytes of normal human adult interfollicular epidermis do not express Galectin 1

Pasmatzi E., Papadionysiou C., Badavanis G., Kapranos N., Monastirli A., Tsambaos D. (Patras, Greece)

P1494 Autophagy and skin diseases: A review

Elmasry M., Nada H., El-Hanafy G., Mousa M. (Cairo, Egypt)

P1495 Morphology of congenital nevi in dermoscopy and reflectance confocal microscopy according to age: a pilot study.

Odorici G., Longhitano S., Ciardo S., Kaleci S., Chester J., Pellacani G., Farnetani F. (Modena, Italy)

P1496 A step further: Cannibalism of malignant melanoma cells

Prunk Zdravković T., Zdravkovic B., Strukelj B., Ferk P. (Celje, Slovenia)

P1497 Cytotoxic effects of TiO₂ nanoparticles on melanoma cells

Prunk Zdravković T., Zdravkovic B., Strukelj B., Ferk P. (Celje, Slovenia)

P1498 ABCB5 mRNA expression in melanoma cells after their exposure to Octocrylene

Prunk Zdravković T., Zdravkovic B., Strukelj B., Ferk P. (Celje, Slovenia)

P1499 Paclitaxel-induced peripheral neuropathy successfully treated with botulinum toxin type A - a case report.

Znajewska A., Orylska M., Owczarczyk-Saczonek A., Placek W. (Olsztyn, Poland)

P1500 Cytotoxic mechanism mediated by granulysin-positive NK cells contribute to the pathogenesis of the lichen planus

Vicic M., Kastelan M., Brajac I., Prpic Massari L. (Rijeka, Croatia)

P1501 Online Patient Recruitment in Clinical Trials: A Systematic Review and Meta Analysis

Brøgger-Mikkelsen M., Ali Z., Andersen A., Zibert J., Thomsen S. (Copenhagen, Denmark)

P1502 Reciprocal control of epidermis and sensory neurons in juvenile and adult human skin in a re-innervated epidermis model

Lebonvallet N., Bredif S., Bellemere G., Misery L. (BREST, France)

P1503 The association between Malassezia furfur with the pathogenesis of Red face syndrome : from the change of epidermal lipid composition to immune dysregulation.

Kim S., Chu H., Choi S., Kim J., Kim S., Lee K., Park C. (Seoul, Korea, Rep. of South)

P1504 Orally-administered EDP1815, a single strain of Prevotella histicola, has potent systemic anti-inflammatory effects in Type 1, Type 2, and Type 3 inflammatory models

Itano A., Cormack T., Ramani K., Barth K., Wang I., Mukherjee A., Ponichtera H., Mckenna C., Jahic M., Bodmer M. (Cambridge, United States)

P1505 The Regulation of Collagen Type 1 α Chain 1 Synthesis via Sirtuin 6 Interference by MicroRNA-378b

Kim S., Cho Y., Lee J., Hong J., Kim J., Hong J., Cheon H., Lee Y., Choe Y., Ahn K. (Seoul, Korea, Rep. of South)

P1506 The Regulation Mechanism of Collagen Type 1 α Chain 1 mRNA Synthesis by Arctiin In Human Dermal Fibroblasts

Cho Y., Lee J., Kim S., Hong J., Kim J., Hong J., Cheon H., Lee Y., Choe Y., Ahn K. (Seoul, Korea, Rep. of South)

P1507 Skin inflammation and testicular toxicity

Umaoka A., Takeuchi H., Mizutani K., Seo N., Matsushima Y., Habe K., Ikeda T., Yamanaka K. (Japan)

Sexually Transmitted Infections, HIV/AIDS

- P1508 Prevalence of sexually transmitted infections among HIV-negative MSM in Lebanon: a national survey**
Maatouk I., Moubadda A., El Nakib M. (Beirut, Lebanon)
- P1509 Impact of educational package on sexual health knowledge among healthcare workers in Lebanon**
Maatouk I., Moubadda A. (Beirut, Lebanon)
- P1510 The effectiveness of the combined treatment of genital warts in women**
Porsokhonova D., Rosstalnaya M., Porsokhonova K. (Tashkent, Uzbekistan)
- P1511 Persistent tinea infections in HIV- A study of 34 cases in Mumbai, India**
Ghate S. (LBS Road, Ghatkopar west< Mumbai, India)
- P1512 Combination of syphilis and urogenital infections in pregnant women**
Yuldashev K., Sabirov U., Xolboevich D., Kurbanova N., Yuldashev K. (Tashkent, Uzbekistan)
- P1513 Endogenous intoxication in pregnant women with syphilis**
Yuldashev K., Sabirov U., Xolboevich D., Kurbanova N., Yuldashev K. (Uzbekistan)
- P1514 The changes in the cardiovascular system in patients with syphilis**
Yuldashev K., Sabirov U., Xolboevich D., Kurbanova N., Yuldashev K. (Uzbekistan)
- P1515 The liver monooxygenase system (MOS) in pregnant women with syphilis**
Yuldashev K., Sabirov U., Xolboevich D., Kurbanova N., Yuldashev K. (Uzbekistan)
- P1516 Placenta condition in pregnant women with syphilis**
Yuldashev K., Sabirov U., Xolboevich D., Kurbanova N., Yuldashev K. (Uzbekistan)
- P1517 An unusual case of giant chancroidal ulcer**
Mary George N., Potlapati A., Gangaiah N. (Pala, India)
- P1518 pattern of non-venereal infective dermatoses of female external genitalia in Nassiryia**
Aljunaiyeh H. (Nassiryia, Iraq)
- P1519 A RARE CASE REPORT OF BT HANSENS PRESENTING AS IRIS IN A HIV PATIENT OVER AN UNUSUAL SITE**
Chitralkhya R. (Hyderabad, India)
- P1520 Cutaneous Kaposi Sarcoma in a Severely Immunocompromised Filipino Male: A Case Report**
Macapagal M., Lagman-Javier C., Legarda-Montinola F. (Makati, Philippines)
- P1521 Features of sexually transmitted infections (syphilis, trichomoniasis, chlamydia, mycoplasmosis) in pregnant women with risky behavior**
Shcherbakova I., Mavrov G., Osinskaya T., Dzhoraeva S. (Kharkiv, Ukraine)

- P1522 A case of an accessory STI that hides another authentic one**
El Amraoui M., Frikh R., Naoufal H., Mohammed B. (Rabat, France)
- P1523 Validation of the sexually transmitted infections knowledge questionnaire in men who have sex with men in Lebanon**
Maatouk I., Moubadda A. (Beirut, Lebanon)
- P1524 An unusual cause of genital ulcer**
Soares Queirós C., Borges Da Costa J. (Lisboa, Portugal)
- P1525 Syphilis trends and features of syphilis morbidity in pregnant women in Ukraine**
Kutasevych Y., Volkoslavskaya V., Unuchko S., Kutovaya V., Reznichenko N., Manyak N., Namli I. (Kharkiv, Ukraine)
- P1526 Prevalence of Substance Abuse, Violence, HIV/AIDS (SAVA) syndemic among MSM in Russian Federation**
Barinova A., Plavinskij S., Ladhaya N., Zaytseva E., Lebedeva A. (St. Petersburg, Russian Federation)
- P1527 A Case of Prozone Phenomenon in Overlapping Primary and Secondary Syphilis Presented with Facial Rash in a Patient with HIV Infection**
Vathananai W., Khamphiraphap K. (Bangkok, Thailand)
- P1528 Pyoderma gangrenosum mimicking a Buruli's ulcer in HIV patient from Ivory Coast.**
El Hadadi F., Mezni L., Laraqui Y., Znati K., Meziane M., Ismaili N., Benzekri L., Senouci K. (Rabat, Morocco)
- P1529 Gonorrhoea in a Tertiary Care European Hospital: a 10-year Retrospective Study of the Evolution of Cases and Drug Resistance of the Isolates**
Soares Queirós C., Borges Da Costa J., Lito L., Filipe P., Melo Cristino J. (Lisboa, Portugal)
- P1530 Perianal warts as a risk marker for anal HR-HPV detection and HPV associated diseases**
Cerejeira A., Cunha S., Coelho R., Macedo G., Barkoudah E., Azevedo F., Lisboa C. (Porto, Portugal)
- P1531 Cutaneous manifestations of early syphilis: a 3-years retrospective study in a Sexually Transmitted Disease Unit**
Magdaleno J., Valenzuela C., García-Legaz Martínez M., Martínez-Domenech Á., Partarrieu Mejías F., Lorca J., Casanova-Esquembre A., Hernandez Bel P., Pérez Ferriols A. (Valencia, Spain)
- P1532 Giant condyloma acuminatum**
El Mansouri M., Elfatoiki F., Skali H., Hali F., Chiheb S. (Casablanca, Morocco)
- P1534 COVID-19 and STIs**
Cusini M., Mandolini P., Benardon S. (Milan, Italy)
- P1535 HIV testing in severe psoriasis; a quality improvement project**
Wells H., Theodorou P., Thomson M., Garg S. (Birmingham, United Kingdom)
- P1536 The Demography and Clinical Characteristics of Syphilis Infection in a Tertiary Hospital**
Selvarajah L., Woo B. (JOHOR BAHRU, Malaysia)

P1537 Nonepidemic Kaposi Sarcoma: a novel entity

Cabezas Calderon V., Fernández-Figueras M., Vall-Mayans M. (El Prat de Llobregat, Spain)

P1538 Mycoplasma genitalum: A descriptive study of 197 cases.

Alamon Reig F., Riera Monroig J., González Cordón A., Fuertes de Vega I. (Barcelona, Spain)

P1539 Antimicrobial treatment of gonorrhoeae in Belarus: Drawback in choice of etiotropic therapy.

Aniskevich A., Shimanskaya I. (Minsk, Belarus)

P1540 Correlation between risk factors and immunological failure of HIV/AIDS patients treated with antiretroviral in the first six months

Darmawan H., Purwoko I., Aryani I., Legiran L. (Jakarta, Indonesia)

P1541 Condyloma Acuminata with SLE Under Steroid Therapy and Overlapping Bacterial Vaginosis

Eliza F., Damayanti D., Sari M., Astindari A., Widyantari S., Hidayati A., Murtiastutik D., Martodiharjo S. (Surabaya, Indonesia)

P1542 Pre-exposure prophylaxis for HIV infection and newly sexually transmitted infections among men who have sex with men: real-life experience from 3 sexual health clinics in France.

Colas M., Vanhaecke C., Courtieu C., Lambert D., Lihoreau T., Merle C., Guerre Schmidt A., Mermet I., Pelletier F., Viguier M., Aubin F. (BESANCON, France)

P1544 Epidemiology of STIs in Russia According to the Federal Laboratory Network

Murakov S., Vladimirova E., Markova Y., Silkina T., Gordeev D., Stromskaya U., Makeeva D., Vladimirov A. (Moscow, Russian Federation)

P1545 The role of histopathology on Syphilis diagnosis

Pinto A., Sanches M., Soares de Almeida L., Costa J. (Lisboa, Portugal)

P1546 The demography and clinical characteristics of syphilis infection in a tertiary hospital

Selvarajah L. (JOHOR BAHRU, Malaysia)

Systemic Treatment

- P1547 Real world UK multicentre experience of apremilast for moderate to severe chronic plaque psoriasis**
Srenathan H., Azurdia R. (United Kingdom)
- P1548 Efficacy of dimethyl fumarate per body region and per symptom among patients with moderate-to-severe plaque psoriasis: post-hoc analysis through 16 weeks from the BRIDGE phase III trial**
Mrowietz U., Van de Kerkhof P., Schoenenberger A., Ryzhkova A. (Kiel, Germany)
- P1549 Efficacy of dimethyl fumarate in clinical practice among patients with moderate plaque psoriasis: interim analysis through 24 weeks from DIMESKIN 1 study**
Llamas-Velasco M., Daudén E., Carrascosa J., De la Cueva P., Salgado-Boquete L., Guilà M., Fernández-Soriano F. (Madrid, Spain)
- P1550 Multifocal Herpes Zoster under Systemic Therapy of Psoriasis with an Interleukin-23 Inhibitor**
Stephan B., Griese L., Rustenbach S., Augustin M. (Hamburg, Germany)
- P1551 Disease Severity and Patient Needs/Benefits in Genital Psoriasis: Patient-Reported Improvement After 6+/-1 Months of Apremilast Treatment**
Da Silva N., Sommer R., Mellars L., Von Stülpnagel C., Cordey M., Augustin M. (Hamburg, Germany)
- P1554 Combination of PD1 Inhibitor therapy and targeted therapy in advanced BRAF-V600E mutant melanoma with symptomatic brain metastases : a report of five cases**
Frischhut N., Schmuth M., Nguyen V., Umlauf J., André F., Dewasurendra D. (Innsbruck, Austria)
- P1555 Spironolactone in Dermatology**
Searle T., Al-Niामी F., Ali F. (Birmingham, United Kingdom)
- P1556 Methotrexate induced liver injury using transient elastography as diagnostic tool in Chinese patients with Psoriasis : A cohort study**
Wong S., Mak L., Lo R. (HKG, Hong Kong)
- P1557 Psoriasis, Systemic Agents and Fertility: What Needs To know**
Cacciapuoti S., Scala E., Megna M., Gallo L., Fontanella G., Ruggiero A., Savastano S., Fabbrocini G. (Naples, Italy)
- P1558 Analysis of efficacy per body region among patients with moderate-to-severe plaque psoriasis treated with dimethyl fumarate in clinical practice: interim analysis through 24 weeks from the DIMESKIN 1 study**
Llamas-Velasco M., Daudén E., Carrascosa J., De la Cueva P., Salgado-Boquete L., Guilà M., Fernández-Soriano F. (Madrid, Spain)
- P1559 Griseofulvin: an interesting treatment option for neutrophilic dermatoses?**
Matar S., Farid S., Caroline F., Afioni R., Josiane H., Tomb R. (Beirut, Lebanon)
- P1560 Drug survival of secukinumab, ustekinumab, and certolizumab pegol in psoriasis. A 2-year, monocentric, retrospective study**

Chatzimichail G., Günther J., Ständer S., Thaçi D. (Lübeck, Germany)

P1561 Hydroxychloroquine In The Treatment of Granuloma Faciale

Al Abadie M., Hamad H., Oumeish F., Al Rubaye M., Scully N., Salmons N. (Wolverhampton, United Kingdom)

P1562 Evidence based best practice advice for patients treated with systemic immunosuppressants in relation to COVID-19

Galimberti F., McBride J., Cronin M., Li Y., Fox J., Herbst A., Abrouk M., Kirsner R. (Miami, United States)

Topical Therapy

- P1566 A case of eczema molluscatum treated with topical sinecatechins based ointment**
Rigas H., Nitu L., Busila I., Giurcaneanu C. (Bucharest, Romania)
- P1568 Clinical, instrumental, in vitro and ex vivo evaluation of a moisturizing product, designed for sensitive, sensitized and atopic skin**
Papaiordanou F., Pacheco de Oliveira G., Parrolina Salvador J., Fernando Rensi Cunha L., Costa Morais D., Zung S. (Guarulhos, Brazil)
- P1569 A novel active complex reduces neuro-mediated cutaneous inflammation to optimise hydration of dry, dehydrated sensitive skin**
Joly-Tonetti N., Tfayli A., Randon A., Le Noel V., Lachmann N., Arsonnaud S. (La Tour-de-Peilz, Switzerland)
- P1571 Evaluation of the effectiveness and tolerability of a new water-based nail-strengthening solution containing Pistacia lentiscus and Hyaluronic acid in mild to moderate distal subungual onychomycosis: case reports**
Starace M., Alessandrini A., Bruni F., Piraccini B. (Bologna, Italy)
- P1572 Mechanisms of topical Bruton tyrosine kinase inhibitor PRN473 in immune-mediated models of skin disease**
Xing Y., Chu K., Wadhwa J., Chen W., Zhu J., Shu J., Foulke M., Loewenstein N., Nunn P., By K., Phiasivongsa P., Goldstein D., Langrish C.
- P1573 Time course proteomic analysis of Retinol and Retinoic Acid effects on stratum corneum: a 1 year study**
Cavusoglu N., Abed K., Foucher A., Bernard D., Tancredi E. (France)
- P1574 Opportunities of bacteriophages in skin toxicity therapy against the background of targeted therapy**
Orlova E., Melikova N., Orlova L. (Moscow, Russian Federation)
- P1575 Visualizing the Skin Hydration Benefits of a Ceramide-Containing Lotion in Women with Dry Skin Using Reflectance Confocal Microscopy (RCM)**
De Carvalho N., Santana B., Martorelli I., Baalbaki N., Colón G. (Modena, Italy)
- P1576 The Efficacy of a Salicylic Acid-Containing Cleanser and Urea-Containing Cream on Rough and Bumpy Skin**
Staubach Renz P., Baalbaki N., Iqbal I., Yatskayer M., Colón G. (Mainz, Germany)
- P1577 A novel azelaic acid formulation for the topical treatment of papulo-pustular rosacea: a multicenter prospective clinical trial**
Lacarrubba F., Fabbrocini G., Skroza N., Dall'oglio F., Chiodini P., Micali G. (Catania, Italy)
- P1578 Effect of topical silicone gel on reducing radiation dermatitis in comparison with moisturizing cream: A pilot randomized-controlled study**
Roh J., Song S., Park S., Lee S., Sung K., Ahn S. (Inchoeon, Korea, Rep. of South)

P1579 Efficacy and safety of tropical 5% cysteamine versus 4% hydroquinone in the treatment of facial melasma in women

Alexandria Ferreira Dias J., Basso Lima P., Cassiano D., Cavalcante Espósito Lemos A., Bagatin E., Donida Bartoli Miot L., Miot H. (Botucatu, Brazil)

P1580 Topical statins in linear porokeratosis

Saleva - Stateva M., Weibel L., Theiler M., Boente M., Balabanova M., Stoyanova-Miteva L., Has C. (Sofia, Bulgaria)

P1581 Recurrent Primary Cutaneous Melanoma treated with DCP

Kelly A., Akhras V. (Cork, Ireland)

Tropical Dermatovenereology

- P1582 A Rare Case of Basidiobolomycosis with Dramatic Improvement After 3 Months Itraconazole Medication**
Christi Y., Citrashanty I., Isnain H., Widia Y., Anggraeni S., Astari L., Suyoso S., Edbert D., Kawilarang A., Ervianti E. (Surabaya, Indonesia)
- P1583 Ulcerated kerion due to Trichophyton mentagrophytes and Sporothrix schenckii**
Cerejeira A., Melo A., Tavares M., Pinheiro D., Teixeira C., Sobrinho-Simões J., Nogueira A., Lisboa C. (Porto, Portugal)
- P1584 The spectrum of focal epithelial hyperplasia - a report of two cases**
Cerejeira A., Preto Gomes N., Melo D., Sobrinho-Simões J., Azevedo F., Lisboa C. (Porto, Portugal)
- P1585 Cutaneous and visceral leishmaniasis in a renal transplant recipient: a case report**
Cerejeira A., Preto Gomes N., Canelhas A., Vide J., Lisboa C., Azevedo F. (Porto, Portugal)
- P1586 IL-6 is a potential marker on leprosy development**
Oktaria S., Nijsten T., Thio H. (Rotterdam, Netherlands)
- P1587 Disseminated cutaneous sporotrichosis: A case of of leishmaniasis cutaneous-like in a patient with alcoholism**
Valente M., Bertazzoli Diogo A., Culau Merlo V., Pegas J., Yoshino Bonifaci A. (Guarulhos, Brazil)
- P1588 Chromoblastomycosis: a new Tunisian case**
Chamli A., Noureddine L., Chaker H., Daadaa N., Bacha T., Jones M., Faten Z. (tunis, Tunisia)
- P1589 PAEDERUS DERMATITIS: A CASE REPORT**
Bularca E., Martínez Pallás I., García-Gil M., Aldea-Manrique B., Ramirez-Lluch M., Lapeña Casado A., Monte Serrano J., Villagrasa P., Ara Martín M.
- P1590 Chromoblastomycosis in a immunocompetent patient: a diagnostic and therapeutic challenge**
Da Cunha Junior P., De Moraes Antunes J., Pastorio Da Cunha D., Alborghetti Nai G., Alvares Penha M. (Brazil)
- P1591 A 40-years male with neglected case of tuberculosis verrucosa cutis**
Nur Komalasari D., Adriani A., Amin S., Kadir D., Djamaluddin W., Vitayani S. (makassar, Indonesia)
- P1592 Malignant wound myiasis over a squamous cell carcinoma of the scalp**
Chamli A., Jones M., Gara S., Noureddine L., Soumaya R., Faten Z. (tunis, Tunisia)
- P1593 Antifungal Therapy for Treating Children with Ringworm of The Scalp**
Rosdiana B., Anggraeni S., Widia Y., Astari L., Ervianti E. (Surabaya, Indonesia)
- P1594 Lucio's Phenomenon in A Pregnant Woman with Lucio's Leprosy: A Case Report**
Adniana Nareswari A. (Solo, Indonesia)

Urticaria, Angioedema

P1595 Autologous serum skin test in chronic urticaria in children

Godse K. (Navi Mumbai, India)

P1596 Good things come to those who wait: successful response of solar urticaria to omalizumab after 1 year of treatment

Vollono L., Bianchi L., Piccolo A., Mazzilli S., Campione E., Diluvio L. (Rome, Italy)

P1597 Decrease thyroid hormones needs after introduction of omalizumab in patients with chronic spontaneous urticaria and non auto-immune hypothyroidism

Fougerousse A., Soria A. (Saint Mandé, France)

P1598 Safety and effectiveness of Omalizumab in Indian Patients with Chronic Spontaneous Urticaria refractory to standard care

Godse K., Bhat R., Shah R., A.S N., Mallela V., Parekh M., Agarwal I., De A., Nagire V., Kawatra P. (Navi Mumbai, India)

P1599 High proportion of patients with moderate to severe chronic spontaneous urticaria achieved complete response with ligelizumab: data from the phase 2b study

Bernstein J., Maurer M., Giménez-Arnau A., Soong W., Sussman G., Metz M., Lanier B., Sitz K., Hide M., Hua E., Barve A., Severin T., Janocha R. (United States)

P1600 Quality of life improvements are correlated with improved disease control: Results from ligelizumab treatment in chronic spontaneous urticaria patients with angioedema

Giménez-Arnau A., Maurer M., Soong W., Bernstein J., Sussman G., Metz M., Lanier B., Hide M., Sitz K., Hua E., Gupta P., Barve A., Severin T., Janocha R., Balp M. (Barcelona, Spain)

P1602 Refractory angioedema successfully treated with tranexamic acid

Slimani Y., El Fatoiki F., Dahbi Skali H., Hali F., Chiheb S. (Casablanca, Morocco)

P1603 Prevalence and predictors of angioedema in a large sample of hospital outpatients with chronic urticaria

Astrup Sørensen J., Ghazanfar M., Holm J., Thomsen S. (Copenhagen NV, Denmark)

P1604 Effect of Bilastine on chronic spontaneous urticaria refractory to levocetirizine: Real world Indian experience

Dhoot D., Deshmukh G., Barkate H. (Aurangabad, India)

P1606 Intrauterine contraception (IUDs) as a culprit of chronic urticaria and angioedema: a case report

Navarro Triviño F., Mérida Fernández C., Ruiz-Villaverde R. (Granada, Spain)

P1607 association of serum total IgE and basophil histamine release test with response to omalizumab in patients with chronic spontaneous urticaria: Three months prospective study.

Ghazanfar M., Holm J., Thomsen S. (Copenhagen, Denmark)

P1609 Complete symptom control in chronic spontaneous urticaria patients leads to improved sleep and quality of life: results from the Phase 2b ligelizumab study

Giménez-Arnau A., Maurer M., Lanier B., Bernstein J., Suryawanshi B., Hua E., Severin T., Janocha R., Balp M. (Barcelona, Spain)

P1610 In chronic spontaneous urticaria, response to ligelizumab is determined by baseline disease activity and duration, and patient's body mass index: an exploratory multivariate analysis

Maurer M., Giménez-Arnau A., Sussman G., Soong W., Bernstein J., Hua E., Liu T., Barve A., Janocha R., Severin T. (Berlin, Germany)

P1611 Analysis of choroidal thickness in patients with chronic spontaneous urticaria using Spectral-Domain Optical Coherence Tomography

Gulcan S., Bayraktar H., Elbay A., Su Küçük Ö. (İstanbul, Turkey)

P1612 Over 40 percent higher complete response rate was achieved after treatment with ligelizumab in patients with chronic spontaneous urticaria originally treated with omalizumab

Maurer M., Giménez-Arnau A., Soong W., Bernstein J., Sussman G., Metz M., Lanier B., Hide M., Sitz K., Hua E., Barve A., Severin T., Janocha R. (Berlin, Germany)

P1613 Assessment of Newly Modified Guidelines for Treatment of Chronic Spontaneous Urticaria

Salem H., Sallam M., Faisal F., O. Khashaba E., Shehab-Eldeen N., El Mongy S. (Mansoura, Egypt)

P1614 Real world effectiveness and safety of Bilastine switchover therapy in patients with urticaria refractory to other H1 antihistamines.

Deshmukh G., Dhoot D., Barkate H. (Mumbai, India)

P1615 Efficacy of ligelizumab in chronic spontaneous urticaria patients previously inadequately controlled with omalizumab; analysis of the Phase 2 program

Metz M., Hide M., Sussman G., Sitz K., Maurer M., Severin T., Janocha R., Hua E. (Berlin, Germany)

P1616 Impact of Covid-19 Pandemic on Chronic Spontaneous Urticaria : A cross sectional study from Turkey

Su Küçük Ö., Gulcan S., Yabacı A., Bahalı A., Emiroğlu N., Onsun N. (İstanbul, Turkey)

Wounds, Chronic Wounds, Wound Healing, Ulcer

- P1617 Scoring of healing progression resulted by amniotic membrane dressing for the treatment of bedsores**
Radwan N., Nemr W. (Cairo, Egypt)
- P1618 Comparison of Heat Shock Protein 70 Expression in Response to Different Non-ablative Fractional Lasers: An In-Vitro Study**
Said T., Konz M., Paasch U. (Alexandria, Egypt)
- P1619 Trigeminal trophic syndrome: case series and review.**
Oliveira Resende L., Simonsen Nico M., Dwan A. (São Paulo, Brazil)
- P1620 Livedoid vasculopathy associated with plasminogen activator inhibitor-1 promoter polymorphisms**
Mendes R., Ortins-Pina A., Soares-de-Almeida L., Filipe P. (Lisbon, Portugal)
- P1621 Successful PRP-assisted closure of an acute skin ulcer secondary to a tick bite**
Rodriguez Tejero A., Martinez Lopez A., Espadafor B., Molina-Leyva A. (Granada, Spain)
- P1622 The effect of marine omega-3 fatty acids as a local treatment option in the wound microenvironment**
Stuermer E., Rembe J., Fuellerer M., Severing A. (Hamburg, Germany)
- P1623 Side effects of frequently used antihypertensive drugs and antidiabetics at wound healing in vitro**
Stuermer E., Bachmann H., Besser M., Terberger N., Rembe J., Severing A. (Hamburg, Germany)
- P1625 Prevention of diaper rash with a repairing ointment**
Sammam A., Julia G., Giuseppe R. (Hamburg, Germany)
- P1626 On the Way to Personalized Treatment of Chronic Wounds**
Doerfler P., Schoefmann N., Berli M., Bauer W., Botter S., Goerge T., Luger T., Mica L., Popovits M., Rappersberger K., Stingl G., Stockinger T., Stuetz A., Wolff-Winiski B. (Vienna, Austria)
- P1627 Screening of Wound Healing Therapeutics with an ex vivo Assay Platform using Wound Exudates from Individual Patients**
Doerfler P., Schoefmann N., Stuetz A., Wolff-Winiski B.
- P1628 Identification of the Poly(ADP-Ribose) Polymerase (PARP) Inhibitor Veliparib as Potential New Drug for Chronic Wound Therapy**
Schoefmann N., Doerfler P., Stuetz A., Wolff-Winiski B. (Vienna, Austria)
- P1629 Resveratrol Promote Secretion of Wound Healing Related Growth Factors of Mesenchymal Stem Cells Originated From Adult and Fetal Tissue**
Prakoewa C., Rindiastuti Y., Wirohadidjojo Y., Komaratih E., Nurwasis N., Dinaryati A., Inten Lestari N., Rantam F. (Surabaya, Indonesia)
- P1630 Suspected brown recluse envenomation**
Ntavari N., Savvopoulou E., Ioanna C., Gidarokosta P., Gravani A., Roussaki A., Zafeiriou E. (Larissa, Greece)

P1631 Ulcerating Carpal Tunnel Syndrome: review of 9 cases

Gomes T., Kieselova K., Teixeira V., Pereira N., Santiago F., Henrique M. (Leiria, Portugal)